arXiv:1604.00756v1 [hep-th] 4 Apr 2016

Higher Spin Currents in the $\mathcal{N} = 2$ Stringy Coset Minimal Model

Changhyun Ahn

Department of Physics, Kyungpook National University, Taegu 41566, Korea

ahn@knu.ac.kr

Abstract

In the coset model based on $(A^{(1)}_{N-1} \oplus A^{(1)}_{N-1}, A^{(1)}_{N-1})$ at level $(N, N; 2N)$, it is known that the $\mathcal{N} = 2$ superconformal algebra can be realized by the two kinds of adjoint fermions. Each Kac-Moody current of spin-1 is given by the product of fermions with structure constant (f symbols) as usual. One can construct the spin-1 current by combining the above two fermions with the structure constant and the spin-1 current by multiplying these two fermions with completely symmetric $SU(N)$ invariant tensor of rank 3 (d symbols). The lowest higher spin-2 current with nonzero $U(1)$ charge (corresponding to the zeromode eigenvalue of spin-1 current of $\mathcal{N} = 2$ superconformal algebra) can be obtained from these four spin-1 currents in quadratic form. Similarly, the other type of lowest higher spin-2 current, whose $U(1)$ charge is opposite to the above one, can be obtained also. Four higher spin-$\frac{5}{2}$ currents can be constructed from the operator product expansions (OPEs) between the spin-$\frac{3}{2}$ currents of $\mathcal{N} = 2$ superconformal algebra and the above two higher spin-2 currents. The two higher spin-3 currents can be determined by the OPEs between the above spin-$\frac{3}{2}$ currents and the higher spin-$\frac{5}{2}$ currents. Finally, the ten $\mathcal{N} = 2$ OPEs between the four $\mathcal{N} = 2$ higher spin multiplets $(2, \frac{5}{2}, \frac{5}{2}, 3)$, $(2, \frac{5}{2}, \frac{5}{2}, 3)$, $(\frac{7}{2}, 4, 4, \frac{9}{2})$ and $(\frac{7}{2}, 4, 4, \frac{9}{2})$ are obtained explicitly for generic N.

Contents

1 Introduction **2**

2 The four currents of the $\mathcal{N}=2$ superconformal algebra in the coset model **6**

3 The lowest four higher spin currents **11**

3.1 Higher spin-2 current 13

3.2 Higher spin-$\frac{5}{2}$ current 15

3.3 Higher spin-$\frac{5}{2}$ current 18

3.4 Higher spin-3 current 19

4 The other lowest four higher spin currents **21**

4.1 Higher spin-2 current 21

4.2 Higher spin-$\frac{5}{2}$ current 22

4.3 Higher spin-$\frac{5}{2}$ current 23

4.4 Higher spin-3 current 24

5 The next higher spin currents **25**

6 The OPEs between the higher spin currents **28**

7 The OPEs between the higher spin currents in $\mathcal{N}=2$ superspace **30**

7.1 The OPEs between the higher spin-2 currents $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z)$ 31

7.2 The OPEs between the higher spin-2 current and the higher spin-$\frac{7}{2}$ current . . 33

7.3 The OPEs between the higher spin-$\frac{7}{2}$ currents 36

8 Conclusions and outlook **42**

A The fundamental OPEs between the adjoint spin-$\frac{1}{2}$ and spin-1 currents **45**

B The OPEs between the $\mathcal{N}=2$ stress energy tensor and the $\mathcal{N}=2$ primary current **46**

C The first-order poles in the OPEs $G^{\pm}(z)\,W^{(2)}_{\pm\frac{2}{3}}(w)$ **48**

D The first-order poles in the OPEs $G^{\mp}(z)\,W^{(\frac{5}{2})}_{\pm\frac{5}{3}}(w)$ **49**

E The first-order poles in the OPEs $W^{(2)}_{\pm\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{\mp\frac{1}{3}}(w)$ **54**

F The singular terms in the OPE $W^{(2)}_{\frac{2}{3}}(z)\,W^{(2)}_{-\frac{2}{3}}(w)$ 60

G The details for the OPEs between the higher spin currents in $\mathcal{N}=2$ superspace 61

G.1 The OPEs $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_2)$ 61

G.2 The OPEs $\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_2)$ 69

H The component OPEs in the OPE $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z_2)$ 103

H.1 The component OPEs in the OPE $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)$ 103

H.2 The component OPEs in the OPE $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)$ 104

H.3 The component OPEs in the OPE $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)$ 111

I The component OPEs in the OPE $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_2)$ 112

I.1 The component OPEs in the OPE $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$ 112

I.2 The component OPEs in the OPE $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)$ 114

I.3 The component OPEs in the OPE $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$ 118

I.4 The component OPEs in the OPE $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)$ 123

J The component OPEs in the OPE $\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_2)$ 124

J.1 The component OPEs in the OPE $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$ 124

J.2 The component OPEs in the OPE $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)$ 128

J.3 The component OPEs in the OPE $\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)$ 149

1 Introduction

One of the conformal field theories (CFTs) in two dimensions can be described as the following coset model

$$\frac{\hat{SU}(N)_N \oplus \hat{SU}(N)_N}{\hat{SU}(N)_{2N}}. \tag{1.1}$$

The affine Kac-Moody algebra in the numerator has the levels (N, N) while the corresponding algebra in the denominator has the level $2N$, which is the sum of the levels in the numerator. The two dimensional $SU(N)$ gauge theory coupled to the adjoint Dirac fermions associated with this coset model has been described in [1]. What is special feature behind the above

coset model? This coset has $\mathcal{N} = (2,2)$ supersymmetry [2] [1]. The Virasoro primary field has the spin-$\frac{1}{2}$ for the adjoint representation at the first level N, which is nothing but the dual Coxeter number of $SU(N)$ [3]. The corresponding highest weight fields are given by a set of (N^2-1) free fermions living in the first factor of the numerator. Then the first supersymmetry generator, spin-$\frac{3}{2}$ current, can be written in terms of these adjoint fermions. See also (2.74), (7.49) and (7.50) of [3]. Furthermore, the similar analysis can be done for the other adjoint fermions living in the second factor in the numerator because the coset model also has the second level N [2]. The second supersymmetry generator, spin-$\frac{3}{2}$ current, can be obtained from these adjoint fermions. Then the standard $\mathcal{N} = 2$ superconformal algebra, characterized by one spin-1, *two* spin-$\frac{3}{2}$ and one spin-2 currents, in terms of these *two* adjoint fermions can be realized in the stringy [2] coset model [2]. We would like to construct the higher spin currents (and their OPEs) in the above stringy coset minimal model beyond the currents of $\mathcal{N} = 2$ superconformal algebra.

As observed in [1], for $N \geq 3$, there exist higher spin currents as well as the $\mathcal{N} = 2$ superconformal currents [3]. That is, for $N = 3$, the two lowest higher spin-2 currents were obtained from the Dirac fermions. Furthermore, the existence of two higher spin-$\frac{7}{2}$ currents and one higher spin-4 current has been checked from the extended vacuum character technique. By examining these higher spin currents in details, we would like to understand the higher spin symmetry algebra in the coset model (1.1), which is much larger than the conventional W_N symmetry algebra [3]. The central charge in (1.1) is given by

$$c = \frac{1}{3}(N^2-1), \qquad N = 3, 4, 5 \cdots . \tag{1.2}$$

The value $c = \frac{8}{3}$ coincides with the first value in the series (1.2) [4]. One can check the relation (1.2) by obtaining the Sugawara construction for the stress energy tensor, spin-2 current, written in terms of two fermions in (1.1) and reading off the fourth-order pole of the OPE between the stress energy tensor and itself [5]. In the large N limit, the central charge behaves as N^2. This implies that the bulk dual is presumably a string theory on AdS_3 space

[1] In this paper, we describe only the holomorphic part of the (higher spin) currents. The anti-holomorphic part of the (higher spin) currents can be described similarly. Then we will use the notation for the supersymmetry as $\mathcal{N} = 2$ supersymmetry simply rather than $\mathcal{N} = (2,2)$ supersymmetry.

[2] This terminology was used in the review paper by Gaberdiel and Gopakumar [4].

[3] For $N = 2$, there exists only $\mathcal{N} = 2$ superconformal symmetry because the d symbol in $SU(2)$ vanishes identically.

[4] In the $\mathcal{N} = 2$ superconformal minimal models, the central charge is given by $c = \frac{3k}{(k+2)}$ where $k = 1, 2, \cdots$ [5]. Then it is easy to see that $k = 16$ case [1] corresponds to the $c = \frac{8}{3}$.

[5] Note that the central charge term also arises in the OPE between the spin-1 currents and in the OPE between the spin-$\frac{3}{2}$ currents. Some details on this issue (the normalizations of the spin-1 and spin-$\frac{3}{2}$ currents) will be described in section 2.

observed in [1]. In the coset model with the levels $(k, 1; k+1)$ in the context of Gaberdiel and Gopakumar's proposal [6, 7], the central charge behaves as N in the large N limit. The number of gauge invariant states in the former is bigger than the ones in the latter. The 't Hooft coupling constant in [6] becomes $\lambda = \frac{1}{2}$ in the coset model (1.1).

For the large $\mathcal{N} = 4$ holography [8], the free symmetric product orbifold CFT is dual to the string theory at the tensionless limit [9]. It is known that the stringy symmetry algebra is much bigger than the vector-like symmetry algebra of the Vasiliev higher spin theory [10]. By studying the conformal perturbation theory of the free symmetric orbifold CFT (corresponding to switching on the string tension), the additional symmetry generators of the stringy symmetry algebra seem to belong to different (sub-leading) Regge trajectories [11]. Then the higher spin generators of Vasiliev theory correspond to the leading Regge trajectory (having the lowest mass or anomalous dimension for a given spin). See also the relevant works in [12, 13].

For the $\mathcal{N} = 3$ holography [14], the deformation term breaks the higher spin symmetry and induces the mass to the higher spin fields [15, 16]. The masses are not generated for the $SO(3)_R$ singlet higher spin fields at the leading order of $\frac{1}{c}$ where c is the central charge. However, the mass formula for the $SO(3)_R$ triplet higher spin fields looks like the Regge trajectory on the flat spacetime. Although they use the previous extended algebra (for example, for spins $s = 3, 4$), it is not clear that this extended algebra [7, 17] coincide with the higher spin algebra with $\mathcal{N} = 3$ supersymmetry. In other words, so far it is not known what is the higher spin symmetry algebra for the higher spin currents together with $\mathcal{N} = 3$ superconformal algebra [6]. It would be interesting to see the higher spin symmetry algebra (between the low higher spin currents) explicitly.

Now one asks how one can make a deformation which breaks the higher spin symmetry (and keeps the $\mathcal{N} = 2$ superconformal symmetry) and see the mass formula for the higher spin fields ($SO(2)_R$ doublet or singlet) at the leading order of $\frac{1}{c}$ (or at finite c). In order to answer this question, one should obtain the higher spin symmetry algebra for the low higher spin currents in the stringy coset model (1.1) as a first step. According to the result of [1], one has the higher spin currents of spins

$$(2, \frac{5}{2}, \frac{5}{2}, 3),\ (2, \frac{5}{2}, \frac{5}{2}, 3),\ (\frac{7}{2}, 4, 4, \frac{9}{2}),\ (\frac{7}{2}, 4, 4, \frac{9}{2}),\ (4, \frac{9}{2}, \frac{9}{2}, 5),\ \cdots\ , \tag{1.3}$$

in the $\mathcal{N} = 2$ multiplet notation where the five higher spin currents (two spin-2, two spin-$\frac{7}{2}$ and one spin-4 currents) are located at the first component of each $\mathcal{N} = 2$ multiplet. We

[6] The currents are characterized by one spin-$\frac{1}{2}$, three spin-1, three spin-$\frac{3}{2}$ and one spin-2 currents [18, 19, 20]. In $\mathcal{N} = 2$ superspace, one can realize them as two $\mathcal{N} = 2$ multiplets [21]. That is, $(1, \frac{3}{2}, \frac{3}{2}, 2)$ and $(\frac{1}{2}, 1, 1, \frac{3}{2})$.

put the other three components with correct spins at each $\mathcal{N}=2$ multiplet. Of course, the standard $\mathcal{N}=2$ superconformal algebra can be obtained from the currents of spins $(1, \frac{3}{2}, \frac{3}{2}, 2)$. In previous works [22, 23, 24], the higher spin currents of spins $(\frac{5}{2}, 3)$, $(\frac{7}{2}, 4)$, $(4, \frac{9}{2})$, $(4, \frac{9}{2})$, $(\frac{9}{2}, 5)$, $(\frac{11}{2}, 6)$ and $(6, \frac{13}{2})$ are constructed together with the currents of spins $(\frac{3}{2}, 2)$ of $\mathcal{N}=1$ superconformal algebra. One can easily see that the first five $\mathcal{N}=1$ multiplets appear in the above $\mathcal{N}=2$ multiplets (1.3). The remaining ones will also appear in the list of (1.3) [7].

In this paper, we construct the first two $\mathcal{N}=2$ multiplets (1.3) in terms of two adjoint fermions, obtain the complete OPEs between the first four $\mathcal{N}=2$ multiplets (in component approach and in $\mathcal{N}=2$ superspace) and present how the higher spin-$\frac{7}{2}$ currents can be obtained from two adjoint fermions. First of all, one should determine the lowest higher spin-2 current. After this is found, then its three other component higher spin currents can be obtained from the $\mathcal{N}=2$ supersymmetry. Similarly, the other lowest higher spin-2 current (and its associated three other component higher spin currents) can be determined. Now the remaining undetermined higher spin currents (third, fourth, $\cdots$, $\mathcal{N}$=2 multiplets of (1.3)) should appear in the OPEs between the known higher spin currents.

As the spins increase, the right hand side of the OPE contains too many terms. Then how one can rewrite them in terms of the composite fields consisting of the known (higher spin) currents? In addition to the spin of the higher spin current (zeromode eigenvalue of stress energy tensor spin-2 current of $\mathcal{N}=2$ superconformal algebra), there exists other quantity to characterize the state corresponding to the higher spin current. One can use the zeromode eigenvalue of the spin-1 current of $\mathcal{N}=2$ superconformal algebra [8].

Therefore, it is crucial to observe the $U(1)$ charges for the higher spin currents in (1.3) because the right hand sides of any OPEs, which are complicated expressions of adjoint fermions, should be reexpressed in terms of the known (higher spin) currents. In other words, once we know the $U(1)$ charge of the left hand side of any OPE, then one can figure out the algebraic structure of the right hand side by considering the composite fields (having the correct $U(1)$ charge) appearing in the particular singular term. When the right hand side of the OPE cannot be written in terms of the known (higher spin) current, then one has a new primary higher spin current. Then one should check how this higher spin current can fit in $\mathcal{N}=2$ multiplet. Using the spin-$\frac{3}{2}$ currents of the $\mathcal{N}=2$ superconformal algebra, one should obtain the other three component higher spin currents.

[7] For the $\mathcal{N}=1$ supersymmetric coset model, one of the levels is given by k where $k=1,2,\cdots$ [25, 26]. See also the relevant works in [27, 28]. For the general coset model with arbitrary levels, see also [29].

[8] In the OPE language, the spin is the coefficient of the second-order pole in the OPE between the stress energy tensor and the higher spin current while the $U(1)$ charge is the coefficient of the first-order pole in the OPE between the spin-1 current and the higher spin current.

In section 2, we review the construction of four currents of $\mathcal{N}=2$ superconformal algebra in terms of two adjoint fermions in the coset model (1.1).

In section 3, we construct the lowest four higher spin currents (corresponding to the first $\mathcal{N}=2$ multiplet in (1.3)) in terms of two adjoint fermions which are contracted with the f and d symbols. The package by Thielemans [30] is used all the times.

In section 4, we repeat the procedure of section 3 for the other type of lowest four higher spin currents (corresponding to the second $\mathcal{N}=2$ multiplet in (1.3)) whose $U(1)$ charges opposite to the corresponding higher spin currents obtained in section 3.

In section 5, we describe how we can obtain the higher spin currents beyond the lowest higher spin currents in sections 3 and 4. The third component higher spin current of $\mathcal{N}=2$ multiplet in section 3 and the second component higher spin current of $\mathcal{N}=2$ multiplet in section 4 generate the first component of higher spin-s current of $\mathcal{N}=2$ multiplet. The former increases the $U(1)$ charge of $\frac{1}{3}$ while the latter decreases the $U(1)$ charge of $\frac{1}{3}$.

In section 6, we describe the higher spin symmetry algebra between the higher spin currents obtained in previous sections. We present the OPE between the lowest higher spin-2 current with $U(1)$ charge $\frac{2}{3}$ and the lowest higher spin-2 current with $U(1)$ charge $-\frac{2}{3}$ for generic N (or generic central charge c).

In section 7, we consider the lowest four $\mathcal{N}=2$ higher spin multiplets (in component approach there are 16 higher spin currents) and their OPEs in $\mathcal{N}=2$ superspace with the package by Krivonos and Thielemans [31].

In section 8, we summarize what we obtained in this paper and the future works are given.

In Appendices $A, B, \cdots, J$, some details appeared in previous sections are presented [9].

There are some works [32, 33, 34] related to the coset model and the higher spin theory with $\mathcal{N}=2$ supersymmetry can be found in previous works in [35, 36, 37, 38, 39].

2 The four currents of the $\mathcal{N}=2$ superconformal algebra in the coset model

In this section, the four currents of spins $(1, \frac{3}{2}, \frac{3}{2}, 2)$ of $\mathcal{N}=2$ superconformal algebra in the coset model (1.1) will be obtained. Although they appeared in [2] previously, we present the construction of those four currents in order to understand how we continue to find the higher spin currents in next sections.

Let us consider the two kinds of adjoint fermion fields, corresponding to each $SU(N)$

[9] In particular, Appendices H, I and J contain the component OPEs corresponding to the $\mathcal{N}=2$ OPEs in the section 7.

factor in the coset (1.1), which satisfy the following fundamental OPEs

$$\begin{aligned}
\psi^a(z)\,\psi^b(w) &= -\frac{1}{(z-w)}\,\frac{1}{2}\,\delta^{ab}+\cdots, \\
\chi^a(z)\,\chi^b(w) &= -\frac{1}{(z-w)}\,\frac{1}{2}\,\delta^{ab}+\cdots, \qquad a,b=1,2,\cdots,(N^2-1).
\end{aligned} \tag{2.1}$$

Here the adjoint indices a, b run over $a, b = 1, 2, \cdots, (N^2-1)$. The normalization $-\frac{1}{2}$ in the first-order pole of the OPEs is taken. Due to the fermionic property of these adjoint fields, there are extra minus signs in the OPE when we interchange the operators. That is, $\psi^b(w)\,\psi^a(z) = -\psi^a(z)\,\psi^b(w)$ [10]. In the right hand side of the OPEs (2.1), there is a symmetric $SU(N)$ invariant tensor of rank 2 denoted by δ^{ab}. Of course, there are no singular terms in the OPE $\psi^a(z)\,\chi^b(w) = +\cdots$ because they live in different $SU(N)$ factors respectively.

The Kac-Moody spin-1 $SU(N)$ adjoint currents can be defined as the composite of the adjoint fermion fields with totally antisymmetric structure constant of $SU(N)$. That is,

$$\begin{aligned}
J^a(z) &\equiv f^{abc}\,\psi^b\psi^c(z), \\
K^a(z) &\equiv f^{abc}\,\chi^b\chi^c(z).
\end{aligned} \tag{2.2}$$

The indices b and c in the right hand side of (2.2) are summed over the $SU(N)$ adjoint indices. The normalizations for these spin-1 currents are determined by the defining OPE for the affine Kac-Moody algebra below [11]. The Wick theorem for the composite fields can be used in order to calculate the singular terms between them [3]. Of course, the combination between the $\psi^b(z)$ and $\chi^c(w)$ can provide other type of spin-1 current which will be described in next sections.

Then the affine Kac-Moody algebra $\hat{SU}(N)_N \oplus \hat{SU}(N)_N$ in (1.1) is represented by the following OPEs

$$\begin{aligned}
J^a(z)\,J^b(w) &= -\frac{1}{(z-w)^2}\,N\,\delta^{ab}+\frac{1}{(z-w)}\,f^{abc}\,J^c(w)+\cdots, \\
K^a(z)\,K^b(w) &= -\frac{1}{(z-w)^2}\,N\,\delta^{ab}+\frac{1}{(z-w)}\,f^{abc}\,K^c(w)+\cdots.
\end{aligned} \tag{2.3}$$

[10] Similarly the following relation for the second fermions holds $\chi^b(w)\,\chi^a(z) = -\chi^a(z)\,\chi^b(w)$. The OPE $\psi^b(z)\,\psi^a(w)$ (and the OPE $\chi^b(z)\,\chi^a(w)$) can be determined by (2.1) using the standard Taylor expansion [3]. The extra minus sign from this process can combine with the above minus sign and leads to the same right hand sides of the OPEs in (2.1). In other words, the OPE $\psi^b(z)\,\psi^a(w)$ can be read off from (2.1) by replacing the index a with the index b and vice versa.

[11] The sum of the normal ordered product $\psi^b\,\psi^c(z)$ and the normal ordered product $\psi^c\,\psi^b(z)$ (that is, the anticommutator $\{\psi^b, \psi^c\}(z)$) vanishes because there is no w-dependent term in the first-order pole in (2.1). Then there is no sign change in the above spin-1 current when ψ^b and ψ^c are interchanged because the structure constant is antisymmetric in the indices b and c.

The index c in the right hand side of the OPEs (2.3) is summed over the $SU(N)$ adjoint index c. The second-order pole in (2.3) stands for the level (N, N). It is easy to see how one obtains the level $2N$ by adding the two levels N and N [12]. There are no singular terms in the OPE $J^a(z)\, K^b(w)$ because there is no nontrivial OPE in $\psi^a(z)\, \chi^b(w) = + \cdots$ as described before.

We would like to construct the four coset currents of $\mathcal{N} = 2$ superconformal algebra in the coset model. In Appendix (A.1), some useful OPEs are presented.

• Coset spin-1 current

Let us consider the following spin-1 current by taking the composite of the two adjoint fermionic fields with the $SU(N)$ invariant tensor of rank 2 [13]

$$J(z) = \frac{2}{3}\, i\, \delta^{ab}\, \psi^a \chi^b(z) = \frac{2}{3}\, i\, \psi^a \chi^a(z). \tag{2.4}$$

The overall constant can be fixed by calculating the following OPE with the help of (2.1)

$$J(z)\, J(w) \;\; = \;\; \frac{1}{(z-w)^2}\, \frac{c}{3} + \cdots, \qquad c = \frac{1}{3}\, (N^2 - 1). \tag{2.5}$$

See also Appendix (B.3) where the 16 OPEs between the four currents of $\mathcal{N} = 2$ superconformal algebra are given. The coset central charge will be discussed later in the context of stress energy coset spin-2 current. We also used the fact that $\delta^{aa} = N^2 - 1$.

One can easily check that this coset spin-1 current does not have any singular terms in the OPE $J(z)\, (J^a + K^a)(w)$. All the coset (higher spin) currents should satisfy this requirement [40, 41]. That is,

$$(J^a + K^a)(z)\, J(w) \;\; = \;\; + \cdots. \tag{2.6}$$

The normalization factor $\frac{2}{3} i$ in (2.4) does not have any N-dependent factor because the N-dependent factor is canceled during this calculation. The numerical factor $\frac{2}{3}$ will appear as an $U(1)$ charge of the lowest higher spin-2 current in next section. Note that the $U(1)$ charge of $J(w)$ is zero because there is no first-order pole in (2.5). See also the footnote 13 with (2.7).

Let us emphasize that one can check the combination $(\psi^a \pm i\chi^a)(w)$ has the explicit $U(1)$ charges. That is,

$$J(z)\, (\psi^a \pm i\chi^a)(w) \;\; = \;\; \pm \frac{1}{(z-w)}\, \frac{1}{3} (\psi^a \pm i\chi^a)(w) + \cdots. \tag{2.7}$$

[12] By adding the two OPEs in (2.3), the diagonal affine Kac-Moody algebra $\hat{SU}(N)_{2N}$ in the coset (1.1) can be obtained as follows: $(J^a + K^a)(z)\, (J^b + K^b)(w) = -\frac{1}{(z-w)^2}\, 2N\, \delta^{ab} + \frac{1}{(z-w)}\, f^{abc}\, (J^c + K^c)(w) + \cdots$, where the trivial OPEs $J^a(z)\, K^b(w) = + \cdots$ and $K^a(z)\, J^b(w) = + \cdots$ are used.

[13] One can reepxress this current as $J(z) = -\frac{1}{3} (\psi^a + i\chi^a)(\psi^a - i\chi^a)(z)$. We will observe that the first factor has $U(1)$ charge $\frac{1}{3}$ while the second factor has $U(1)$ charge $-\frac{1}{3}$. Then the total $U(1)$ charge of $J(w)$ is zero.

From (2.7), their $U(1)$ charges are given by $\pm\frac{1}{3}$ respectively. We will see that the higher spin currents can be written in terms of these two combinations with appropriate f and d symbols later.

• Coset spin-$\frac{3}{2}$ current

Let us consider one of the spin-$\frac{3}{2}$ currents in the $\mathcal{N} = 2$ superconformal algebra. We obtain the following explicit form for this spin-$\frac{3}{2}$ current

$$G^+(z) = -\frac{1}{6\sqrt{3N}}\Big[\psi^a J^a - 3\,\psi^a K^a - i\,\chi^a K^a + 3\,i\,\chi^a J^a\Big](z). \tag{2.8}$$

The four terms in (2.8) can be determined by taking the spin-$\frac{1}{2}$ current and the spin-1 current in each $SU(N)$ factor in the coset model (1.1) because the spin should be $\frac{3}{2}$. Then how one can determine the relative coefficients?

One constraint is that this coset spin-$\frac{3}{2}$ current does not have any singular terms in the OPE with the diagonal spin-1 current. That is, along the line of (2.6),

$$(J^a + K^a)(z)\,G^+(w) \;\;=\;\; +\cdots. \tag{2.9}$$

Furthermore, the OPE between the coset spin-1 current and the coset spin-$\frac{3}{2}$ current should satisfy

$$J(z)\,G^+(w) \;\;=\;\; \frac{1}{(z-w)}\,G^+(w) + \cdots, \tag{2.10}$$

from the definition of $\mathcal{N} = 2$ superconformal algebra. In other words, the coset spin-$\frac{3}{2}$ current has $U(1)$ charge of $+1$. See also the second equation of Appendix (B.3). Again from the explicit expressions in (2.4) and (2.2) together with the coset spin-$\frac{3}{2}$ current with four unknown constants, the OPEs can be calculated and the two conditions (2.9) and (2.10) are used. So far, the relative coefficients can be fixed and the overall factor can be determined later as the OPE between the two supersymmetry $\frac{3}{2}$ currents is obtained. Then we obtain the expression (2.8) except the normalization factor.

Let us rewrite the above spin-$\frac{3}{2}$ current as follows

$$G^+(z) = -\frac{1}{6\sqrt{3N}}\,f^{abc}\,(\psi^a + i\chi^a)(\psi^b + i\chi^b)(\psi^c + i\chi^c)(z). \tag{2.11}$$

First of all, the first and third terms in (2.8) can be seen from (2.11) together with (2.2) and the other two can be checked easily using the previous properties described before. According to (2.7), this spin-$\frac{3}{2}$ current has $U(1)$ charge $1(=\frac{1}{3}+\frac{1}{3}+\frac{1}{3})$. That is why we put the upper index $+$ in the spin-$\frac{3}{2}$ current $G^+(z)$.

• Coset spin-$\frac{3}{2}$ current

The second coset spin-$\frac{3}{2}$ current can be determined similarly. We take four independent terms as before and apply two conditions explained before. It turns out that the second spin-$\frac{3}{2}$ current is given by

$$G^-(z) = -\frac{1}{6\sqrt{3N}}\Big[\psi^a J^a - 3\,\psi^a K^a + i\,\chi^a K^a - 3\,i\,\chi^a J^a\Big](z). \tag{2.12}$$

Two conditions are given by the regularity condition with the diagonal spin-1 current

$$(J^a + K^a)(z)\,G^-(w) \;\;=\;\; +\cdots, \tag{2.13}$$

and the transformation with the coset spin-1 current with definite $U(1)$ charge -1

$$J(z)\,G^-(w) \;\;=\;\; -\frac{1}{(z-w)}\,G^-(w) + \cdots, \tag{2.14}$$

from the $\mathcal{N} = 2$ superconformal algebra. The $U(1)$ charge of the spin-$\frac{3}{2}$ current $G^-(w)$ is given by -1 from (2.14). See also the third equation of Appendix (B.3).

Then we are left with the result (2.12) except an overall factor. Similarly, one has the different description

$$G^-(z) = -\frac{1}{6\sqrt{3N}}\,f^{abc}\,(\psi^a - i\chi^a)(\psi^b - i\chi^b)(\psi^c - i\chi^c)(z). \tag{2.15}$$

According to (2.7), this spin-$\frac{3}{2}$ current has $U(1)$ charge $-1(= -\frac{1}{3}-\frac{1}{3}-\frac{1}{3})$. It is straightforward to check the relation (2.15) from (2.12) as we did for the previous spin-$\frac{3}{2}$ current. Under the change of $\chi^a(z) \to -\chi^a(z)$, the current $G^+(z)$ goes to the current $G^-(z)$ and vice versa.

Furthermore, there exists the nontrivial OPE between two spin-$\frac{3}{2}$ currents as follows:

$$G^+(z)\,G^-(w) \;\;=\;\; \frac{1}{(z-w)^3}\,\frac{c}{3} + \frac{1}{(z-w)^2}\,J(w) + \frac{1}{(z-w)}\,\Big[T + \frac{1}{2}\partial J\Big]\,(w) + \cdots. \tag{2.16}$$

The first-order pole in (2.16) contains the coset spin-2 stress energy tensor which will appear soon. See also the seventh equation of Appendix (B.3). The highest-order pole is proportional to the central charge (2.5) and the previous normalizations in the two spin-$\frac{3}{2}$ currents can be determined from this singular term. We take the same normalization factor as in (2.8) and (2.12) [14].

• Coset spin-2 current

[14] The combination $(G^+ + G^-)(z) = -\frac{1}{3\sqrt{3N}}\psi^a(J^a - 3K^a)(z)$ is nothing but the $\mathcal{N} = 1$ supersymmetry current where the level corresponding to the spin-1 current $K^a(z)$ is equal to N [23, 24]. The other combination $(G^+ - G^-)(z) = \frac{i}{3\sqrt{3N}}\chi^a(K^a - 3J^a)(z)$ can be analyzed similarly.

The coset spin-2 current can be obtained from the difference between the sum of each spin-2 current and diagonal spin-2 current as follows

$$T(z) = -\frac{1}{4N}\,J^aJ^a(z) - \frac{1}{4N}\,K^aK^a(z) + \frac{1}{6N}(J^a+K^a)(J^a+K^a)(z). \tag{2.17}$$

The corresponding central charge (from the highest-order pole in the OPE $T(z)\,T(w)$) is given by

$$c = \frac{1}{3}\,(N^2-1), \qquad N = 3, 4, 5, \cdots. \tag{2.18}$$

One can easily check that this coset spin-2 current satisfies the regular condition with the diagonal spin-1 current as analyzed in (2.6), (2.9) and (2.13) [15]. One can rewrite this spin-2 current as

$$\begin{aligned} T(z) &= \frac{1}{3}(\psi^a+i\chi^a)\partial(\psi^a-i\chi^a)(z) + \frac{1}{2}\partial J(z) \\ &+ \frac{1}{6N}f^{abc}f^{cde}(\psi^a+i\chi^a)(\psi^b-i\chi^b)(\psi^d+i\chi^d)(\psi^e-i\chi^e)(z), \end{aligned} \tag{2.19}$$

where the spin-1 current $J(z)$ is given by (2.4). According to (2.7), this spin-2 current (2.19) has $U(1)$ charge 0. The N-dependence appears in the last term.

Therefore, the four currents of $\mathcal{N}=2$ superconformal algebra are given by (2.4), (2.8), (2.12) and (2.17). See also Appendix (B.3). The fundamental OPEs between the spin-$\frac{1}{2}$ currents are given by (2.1) and the corresponding OPEs between the spin-1 currents are given in (2.3). In next section, based on these four currents, the higher spin currents will be constructed in the coset model explicitly.

3 The lowest four higher spin currents

In this section, the lowest higher spin currents will be obtained. That is, the first $\mathcal{N}=2$ higher spin multiplet. Let us introduce the following higher spin current with the spin h and $U(1)$ charge q as follows:

$$W_q^{(h)}(z). \tag{3.1}$$

In $\mathcal{N}=2$ superspace, the $\mathcal{N}=2$ higher spin super current contains the following four higher spin currents as usual [16]

$$\mathbf{W}_q^{(h)} \equiv \left(W_q^{(h)},\, W_{q+1}^{(h+\frac{1}{2})},\, W_{q-1}^{(h+\frac{1}{2})},\, W_q^{(h+1)}\right), \tag{3.2}$$

[15] Moreover, the $U(1)$ charge of this coset spin-2 current is zero. For the presence of higher spin currents, the minimum value of N in (2.18) is 3. For $N=2$, the four currents of this section exist and there are no higher spin currents as described in the introduction.

[16] We use a boldface notation for the $\mathcal{N}=2$ super current. We do not use "super" explicitly in the description of $\mathcal{N}=2$ super OPE or $\mathcal{N}=2$ super current.

where the lowest component higher spin current with spin h and $U(1)$ charge q in (3.2) corresponds to the one in (3.1). In Appendix B, the $\mathcal{N} = 2$ superspace description for the $\mathcal{N} = 2$ superconformal algebra is given and some properties between the $\mathcal{N} = 2$ super primary current and the $\mathcal{N} = 2$ stress energy tensor are described. If one introduces the $\mathcal{N} = 2$ superspace coordinates, $Z = (z, \theta, \bar{\theta})$, then the above becomes the relation given in Appendix (B.5) [17].

According to the results for the extended vacuum character in [1], there exist the higher spin currents of spins $2, 2, \frac{7}{2}, \frac{7}{2}$ and 4 with $U(1)$ charges $\frac{1}{3}, -\frac{1}{3}, \frac{1}{6}, -\frac{1}{6}$ and 0 respectively [18]. It is straightforward to expresss the following $\mathcal{N} = 2$ higher spin currents by substituting the spin h and the $U(1)$ charge q into (3.2) as follows:

$$\begin{aligned}
\mathbf{W}^{(2)}_{\frac{2}{3}} &\equiv \left(W^{(2)}_{\frac{2}{3}}, W^{(\frac{5}{2})}_{\frac{5}{3}}, W^{(\frac{5}{2})}_{-\frac{1}{3}}, W^{(3)}_{\frac{2}{3}}\right), \\
\mathbf{W}^{(2)}_{-\frac{2}{3}} &\equiv \left(W^{(2)}_{-\frac{2}{3}}, W^{(\frac{5}{2})}_{\frac{1}{3}}, W^{(\frac{5}{2})}_{-\frac{5}{3}}, W^{(3)}_{-\frac{2}{3}}\right), \\
\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}} &\equiv \left(W^{(\frac{7}{2})}_{\frac{1}{3}}, W^{(4)}_{\frac{4}{3}}, W^{(4)}_{-\frac{2}{3}}, W^{(\frac{9}{2})}_{\frac{1}{3}}\right), \\
\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}} &\equiv \left(W^{(\frac{7}{2})}_{-\frac{1}{3}}, W^{(4)}_{\frac{2}{3}}, W^{(4)}_{-\frac{4}{3}}, W^{(\frac{9}{2})}_{-\frac{1}{3}}\right), \\
\mathbf{W}^{(4)}_{0} &\equiv \left(W^{(4)}_{0}, W^{(\frac{9}{2})}_{1}, W^{(\frac{9}{2})}_{-1}, W^{(5)}_{0}\right), \qquad \cdots \qquad .
\end{aligned} \tag{3.3}$$

The abbreviated higher spin currents in (3.3) will be described later. Each higher spin current possesses its own spin and $U(1)$ charge. The higher spin currents with same spin have different $U(1)$ charges. Note that the $\mathcal{N} = 1$ higher spin currents with spins $(\frac{5}{2}, 3)$, $(\frac{7}{2}, 4)$, $(4, \frac{9}{2})$, $(4, \frac{9}{2})$, $(\frac{9}{2}, 5)$, $(\frac{11}{2}, 6)$ and $(6, \frac{13}{2})$ in [23, 24] can be seen from the $\mathcal{N} = 2$ version in (3.3).

In this section, we would like to construct the $\mathcal{N} = 2$ higher spin multiplet (or the lowest four higher spin currents)

$$\mathbf{W}^{(2)}_{\frac{2}{3}} \equiv \left(W^{(2)}_{\frac{2}{3}}, W^{(\frac{5}{2})}_{\frac{5}{3}}, W^{(\frac{5}{2})}_{-\frac{1}{3}}, W^{(3)}_{\frac{2}{3}}\right). \tag{3.4}$$

One can construct the following $SU(N)$ adjoint spin-1 currents by combining the two adjoint

[17] In other words, the first element of (3.2) corresponds to the $\theta, \bar{\theta}$ independent term, the second element corresponds to the θ-term, the third element corresponds to the $\bar{\theta}$-term, and the fourth element corresponds to the $\theta\bar{\theta}$-term. Then one can assign the $U(1)$ charges for θ and $\bar{\theta}$ as ∓ 1 respectively and their spins are given by $-\frac{1}{2}$.

[18] Note that their $U(1)$ charge assignment is different from the $U(1)$ charge in this paper. For example, their $U(1)$ charge for the spin-$\frac{3}{2}$ currents is given by $\pm\frac{1}{2}$ while they are given by ± 1 in previous section. Then the above $U(1)$ charges are changed into $\frac{2}{3}, -\frac{2}{3}, \frac{1}{3}, -\frac{1}{3}$ and 0 in this paper. Their currents are given by $W^{(2)}_{\frac{2}{3}}(z)$, $W^{(2)}_{-\frac{2}{3}}(z)$, $W^{(\frac{7}{2})}_{\frac{1}{3}}(z)$, $W^{(\frac{7}{2})}_{-\frac{1}{3}}(z)$ and $W^{(4)}_{0}(z)$ in our notation. See also the equations (2.28) and (2.33) (and related descriptions) of [1].

fermions with structure constant f symbol and d symbol as follows:

$$\begin{aligned} L^a(z) &\equiv f^{abc}\,\psi^b\chi^c(z), \\ M^a(z) &\equiv d^{abc}\,\psi^b\chi^c(z). \end{aligned} \tag{3.5}$$

As before, the indices b and c are summed over the $SU(N)$ adjoint indices. Because the two fermions are independent from each other, one can construct them using the antisymmetric f symbol and symmetric d symbol. It is easy to see that these are primary under the stress energy tensor (2.17). One can easily see that under the exchange of $\psi^a(z) \leftrightarrow \chi^a(z)$, $L^a(z)$ goes to $L^a(z)$ while $M^a(z)$ goes to $-M^a(z)$. We will use this behavior in many OPEs appearing in Appendices. These spin-1 currents will appear in the higher spin currents.

Let us introduce the intermediate $SU(N)$ adjoint spin-2 currents with the symmetric d-symbol as follows:

$$\begin{aligned} Q^a(z) &\equiv d^{abc}\,J^bJ^c(z), \\ U^a(z) &\equiv d^{abc}\,J^bL^c(z), \\ S^a(z) &\equiv d^{abc}\,K^bK^c(z), \\ V^a(z) &\equiv d^{abc}\,K^bL^c(z), \\ R^a(z) &\equiv d^{abc}\,J^bK^c(z), \\ W^a(z) &\equiv d^{abc}\,L^bL^c(z). \end{aligned} \tag{3.6}$$

The currents $Q^a(z)$, $S^a(z)$ and $R^a(z)$ also appeared in the $\mathcal{N}=1$ description in [23, 24]. Among these in (3.6), the currents $U^a(z)$ and $V^a(z)$ are not primary and the remaining currents are primary under the stress energy tensor (2.17) [19].

3.1 Higher spin-2 current

Let us consider the lowest higher spin-2 current $W^{(2)}_{\frac{2}{3}}(z)$ in (3.4). How one can construct this higher spin current in terms of two kinds of adjoint fermions? One can concentrate on the particular case with $N=3$. Then the two adjoint fermions are characterized by $\psi^a(z)$ and $\chi^a(z)$ with $a=1,2,\cdots,8$. Totally one has 16 fermions satisfying the fundamental OPEs (2.1). Furthermore, there are nonzero f-symbol and d-symbol for the $SU(3)$ group [42]. Then one can write down the possible spin-2 current by considering all the terms, quartic terms and quadratic terms with one derivative. Of course, we introduce arbitrary coefficients here.

[19] Under the exchange of $\psi^a(z) \leftrightarrow \chi^a(z)$, the following relations hold: $Q^a(z) \leftrightarrow S^a(z)$, $U^a(z) \leftrightarrow V^a(z)$, $R^a(z) \leftrightarrow R^a(z)$ and $W^a(z) \leftrightarrow W^a(z)$. In Appendix (A.1), we present some OPEs between the spin-1 currents.

Now we should determine these arbitrary coefficients explicitly and express this current with the notation of a singlet under the $SU(3)$. First of all, one has the following relation coming from the $\mathcal{N} = 2$ condition for the primary. That is, the first equation of Appendix (B.6) with $h = 2$ and $q = \frac{2}{3}$. Then one should have, together with (2.4) which consists of eight terms,

$$J(z)\, W^{(2)}_{\frac{2}{3}}(w) \;\; = \;\; \frac{1}{(z-w)}\, \frac{2}{3}\, W^{(2)}_{\frac{2}{3}}(w) + \cdots . \tag{3.7}$$

In general, the right hand side contains the third-order and the second-order poles because the sum of spins in the left hand side is given by 3. Then many unknown coefficients (the total number of unknown coefficients is 2006 for the $SU(3)$) can be fixed at this stage. The equation of (3.7) is a linear equation among the coefficients because the spin-1 current $J(z)$ in the left hand side is already known quantity with fixed coefficients. The first-order pole in (3.7) has explicit numerical factor $\frac{2}{3}$ which provides further constraints on the coefficients. Recall that the $U(1)$ charge of the spin-1 current $J(z)$ is zero.

Furthermore, the following regularity condition should satisfy, as before,

$$(J^a + K^a)(z)\, W^{(2)}_{\frac{2}{3}}(w) \;\; = \;\; + \cdots . \tag{3.8}$$

In general, there are third-order, second-order and first-order singular terms. However, the constraint (3.8) allows us to insert more conditions on the coefficients. Moreover, the lowest higher spin-2 current should transform as a primary current under the stress energy tensor (2.17) described in Appendix (B.6): the fourth equation from the bottom [20]. Now we would like to express this higher spin-2 current for general N from its $N = 3$ version. We expect that there should be $M^a(z)$-term because it contains d symbol in (3.5). One can make any combinations from the other spin-1 currents, $J^a(z)$, $K^a(z)$, $L^a(z)$ with $M^a(z)$.

It turns out that the lowest higher spin-2 current is given by

$$W^{(2)}_{\frac{2}{3}}(z) = \frac{1}{2\sqrt{6(N^2-4)}} \left(J^a M^a - K^a M^a + 2\, i\, L^a M^a \right)(z). \tag{3.9}$$

The adjoint index a is summed over $a = 1, 2, \cdots, (N^2 - 1)$. The normalization here can be fixed later as one computes the OPE between this higher spin-2 current and other higher spin-2 current which has opposite $U(1)$ charge. As described before, each $SU(N)$ adjoint spin-1

[20] It turns out that one can determine all the coefficients except the overall normalization factor. Explicitly one obtains $W^{(2)}_{\frac{2}{3}}(z) = -\psi^1\chi^1\chi^4\chi^5(z) + \cdots + \psi^8\chi^6\chi^7\chi^8(z)$ with an overall factor. The number of terms in $W^{(2)}_{\frac{2}{3}}(z)$ is 182. Note that there are no derivative terms (i.e. no quadratic terms) and only quartic terms survive.

current, $J^a(z)$, $K^a(z)$, $L^a(z)$ and $M^a(z)$ is primary and the OPEs between $J^a(z), K^a(z)$ and $L^a(z)$ and $M^a(w)$ are regular, each term appearing in (3.9) is primary under the stress energy tensor (2.17). One can easily see that the $U(1)$ charge of $M^a(z)$ is equal to zero and then the $U(1)$ charge of $(J^a - K^a + 2i\,L^a)(z)$ is given by $\frac{2}{3}$.

One can express this higher spin-2 current as

$$W^{(2)}_{\frac{2}{3}}(z) = \frac{1}{2\sqrt{6(N^2-4)}}\,\frac{i}{2}\,f^{abc}d^{cde}(\psi^a + i\chi^a)(\psi^b + i\chi^b)(\psi^d + i\chi^d)(\psi^e - i\chi^e)(z), \qquad (3.10)$$

in terms of original adjoint fermions as done in (2.11) and (2.15). According to (2.7), this higher spin-2 current has $U(1)$ charge $\frac{2}{3}(= \frac{1}{3} + \frac{1}{3} + \frac{1}{3} - \frac{1}{3})$. Note that the last two factors in (3.10) can be written as $-2i\,\psi^d\chi^e(z)$ which becomes $M^c(z)$ with the coefficient $\frac{i}{2}$ and d^{cde}. It is obvious to observe the vanishing $U(1)$ charge of $M^c(z)$ from the last two factors. Then the first two factors (of $U(1)$ charge $\frac{2}{3}$) with f^{abc} become $(J^c - K^c + 2i\,L^c)(z)$. One can check that the diagonal spin-1 current commutes with $L^aM^a(w)$ and $(J^a - K^a)M^a(w)$ respectively [21].

In next two subsections, the next two higher spin currents can be obtained from the spin-$\frac{3}{2}$ currents (2.8) and (2.12) and the higher spin-2 current found in this subsection.

3.2 Higher spin-$\frac{5}{2}$ current

Now we would like to obtain the other three higher spin currents living in the first $\mathcal{N} = 2$ multiplet of (3.3). The higher spin-$\frac{5}{2}$ current can be determined by $\mathcal{N} = 2$ supersymmetry. Recall that the fifth equation of Appendix (B.6) provides the higher spin-$\frac{5}{2}$ current with $q = \frac{2}{3} + 1 = \frac{5}{3}$. That is, one should have

$$G^+(z)\,W^{(2)}_{\frac{2}{3}}(w) \;\;=\;\; -\frac{1}{(z-w)}\,W^{(\frac{5}{2})}_{\frac{5}{3}}(w) + \cdots. \qquad (3.11)$$

Not that the $U(1)$ charge of $G^+(z)$ is given by 1 and the sum of $U(1)$ charges in the left hand side is preserved in the right hand side. The spin-$\frac{3}{2}$ current $G^+(z)$ contains four terms in (2.8) and the higher spin-2 current $W^{(2)}_{\frac{2}{3}}(w)$ contains three terms in (3.9). This implies that one should calculate twelve OPEs between them. We focus on the first-order poles in these OPEs in order to extract the higher spin-$\frac{5}{2}$ current in (3.11). Because the explicit forms for the left hand side of (3.11) are completely known, we do not have to worry about the overall

[21] Under the exchange of $\psi^a(z) \leftrightarrow \chi^a(z)$, the first two terms of (3.9) are invariant while the last term has an extra minus sign. Recall that $L^a(z)$ does not change but $M^a(z)$ will change into $-M^a(z)$. We will see that this is exactly the other type of lowest higher spin-2 current $W^{(2)}_{-\frac{2}{3}}(z)$ in next section.

factor of the higher spin-$\frac{5}{2}$ current. The N-dependence for the higher spin-$\frac{5}{2}$ current arises automatically. The explicit results at the intermediate step are given in Appendix (C.1).

By simplifying these, one obtains the final higher spin-$\frac{5}{2}$ current as follows:

$$\begin{aligned} W^{(\frac{5}{2})}_{\frac{5}{3}}(z) &= \frac{1}{6\sqrt{3N}}\frac{1}{2\sqrt{6(N^2-4)}}\Big[\frac{3}{2}\,i\,d^{abc}\,\psi^a J^b J^c - 5\,d^{abc}\,\psi^a J^b L^c \\ &+ \frac{5}{2}\,i\,d^{abc}\,\psi^a K^b K^c + 15\,d^{abc}\,\psi^a K^b L^c - \frac{5}{2}\,d^{abc}\,\chi^a J^b J^c \\ &- 15\,i\,d^{abc}\,\chi^a J^b L^c - \frac{3}{2}\,d^{abc}\,\chi^a K^b K^c + 5\,i\,d^{abc}\,\chi^a K^b L^c\Big](z). \end{aligned} \tag{3.12}$$

The N-dependent factors in (3.12) originate from the overall factors of spin-$\frac{3}{2}$ current and the higher spin-2 current. Each term of (3.12) is a primary under the stress energy tensor (2.17). One can express the above using the relations in (3.6) and then this will appear in Appendix D.

Let us describe how one can obtain the final result in (3.12). In obtaining (3.12), we should simplify the intermediate results in Appendix C. One has the following relations via the procedures in [40, 41, 43]

$$\begin{aligned} d^{abc}\,\psi^a J^b K^c(z) &= d^{abc} f^{bde} f^{cfg}\,\psi^a\psi^d\psi^e\chi^f\chi^g(z), \\ d^{abc}\,\psi^a L^b L^c(z) &= d^{abc} f^{bde} f^{cfg}\,\psi^a\psi^d\chi^e\psi^f\chi^g(z) - \frac{N}{2}\partial\chi^a M^a(z), \\ d^{abc}\,\chi^a J^b K^c(z) &= d^{abc} f^{bde} f^{cfg}\,\chi^a\psi^d\psi^e\chi^f\chi^g(z), \\ d^{abc}\,\chi^a L^b L^c(z) &= d^{abc} f^{bde} f^{cfg}\,\chi^a\psi^d\chi^e\psi^f\chi^g(z) + \frac{N}{2}\partial\psi^a M^a(z). \end{aligned} \tag{3.13}$$

The derivative terms occur in the second and fourth equations in (3.13). One has the following nontrivial relation (one should show)

$$d^{abc}\,\psi^a J^b K^c(z) + 2d^{abc}\,\psi^a L^b L^c(z) = 3d^{abc}\,\chi^a J^b L^c(z) - N\,\partial\chi^a M^a(z). \tag{3.14}$$

Let us consider the derivative terms in (3.14). The last derivative term in (3.14) comes from the derivative term of the second term in the left hand side of (3.14) using the second equation of (3.13). Now we would like to show the nonderivative terms both sides of (3.14). The nonderivative terms in (3.14) can be checked by Jacobi identity in the f and d symbols. One way to see this relation is as follows [22]. Then we are left with the following relation we

[22] The first term of the right hand side of (3.14) is given by the nonderivative terms $d^{abc}\,\chi^a J^b L^c(z) = d^{abc} f^{bde} f^{cfg}\,\chi^a\psi^d\psi^e\psi^f\chi^g(z)$. Now the left hand side (nonderivative terms) of (3.14) can be written as

$$(d^{abc} f^{bde} f^{cfg}\,\chi^a\psi^d\psi^e\psi^f\chi^g - d^{fac} f^{cbg} f^{bde}\,\psi^a\psi^d\psi^e\chi^f\chi^g + 2d^{abc} f^{bde} f^{cfg}\,\psi^a\psi^d\chi^e\psi^f\chi^g)(z), \tag{3.15}$$

should show

$$- d^{fac} f^{cbg} f^{bde} \psi^a \psi^d \psi^e \chi^f \chi^g(z) = -2 d^{dab} f^{bce} f^{cfg} \chi^a \psi^d \psi^e \psi^f \chi^g(z), \tag{3.17}$$

by comparing the nonderivative terms of the left hand side (3.14) given by (3.15)and the nonderivative terms of the right hand side (3.14) given by (3.16). The left hand side of (3.17) is the second term of (3.15) while the right hand side of (3.17) is the last term of (3.16). The remaining terms are canceled each other [23].

Similarly, one obtains the following identity

$$d^{abc} \chi^a J^b K^c(z) + 2 d^{abc} \chi^a L^b L^c(z) = 3 d^{abc} \psi^a K^b L^c(z) + N \partial \psi^a M^a(z). \tag{3.18}$$

One can show this identity by following previous procedures. Note that one sees the symmetry between $\psi^a(z)$ and $\chi^a(z)$ in (3.14) and (3.18) [24].

In order to express the independent terms in the higher spin-$\frac{5}{2}$ currents, one uses the following relations appearing in (3.12)

$$\begin{aligned}
d^{abc} \psi^a J^b J^c(z) &= d^{abc} f^{bde} f^{cfg} \psi^a \psi^d \psi^e \psi^f \psi^g(z), \\
d^{abc} \psi^a J^b L^c(z) &= -d^{abc} f^{bde} f^{cfg} \chi^f \psi^a \psi^d \psi^e \psi^g(z) - N \partial \psi^a M^a(z), \\
d^{abc} \psi^a K^b K^c(z) &= d^{abc} f^{bde} f^{cfg} \psi^a \chi^d \chi^e \chi^f \chi^g(z) - 2N \partial \chi^a M^a(z), \\
d^{abc} \psi^a K^b L^c(z) &= d^{abc} f^{bde} f^{cfg} \psi^a \chi^d \chi^e \psi^f \chi^g(z), \\
d^{abc} \chi^a J^b J^c(z) &= -d^{abc} f^{bde} f^{cfg} \chi^f \psi^a \psi^d \psi^e \psi^g(z) + 2N \partial \psi^a M^a(z), \\
d^{abc} \chi^a J^b L^c(z) &= d^{abc} f^{bde} f^{cfg} \chi^a \psi^d \psi^e \psi^f \chi^g(z), \\
d^{abc} \chi^a K^b K^c(z) &= d^{abc} f^{bde} f^{cfg} \chi^a \chi^d \chi^e \chi^f \chi^g(z), \\
d^{abc} \chi^a K^b L^c(z) &= -d^{abc} f^{bde} f^{cfg} \psi^f \chi^a \chi^d \chi^e \chi^g(z) + N \partial \chi^a M^a(z).
\end{aligned} \tag{3.19}$$

where we reexpressed the $d^{abc} f^{cfg}$ as two other terms $-d^{bfc} f^{cag} - d^{fac} f^{cbg}$ and then some rearrangement between the fermions and relabeling the indices were used [42]. The last term in (3.15) comes from the nonderivative term in the second relation of (3.13). Now one can rewrite the right hand side (nonderivative terms) of (3.14) as follows

$$(d^{abc} f^{bde} f^{cfg} \chi^a \psi^d \psi^e \psi^f \chi^g + 2 d^{abc} f^{bde} f^{cfg} \psi^a \psi^d \chi^e \psi^f \chi^g - 2 d^{dab} f^{bce} f^{cfg} \chi^a \psi^d \psi^e \psi^f \chi^g)(z), \tag{3.16}$$

where the last two terms in (3.16) are equal to the twice of $d^{abc} f^{bde} f^{cfg} \chi^a \psi^d \psi^e \psi^f \chi^g(z)$ by rewriting the factor $d^{abc} f^{bde}$ with the help of Jacobi identity as before.

[23] Then how one can check the above relation (3.17)? Once again by rearrangement of fermions and relabeling of the indices, one should show that $(d^{fac} f^{cbg} f^{bde} + 2 d^{dfb} f^{bce} f^{cag}) \psi^a \psi^d \psi^e \chi^f \chi^g(z) = 0$. The left hand side of this relation can be rewritten as $d^{fac}(f^{cbg} f^{bde} - 2 f^{cbe} f^{bdg}) \psi^a \psi^d \psi^e \chi^f \chi^g(z)$. One can use the Jacobi identity in the first term and obtains $2 f^{cbe} f^{bdg}$ exactly. Therefore, we have checked the original relation in (3.14).

[24] In other words, from the previous relation (3.14), one obtains (3.18) by taking $\psi^a(z) \leftrightarrow \chi^a(z)$. There exists an extra minus sign in the last term of (3.18) as described before.

There are derivative terms in (3.19). One realizes that the higher spin-$\frac{5}{2}$ current does not have any derivative terms because the derivative terms in (3.19) are canceled each other with relative coefficients in (3.12). Then we are left with the final result in (3.12) [25].

As long as the $U(1)$ charge is concerned, the previous expression (3.12) for the higher spin-$\frac{5}{2}$ current is not useful. In manifest way of $U(1)$ charge, one obtains

$$\begin{aligned} W^{(\frac{5}{2})}_{\frac{5}{3}}(z) &= \frac{1}{6\sqrt{3N}}\,\frac{1}{2\sqrt{6(N^2-4)}}\,\frac{3}{2}i \\ &\times \; d^{abc}f^{bde}f^{cfg}(\psi^a+i\chi^a)(\psi^d+i\chi^d)(\psi^e+i\chi^e)(\psi^f+i\chi^f)(\psi^g+i\chi^g)(z). \end{aligned} \tag{3.21}$$

One can check that the combination $(\psi^a+i\chi^a)(z)$ has $U(1)$ charge $q=\frac{1}{3}$ from (2.7). It is obvious that the quintic term in (3.21) contains the $U(1)$ charge $q=\frac{5}{3}$. One can see the overall factor $\frac{3}{2}i$ with vanishing $\chi^a(z)$ in (3.21) can be seen from the first term of (3.12) with vanishing $\chi^a(z)$. As for spin-1, spin-$\frac{3}{2}$, and higher spin-2 currents, the above higher spin-$\frac{5}{2}$ current has a simple expression contracted with f and d symbols. See also [22] where the similar f and d symbols appeared in the $\mathcal{N}=1$ higher spin-$\frac{5}{2}$ current.

3.3 Higher spin-$\frac{5}{2}$ current

Let us consider the second higher spin-$\frac{5}{2}$ current with $U(1)$ charge $q=-\frac{1}{3}$. Again, from the $\mathcal{N}=2$ primary condition, one has the following OPE, the ninth equation of Appendix (B.6),

$$G^-(z)\,W^{(2)}_{\frac{2}{3}}(w) \;=\; \frac{1}{(z-w)}\,W^{(\frac{5}{2})}_{-\frac{1}{3}}(w)+\cdots. \tag{3.22}$$

One can easily see the $U(1)$ charge conservation in (3.22) where $-1+\frac{2}{3}=-\frac{1}{3}$. From the explicit expressions (2.12) and (3.9), one can calculate the left hand side completely and focus on the first-order pole.

[25] Furthermore, one has the following expressions which appear in Appendix C

$$\begin{aligned} f^{abc}\,\chi^aK^bM^c(z) &= -N\,\partial\chi^aM^a(z), \\ f^{abc}\,\psi^aJ^bM^c(z) &= N\,\psi^a\partial M^a(z), \\ f^{abc}\,\chi^aL^bM^c(z) &= f^{abc}f^{bde}d^{cfg}\chi^a\psi^d\chi^e\psi^f\chi^g(z)-\frac{N}{2}\partial\psi^aM^a(z), \\ f^{abc}\,\psi^aK^bM^c(z) &= f^{abc}f^{bde}d^{cfg}\psi^a\chi^d\chi^e\psi^f\chi^g(z)=-2f^{abc}f^{bde}d^{cfg}\chi^a\psi^d\chi^e\psi^f\chi^g(z), \\ f^{abc}\,\chi^aJ^bM^c(z) &= f^{abc}f^{bde}d^{cfg}\chi^a\psi^d\psi^e\psi^f\chi^g(z)=-2f^{abc}f^{bde}d^{cfg}\psi^a\psi^d\chi^e\psi^f\chi^g(z), \\ f^{abc}\,\psi^aL^bM^c(z) &= f^{abc}f^{bde}d^{cfg}\psi^a\psi^d\chi^e\psi^f\chi^g(z)-\frac{N}{2}\,\partial\chi^aM^a(z). \end{aligned} \tag{3.20}$$

Also one has trivial result $\psi^aM^a(z)=0=\chi^aM^a(z)$. From these, one obtains $\partial\psi^aM^a(z)=-\psi^a\partial M^a(z)$ and similarly $\partial\chi^aM^a(z)=-\chi^a\partial M^a(z)$. Therefore, via (3.14) and (3.18), the left hand sides of these can be expressed as the right hand sides which are some independent terms in (3.19) together with derivative terms. The f symbol-dependent terms appearing in Appendix C can be repexpressed in terms of the right hand sides of (3.20). The nonderivative terms in (3.20) disappear with appropriate coefficients eventually.

As done before in Appendix C, all the first-order poles can be read off. Then one obtains

$$\begin{aligned} W^{(\frac{5}{2})}_{-\frac{1}{3}}(z) &= -\frac{1}{6\sqrt{3N}}\frac{1}{2\sqrt{6(N^2-4)}}\Big[-\frac{3}{2}\,i\,d^{abc}\,\psi^a J^b J^c + d^{abc}\,\psi^a J^b L^c \\ &- \frac{17}{2}\,i\,d^{abc}\,\psi^a K^b K^c + 33\,d^{abc}\,\psi^a K^b L^c - \frac{5}{2}\,d^{abc}\,\chi^a J^b J^c \\ &- 21\,i\,d^{abc}\,\chi^a J^b L^c - \frac{3}{2}\,d^{abc}\,\chi^a K^b K^c + 7\,i\,d^{abc}\,\chi^a K^b L^c \\ &+ 18\,i\,d^{abc}\,\psi^a J^b K^c - 36\,d^{abc}\,\chi^a L^b L^c\Big](z). \end{aligned} \tag{3.23}$$

Compared to the previous higher spin-$\frac{5}{2}$ current in (3.12), there are two additional last terms which are also primary under the stress energy tensor (2.17) respectively.

It turns out that the corresponding higher spin-$\frac{5}{2}$ current, showing the $U(1)$ charge manifestly, is given by

$$\begin{aligned} W^{(\frac{5}{2})}_{-\frac{1}{3}}(z) &= -\frac{1}{6\sqrt{3N}}\frac{1}{2\sqrt{6(N^2-4)}}\Big[\\ &\quad 2i\,d^{abc}f^{bde}f^{cfg}(\psi^a-i\chi^a)(\psi^d+i\chi^d)(\psi^e-i\chi^e)(\psi^f+i\chi^f)(\psi^g-i\chi^g) \\ &- \frac{7}{2}i\,d^{abc}f^{bde}f^{cfg}(\psi^a-i\chi^a)(\psi^d+i\chi^d)(\psi^e+i\chi^e)(\psi^f-i\chi^f)(\psi^g-i\chi^g) \\ &- 12Ni\,d^{abc}\partial(\psi^a-i\chi^a)(\psi^b+i\chi^b)(\psi^c-i\chi^c)\Big](z). \end{aligned} \tag{3.24}$$

As analyzed before (2.7), the factors $(\psi^a \pm i\chi^a)(z)$ have the $U(1)$ charges $\pm\frac{1}{3}$. It is obvious that the quintic terms in (3.24) contain two positive $U(1)$ charges and three negative charges. Of course, there are other possibilities where the two positive charges are assigned in different factors compared to the above expressions but they will lead to the above ones by using the Jacobi identities between the f and d symbols. In the derivative terms, one can easily see that there are two negative $U(1)$ charges and one positive one which lead to the negative $U(1)$ charge $q = -\frac{1}{3}$. The numerical factor $-\frac{3}{2}i$ in the first term in (3.23) can be seen from the expressions $2i$ in the first coefficient and $-\frac{7}{2}i$ in the second coefficient of (3.24). Note that there are derivative terms having N-dependent coefficient in the above higher spin-$\frac{5}{2}$ current. This is obvious from (3.24) rather than (3.23).

3.4 Higher spin-3 current

Let us describe the last component higher spin-3 current appearing in the first $\mathcal{N}=2$ higher spin multiplet in (3.3). One way to obtain this higher spin-3 current is coming from the tenth

equation of Appendix (B.6) [26]. Let us consider the following OPE

$$G^-(z)\,W^{(\frac{5}{2})}_{\frac{5}{3}}(w) \;=\; -\frac{1}{(z-w)^2}\,\frac{5}{3}\,W^{(2)}_{\frac{2}{3}}(w)+\frac{1}{(z-w)}\,\left[W^{(3)}_{\frac{2}{3}}-\frac{1}{2}\,\partial\,W^{(2)}_{\frac{2}{3}}\right](w)+\cdots \quad (3.25)$$

The $U(1)$ charge is preserved in both sides. Because one has the relations (2.12) and (3.12), the left hand side can be computed explicitly. The detailed expressions are given in Appendix D. Due to the analysis of the coefficient of the descendant field (appearing in the first-order pole) of the higher spin-2 current, one should have $-\frac{5}{3}\times\frac{1}{4}=-\frac{5}{12}$ in the coefficient of $\partial\,W^{(2)}_{\frac{2}{3}}(w)$. Recall that the factor $\frac{1}{4}$ was obtained from the spins of $G^-(z)$, $W^{(\frac{5}{2})}_{\frac{5}{3}}(w)$ and $W^{(2)}_{\frac{2}{3}}(w)$. Therefore, one can add this quantity to the first-order pole and subtract the same quantity. Then the new higher spin-3 current can be written as the sum of $W^{(3)}_{\frac{2}{3}}(w)$ and $(\frac{5}{12}-\frac{1}{2}=-\frac{1}{12})\partial\,W^{(2)}_{\frac{2}{3}}(w)$ in (3.25).

The higher spin-3 current, which is a primary, can be obtained as follows

$$\begin{aligned}
W^{(3)}_{\frac{2}{3}}-\frac{1}{12}\,\partial\,W^{(2)}_{\frac{2}{3}} \;=\;& -\frac{1}{108N}\,\frac{1}{2\sqrt{6(N^2-4)}}\Big[-15\,i\,d^{abc}\,J^aJ^bJ^c+90\,i\,d^{abc}\,J^aJ^bK^c\\
&-\;90\,i\,d^{abc}\,J^aK^bK^c-360\,d^{abc}\,J^aK^bL^c+15\,i\,d^{abc}\,K^aK^bK^c\\
&-\;\frac{45}{2}\,N\,\partial J^aM^a+\frac{45}{2}\,N\,\partial K^aM^a-225N\,d^{abc}\,\psi^a\partial\psi^bL^c\\
&-\;225N\,d^{abc}\,\chi^a\partial\chi^bL^c+315N\,d^{abc}\,\partial\psi^a\chi^bK^c-315N\,d^{abc}\,\psi^a\partial\chi^bJ^c\Big].
\end{aligned} \quad (3.26)$$

There are several pairs of terms where the coefficients are equal up to the signs. The first, second, third, fifth terms in (3.26) are primary under the stress energy tensor (2.17) respectively. Recall that $W^{(3)}_{\frac{2}{3}}(z)$, where the $U(1)$ charge is nonzero, is not a primary under the stress energy tensor according to the last equation of Appendix (B.6). See also Appendix (B.7) and Appendix (B.8). The various identities appearing in Appendix (D.2) are used frequently. Note that there are N-dependent coefficients in the derivative terms in (3.26).

One can also express the above higher spin-3 current in $U(1)$ manifest way as follows:

$$\begin{aligned}
&W^{(3)}_{\frac{2}{3}}(z)-\frac{1}{12}\,\partial\,W^{(2)}_{\frac{2}{3}}(z)=-\frac{1}{108N}\,\frac{1}{2\sqrt{6(N^2-4)}}\Big[\\
&-\frac{45}{2}i\,d^{abc}f^{ade}f^{bfg}f^{chi}(\psi^d+i\chi^d)(\psi^e+i\chi^e)(\psi^f+i\chi^f)(\psi^g+i\chi^g)(\psi^h-i\chi^h)(\psi^i-i\chi^i)\\
&-45i\,N\,f^{abc}d^{cde}\partial(\psi^a+i\chi^a)(\psi^b+i\chi^b)(\psi^d+i\chi^d)(\psi^e-i\chi^e)\\
&-\frac{45}{2}i\,N\,f^{abc}d^{cde}(\psi^a+i\chi^a)(\psi^b+i\chi^b)\partial(\psi^d+i\chi^d)(\psi^e-i\chi^e)\\
&+\frac{135}{2}i\,N\,f^{abc}d^{cde}(\psi^a+i\chi^a)(\psi^b+i\chi^b)(\psi^d+i\chi^d)\partial(\psi^e-i\chi^e)\Big](z).
\end{aligned} \quad (3.27)$$

[26] The seventh equation of Appendix (B.6) allows us to calculate the higher spin-3 current.

Now it is easy to see that the sextic (nonderivative) terms in (3.27) have four $U(1)$ charges with $q = \frac{1}{3}$ and two ones with $q = -\frac{1}{3}$, leading to the total $U(1)$ charge of $q = \frac{2}{3}$ (2.7). For the derivative terms, the derivative acts on each factor appearing in the higher spin-2 current. The relative coefficients are different from each other. The derivative term acting on the $(\psi^b + i\chi^b)$ is not independent term and can be absorbed in the second line of (3.27). Of course, the higher spin-3 current, $W^{(3)}_{\frac{2}{3}}(z)$, which is not a primary, can be written explicitly by using (3.26) or (3.27) with the help of the higher spin-2 current (3.9) or (3.10).

Therefore, in this section, the four higher spin currents appearing in the first $\mathcal{N} = 2$ multiplet in (3.3) are determined completely. There are either (3.9), (3.12), (3.23) and (3.26) or (3.10), (3.21), (3.24) and (3.27) in terms of two adjoint fermions. The derivative terms appear in the higher spin currents $W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)$ and $W^{(3)}_{\frac{2}{3}}(z)$.

4 The other lowest four higher spin currents

In this section, the other lowest higher spin currents in the second higher spin $\mathcal{N} = 2$ multiplet in (3.3) will be obtained by following the procedures in previous section.

4.1 Higher spin-2 current

By substituting $q = -\frac{2}{3}$ with $h = 2$ into the first equation of Appendix (B.6), one obtains

$$J(z)\, W^{(2)}_{-\frac{2}{3}}(w) \;\; = \;\; -\frac{1}{(z-w)}\,\frac{2}{3}\,W^{(2)}_{-\frac{2}{3}}(w) + \cdots . \tag{4.1}$$

As done in the higher spin-2 current with $q = \frac{2}{3}$, one can take the same ansatz for all the possible terms having the spin-2 (quartic terms and quadratic terms) with arbitrary coefficients which will be determined later. Due to the minus sign in the right hand side of (4.1), in general, one has different relations between these coefficients compared to the previous section. One also has the regularity condition as follows:

$$(J^a + K^a)(z)\, W^{(2)}_{-\frac{2}{3}}(w) \;\; = \;\; + \cdots . \tag{4.2}$$

Then one obtains the following higher spin-2 current, satisfying (4.1) and (4.2),

$$W^{(2)}_{-\frac{2}{3}}(z) = \frac{1}{2\sqrt{6(N^2-4)}}\left(J^a M^a - K^a M^a - 2\,i\,L^a M^a\right)(z). \tag{4.3}$$

This looks similar to the previous higher spin-2 current with $q = \frac{2}{3}$. The only difference appears in the coefficient in the last term of (4.3). As observed previously, the $M^a(z)$ has

$U(1)$ charge zero. Then the combination $(J^a - K^a - 2\,i\,L^a)(z)$ should have $U(1)$ charge $q = -\frac{2}{3}$ which can be checked explicitly.

One can express this higher spin-2 current as

$$W^{(2)}_{-\frac{2}{3}}(z) = -\frac{1}{2\sqrt{6(N^2-4)}}\,\frac{i}{2}\,f^{abc}d^{cde}(\psi^a - i\chi^a)(\psi^b - i\chi^b)(\psi^d - i\chi^d)(\psi^e + i\chi^e)(z), \qquad (4.4)$$

in terms of original adjoint fermions. By exchanging $\psi^a(z) \leftrightarrow \chi^a(z)$, the previous result (3.10) leads to (4.4). Under this transformation, one has $(\psi^a \pm i\chi^a)(z) \to \pm i(\psi^a \mp i\chi^a)(z)$. According to (2.7), this higher spin-2 current has $U(1)$ charge $-\frac{2}{3}(= -\frac{1}{3} - \frac{1}{3} - \frac{1}{3} + \frac{1}{3})$. Note that the last two factors in (4.4) can be written as $2i\,\psi^d\chi^e(z)$ which becomes $M^c(z)$ with the coefficient $-\frac{i}{2}$ and d^{cde}. It is obvious to observe the vanishing $U(1)$ charge of $M^c(z)$ from the last two factors as before. Then the first two factors (of $U(1)$ charge $-\frac{2}{3}$) with f^{abc} become $(J^c - K^c - 2i\,L^c)(z)$.

4.2 Higher spin-$\frac{5}{2}$ current

Let us move on the second component higher spin-$\frac{5}{2}$ current in the second $\mathcal{N} = 2$ higher spin multiplet in (3.3). Again, from the defining equation of the fifth equation in Appendix (B.6) by substituting $h = 2$ and $q = -\frac{2}{3}$, one obtains

$$G^+(z)\,W^{(2)}_{-\frac{2}{3}}(w) \;=\; -\frac{1}{(z-w)}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(w) + \cdots. \qquad (4.5)$$

One can calculate the left hand side of (4.5) with (2.8) and (4.3) or (4.4) and focus on the first-order pole. From Appendix C, one can collect the corresponding expressions.

It turns out that the corresponding higher spin-$\frac{5}{2}$ current is given by

$$\begin{aligned} W^{(\frac{5}{2})}_{\frac{1}{3}}(z) \;&=\; \frac{1}{6\sqrt{3N}}\,\frac{1}{2\sqrt{6(N^2-4)}}\Big[\frac{3}{2}\,i\,d^{abc}\,\psi^a J^b J^c + d^{abc}\,\psi^a J^b L^c \\ &+\; \frac{17}{2}\,i\,d^{abc}\,\psi^a K^b K^c + 33\,d^{abc}\,\psi^a K^b L^c - \frac{5}{2}\,d^{abc}\,\chi^a J^b J^c \\ &+\; 21\,i\,d^{abc}\,\chi^a J^b L^c - \frac{3}{2}\,d^{abc}\,\chi^a K^b K^c - 7\,i\,d^{abc}\,\chi^a K^b L^c \\ &-\; 18\,i\,d^{abc}\,\psi^a J^b K^c - 36\,d^{abc}\,\chi^a L^b L^c\Big](z). \end{aligned} \qquad (4.6)$$

Now this (4.6) looks similar to the previous higher spin-$\frac{5}{2}$ current (3.23) with $q = -\frac{1}{3}$. Only the signs of the numerical coefficients are different.

Furthermore, one can reexpress the above higher spin-$\frac{5}{2}$ current in terms of the original adjoint fermions as follows:

$$\begin{aligned} W^{(\frac{5}{2})}_{\frac{1}{3}}(z) &= \frac{1}{6\sqrt{3N}}\frac{1}{2\sqrt{6(N^2-4)}}\Big[\\ &- 2i\, d^{abc} f^{bde} f^{cfg} (\psi^a + i\chi^a)(\psi^d - i\chi^d)(\psi^e + i\chi^e)(\psi^f - i\chi^f)(\psi^g + i\chi^g) \\ &+ \frac{7}{2} i\, d^{abc} f^{bde} f^{cfg} (\psi^a + i\chi^a)(\psi^d - i\chi^d)(\psi^e - i\chi^e)(\psi^f + i\chi^f)(\psi^g + i\chi^g) \\ &+ 12Ni\, d^{abc} \partial(\psi^a + i\chi^a)(\psi^b - i\chi^b)(\psi^c + i\chi^c)\Big](z). \end{aligned} \tag{4.7}$$

Under the transformation $\psi^a(z) \leftrightarrow \chi^a(z)$, the previous higher spin-$\frac{5}{2}$ current with $q = -\frac{1}{3}$ (3.24) goes to (4.7) with an exception of overall factor $-i$. One can check the $U(1)$ charge of this higher spin-$\frac{5}{2}$ current using (2.7).

4.3 Higher spin-$\frac{5}{2}$ current

The ninth equation of Appendix (B.6) with $h = 2$ and $q = -\frac{2}{3}$ implies the following OPE

$$G^-(z)\, W^{(2)}_{-\frac{2}{3}}(w) = \frac{1}{(z-w)}\, W^{(\frac{5}{2})}_{-\frac{5}{3}}(w) + \cdots. \tag{4.8}$$

Then as we did before, by calculating the left hand side, one obtains the explicit form for the higher spin-$\frac{5}{2}$ current with $q = -\frac{5}{3}$. From the explicit forms in (2.12) and (4.3), the complete structures in the first-order pole are determined and the details are again in Appendix C.

Therefore, one obtains, by reading off the first-order pole in (4.8),

$$\begin{aligned} W^{(\frac{5}{2})}_{-\frac{5}{3}}(z) &= -\frac{1}{6\sqrt{3N}}\frac{1}{2\sqrt{6(N^2-4)}}\Big[-\frac{3}{2}\, i\, d^{abc}\, \psi^a J^b J^c - 5\, d^{abc}\, \psi^a J^b L^c \\ &- \frac{5}{2}\, i\, d^{abc}\, \psi^a K^b K^c + 15\, d^{abc}\, \psi^a K^b L^c - \frac{5}{2}\, d^{abc}\, \chi^a J^b J^c \\ &+ 15\, i\, d^{abc}\, \chi^a J^b L^c - \frac{3}{2}\, d^{abc}\, \chi^a K^b K^c - 5\, i\, d^{abc}\, \chi^a K^b L^c\Big](z). \end{aligned} \tag{4.9}$$

In this case, the field contents are the same as the ones in (3.12). The signs of the numerical factors are different. As in previous cases, one can rewrite (4.9) as

$$\begin{aligned} W^{(\frac{5}{2})}_{-\frac{5}{3}}(z) &= \frac{1}{6\sqrt{3N}}\frac{1}{2\sqrt{6(N^2-4)}}\frac{3}{2} i \\ &\times\ d^{abc} f^{bde} f^{cfg} (\psi^a - i\chi^a)(\psi^d - i\chi^d)(\psi^e - i\chi^e)(\psi^f - i\chi^f)(\psi^g - i\chi^g)(z). \end{aligned} \tag{4.10}$$

One obtains (4.10) by taking the transformation $\psi^a(z) \leftrightarrow \chi^a(z)$ on (3.21) except of an overall factor i. One can check the $U(1)$ charge of this higher spin-$\frac{5}{2}$ current using (2.7). The above higher spin-$\frac{5}{2}$ current has very simple form contracted with f and d symbols [27].

4.4 Higher spin-3 current

The seventh equation of Appendix (B.6) with $h = 2$ and $q = -\frac{2}{3}$ implies

$$\begin{aligned} G^+(z)\, W^{(\frac{5}{2})}_{-\frac{5}{3}}(w) &= \frac{1}{(z-w)^2}\,\frac{5}{3}\,W^{(2)}_{-\frac{2}{3}}(w) + \frac{1}{(z-w)}\,\left[W^{(3)}_{-\frac{2}{3}}(z) + \frac{1}{2}\,\partial\, W^{(2)}_{-\frac{2}{3}}\right](w) \\ &+ \cdots . \end{aligned} \tag{4.11}$$

The corresponding coefficient of the descendant field $\partial\, W^{(2)}_{-\frac{2}{3}}(w)$ in the first-order pole of (4.11) is equal to $\frac{5}{3} \times \frac{1}{4} = \frac{5}{12}$. Then by subtracting $\frac{5}{12}$ and adding $\frac{1}{2}$ $(-\frac{5}{12} + \frac{1}{2} = \frac{1}{12})$, one can obtain the new higher spin-3 current, which is a primary, as follows:

$$\begin{aligned} W^{(3)}_{-\frac{2}{3}} + \frac{1}{12}\,\partial\, W^{(2)}_{-\frac{2}{3}} &= -\frac{1}{108N}\,\frac{1}{2\sqrt{6(N^2-4)}}\Big[-15\, i\, d^{abc}\, J^a J^b J^c + 90\, i\, d^{abc}\, J^a J^b K^c \\ &- 90\, i\, d^{abc}\, J^a K^b K^c + 360\, d^{abc}\, J^a K^b L^c + 15\, i\, d^{abc}\, K^a K^b K^c \\ &+ \frac{45}{2}\, N\, \partial J^a M^a - \frac{45}{2}\, N\, \partial K^a M^a + 225 N\, d^{abc}\, \psi^a \partial \psi^b L^c \\ &+ 225 N\, d^{abc}\, \chi^a \partial \chi^b L^c - 315 N\, d^{abc}\, \partial \psi^a \chi^b K^c + 315 N\, d^{abc}\, \psi^a \partial \chi^b J^c \Big]. \end{aligned} \tag{4.12}$$

See also Appendix (B.8). One realizes that the field contents of (4.12) are the same as the ones in (3.26). The signs of the numerical coefficients are different from each other.

Furthermore, the $U(1)$ manifest way to describe this higher spin-3 current can be written as

$$\begin{aligned} &W^{(3)}_{-\frac{2}{3}}(z) + \frac{1}{12}\,\partial\, W^{(2)}_{-\frac{2}{3}}(z) = -\frac{1}{108N}\,\frac{1}{2\sqrt{6(N^2-4)}}\Big[\\ &-\frac{45}{2} i\, d^{abc} f^{ade} f^{bfg} f^{chi} (\psi^d - i\chi^d)(\psi^e - i\chi^e)(\psi^f - i\chi^f)(\psi^g - i\chi^g)(\psi^h + i\chi^h)(\psi^i + i\chi^i) \\ &-45 i\, N\, f^{abc} d^{cde} \partial(\psi^a - i\chi^a)(\psi^b - i\chi^b)(\psi^d - i\chi^d)(\psi^e + i\chi^e) \\ &-\frac{45}{2} i\, N\, f^{abc} d^{cde} (\psi^a - i\chi^a)(\psi^b - i\chi^b)\partial(\psi^d - i\chi^d)(\psi^e + i\chi^e) \\ &+\frac{135}{2} i\, N\, f^{abc} d^{cde} (\psi^a - i\chi^a)(\psi^b - i\chi^b)(\psi^d - i\chi^d)\partial(\psi^e + i\chi^e)\Big](z). \end{aligned} \tag{4.13}$$

[27] One can construct the following combination $(\frac{7}{5} W^{(\frac{5}{2})}_{\frac{5}{3}} + \frac{7}{5} W^{(\frac{5}{2})}_{-\frac{5}{3}} + W^{(\frac{5}{2})}_{-\frac{1}{3}} + W^{(\frac{5}{2})}_{\frac{1}{3}})(z)$ which is proportional to $d^{abc}(3\psi^a J^b J^c - 15\psi^a J^b K^c + 10\psi^a K^b K^c)(z)$. This is exactly the higher spin-$\frac{5}{2}$ current of $\mathcal{N} = 1$ version in [23, 24]. The relative coefficient $\frac{7}{5}$ removes the terms of $d^{abc}\chi^a J^b L^c(z)$ and $d^{abc}\chi^a K^b L^c(z)$.

One can also write down the higher spin-3 current $W^{(3)}_{-\frac{2}{3}}(z)$ from (4.13) by writing the derivative terms of the higher spin-2 current. One can check the $U(1)$ charge of this higher spin-3 current using (2.7) [28].

Therefore, in this section, the four higher spin currents appearing in the second $\mathcal{N} = 2$ multiplet in (3.3) are determined explicitly. They are given by (4.3), (4.6), (4.9) and (4.12).

5 The next higher spin currents

So far, the two higher spin $\mathcal{N} = 2$ multiplets in (3.3) are obtained in previous sections. The next question is how one can determine the next higher spin $\mathcal{N} = 2$ multiplet. First of all, because one can calculate the following OPE between the first component and the third component of the first $\mathcal{N} = 2$ higher spin multiplet (3.3),

$$W^{(2)}_{\frac{2}{3}}(z)\, W^{(\frac{5}{2})}_{-\frac{1}{3}}(w), \tag{5.1}$$

for $N = 3$, one can examine the right hand side of this OPE (5.1). It turns out that one obtains the following new higher spin-$\frac{7}{2}$ current with $q = \frac{1}{3}$ at the first-order pole in (5.1) as follows:

$$W^{(\frac{7}{2})}_{\frac{1}{3}}(z). \tag{5.2}$$

In other words, one observes the multiple product of two adjoint fermions with possible derivatives at the first-order pole of (5.1) and these cannot be written in terms of any combinations of previously known (higher spin) currents found so far. Then it is straightforward to obtain the other three component currents living in the third $\mathcal{N} = 2$ multiplet in (3.3) using the spin-$\frac{3}{2}$ currents of $\mathcal{N} = 2$ superconformal algebra, as done in sections 3 and 4. See also Appendix $(H.1)$.

Now one can consider the following OPE between the first component and the second component of the second $\mathcal{N} = 2$ higher spin multiplet in (3.3),

$$W^{(2)}_{-\frac{2}{3}}(z)\, W^{(\frac{5}{2})}_{\frac{1}{3}}(w) \tag{5.3}$$

in order to see the other higher spin-$\frac{7}{2}$ current with $q = -\frac{1}{3}$. In this case, the first-order pole of (5.3) provides the following higher spin-$\frac{7}{2}$ current for $N = 3$

$$W^{(\frac{7}{2})}_{-\frac{1}{3}}(z), \tag{5.4}$$

[28] One can add the two expressions (3.26) and (4.12). Then this is proportional to the following result $d^{abc}(J^aJ^bJ^c - 6J^aJ^bK^c + 6J^aK^bK^c - K^aK^bK^c)(z)$ which is nothing but the higher spin-3 current with the condition $k = N$ in the $\mathcal{N} = 1$ version in [23, 24].

which has opposite $U(1)$ charge to the previous one (5.2). Then again, from the $\mathcal{N}=2$ supersymmetry, one obtains the other three higher spin currents belonging to the fourth $\mathcal{N}=2$ multiplet (3.3) from (5.4) [29]. See also Appendix (H.3).

We generalize the $\mathcal{N}=2$ multiplets in (3.3) to the higher spin case as follows (See also Appendix (B.5)):

$$
\begin{aligned}
\mathbf{W}^{(2)}_{\frac{2}{3}} &\equiv \left(W^{(2)}_{\frac{2}{3}}, W^{(\frac{5}{2})}_{\frac{5}{3}}, W^{(\frac{5}{2})}_{-\frac{1}{3}}, W^{(3)}_{\frac{2}{3}}\right), \\
\mathbf{W}^{(2)}_{-\frac{2}{3}} &\equiv \left(W^{(2)}_{-\frac{2}{3}}, W^{(\frac{5}{2})}_{\frac{1}{3}}, W^{(\frac{5}{2})}_{-\frac{5}{3}}, W^{(3)}_{-\frac{2}{3}}\right), \\
\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}} &\equiv \left(W^{(\frac{7}{2})}_{\frac{1}{3}}, W^{(4)}_{\frac{4}{3}}, W^{(4)}_{-\frac{2}{3}}, W^{(\frac{9}{2})}_{\frac{1}{3}}\right), \\
\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}} &\equiv \left(W^{(\frac{7}{2})}_{-\frac{1}{3}}, W^{(4)}_{\frac{2}{3}}, W^{(4)}_{-\frac{4}{3}}, W^{(\frac{9}{2})}_{-\frac{1}{3}}\right), \\
\mathbf{W}^{(4)}_{0} &\equiv \left(W^{(4)}_{0}, W^{(\frac{9}{2})}_{1}, W^{(\frac{9}{2})}_{-1}, W^{(5)}_{0}\right), \\
\mathbf{W}^{(\frac{11}{2})}_{-\frac{1}{3}} &\equiv \left(W^{(\frac{11}{2})}_{-\frac{1}{3}}, W^{(6)}_{\frac{2}{3}}, W^{(6)}_{-\frac{4}{3}}, W^{(\frac{13}{2})}_{-\frac{1}{3}}\right), \\
\mathbf{W}^{(\frac{11}{2})}_{\frac{1}{3}} &\equiv \left(W^{(\frac{11}{2})}_{\frac{1}{3}}, W^{(6)}_{\frac{4}{3}}, W^{(6)}_{-\frac{2}{3}}, W^{(\frac{13}{2})}_{\frac{1}{3}}\right), \\
\mathbf{W}^{(6)}_{-\frac{2}{3}} &\equiv \left(W^{(6)}_{-\frac{2}{3}}, W^{(\frac{13}{2})}_{\frac{1}{3}}, W^{(\frac{13}{2})}_{-\frac{5}{3}}, W^{(7)}_{-\frac{2}{3}}\right), \\
\mathbf{W}^{(6)}_{\frac{2}{3}} &\equiv \left(W^{(6)}_{\frac{2}{3}}, W^{(\frac{13}{2})}_{\frac{5}{3}}, W^{(\frac{13}{2})}_{-\frac{1}{3}}, W^{(7)}_{\frac{2}{3}}\right), \\
&\vdots \\
\mathbf{W}^{(2n-\frac{1}{2})}_{-\frac{2n}{3}+\frac{5}{3}} &\equiv \left(W^{(2n-\frac{1}{2})}_{-\frac{2n}{3}+\frac{5}{3}}, W^{(2n)}_{-\frac{2n}{3}+\frac{8}{3}}, W^{(2n)}_{-\frac{2n}{3}+\frac{2}{3}}, W^{(2n+\frac{1}{2})}_{-\frac{2n}{3}+\frac{5}{3}}\right), \\
\mathbf{W}^{(2n-\frac{1}{2})}_{\frac{2n}{3}-\frac{5}{3}} &\equiv \left(W^{(2n-\frac{1}{2})}_{\frac{2n}{3}-\frac{5}{3}}, W^{(2n)}_{\frac{2n}{3}-\frac{2}{3}}, W^{(2n)}_{\frac{2n}{3}-\frac{8}{3}}, W^{(2n+\frac{1}{2})}_{\frac{2n}{3}-\frac{5}{3}}\right), \\
\mathbf{W}^{(2n)}_{-\frac{2n}{3}+\frac{4}{3}} &\equiv \left(W^{(2n)}_{-\frac{2n}{3}+\frac{4}{3}}, W^{(2n+\frac{1}{2})}_{-\frac{2n}{3}+\frac{7}{3}}, W^{(2n+\frac{1}{2})}_{-\frac{2n}{3}+\frac{1}{3}}, W^{(2n+1)}_{-\frac{2n}{3}+\frac{4}{3}}\right), \\
\mathbf{W}^{(2n)}_{\frac{2n}{3}-\frac{4}{3}} &\equiv \left(W^{(2n)}_{\frac{2n}{3}-\frac{4}{3}}, W^{(2n+\frac{1}{2})}_{\frac{2n}{3}-\frac{1}{3}}, W^{(2n+\frac{1}{2})}_{\frac{2n}{3}-\frac{7}{3}}, W^{(2n+1)}_{\frac{2n}{3}-\frac{4}{3}}\right), \\
&\vdots
\end{aligned}
\tag{5.5}
$$

Then how one can obtain the next higher spin-4 current $W^{(4)}_0(z)$ living in the lowest component current in the fifth $\mathcal{N}=2$ multiplet in (5.5)? One way to obtain this higher spin current is to calculate the OPE $W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\, W^{(\frac{7}{2})}_{\frac{1}{3}}(w)$ between the third component in the first $\mathcal{N}=2$ multiplet and the first component in the third $\mathcal{N}=2$ multiplet. It turns out that the second-order pole of this OPE leads to the above higher spin-4 current $W^{(4)}_0(w)$ belonging

[29] In Appendix E, we present some details for the construction of higher spin-$\frac{7}{2}$ currents. We can obtain the final forms for these higher spin-$\frac{7}{2}$ currents via the simplifications of the normal ordered products.

to the fifth $\mathcal{N}=2$ multiplet for $N=3$. The remaining three higher spin currents living in the fifth $\mathcal{N}=2$ multiplet can be obtained from the $\mathcal{N}=2$ supersymmetry on this $\mathcal{N}=2$ multiplet as done in sections 3 and 4. See also Appendix (I.1).

We can further analyze the next higher spin-$\frac{11}{2}$ current $W^{(\frac{11}{2})}_{-\frac{1}{3}}(z)$ living in the lowest component current in the sixth $\mathcal{N}=2$ multiplet in (5.5) [30]. In this case, we expect that the OPE $W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(4)}_{0}(w)$ will allow us to obtain this higher spin current because the $U(1)$ charge of the left hand side of this OPE gives the correct $q=-\frac{1}{3}$. Due to the spin counting, the first-order pole can have this higher spin-$\frac{11}{2}$ current with $q=-\frac{1}{3}$. What happens for the higher spin-$\frac{11}{2}$ current $W^{(\frac{11}{2})}_{\frac{1}{3}}(z)$ in the lowest component current in the seventh $\mathcal{N}=2$ multiplet in (5.5)? Similarly, we expect that the OPE $W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(4)}_{0}(w)$ can allow us to obtain this higher spin current because the $U(1)$ charge of the left hand side of this OPE provides the correct $q=\frac{1}{3}$ [31].

Let us focus on the last four $\mathcal{N}=2$ multiplets in (5.5). One obtains the higher spin current $W^{(2n)}_{-\frac{2n}{3}+\frac{4}{3}}(w)$ from the second-order pole in the OPE $W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(2n-\frac{1}{2})}_{-\frac{2n}{3}+\frac{5}{3}}(w)$. The $U(1)$ charge and spin countings give this result. Similarly, one obtains the higher spin current $W^{(2n)}_{\frac{2n}{3}-\frac{4}{3}}(w)$ from the second-order pole in the OPE $W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(2n-\frac{1}{2})}_{\frac{2n}{3}-\frac{5}{3}}(w)$. Furthermore, one obtains the higher spin current $W^{(2n-\frac{1}{2})}_{-\frac{2n}{3}+\frac{5}{3}}(w)$ from the first-order pole in the OPE $W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(2n-2)}_{-\frac{2n}{3}+2}(w)$. Similarly, one obtains the higher spin current $W^{(2n-\frac{1}{2})}_{\frac{2n}{3}-\frac{5}{3}}(w)$ from the first-order pole in the OPE $W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(2n-2)}_{\frac{2n}{3}-2}(w)$. The second, third and fourth components higher spin currents can be obtained from the $\mathcal{N}=2$ supersymmetry on the (determined) lowest higher spin current described before.

Therefore, one can generate the new higher spin currents living in the lowest component higher spin currents of $\mathcal{N}=2$ multiplets in (5.5) by using the two higher spin-$\frac{5}{2}$ currents $W^{(\frac{5}{2})}_{\mp\frac{1}{3}}(z)$ together with the known higher spin currents systematically.

[30] For $N=3$, we have determined the first five $\mathcal{N}=2$ higher spin currents in (5.5).

[31] Then the two higher spin currents of $W^{(\frac{5}{2})}_{\mp\frac{1}{3}}(z)$ living in the first and second $\mathcal{N}=2$ multiplet of (3.3) play the role of the "generators" of the new higher spin currents with the known higher spin currents. In order to obtain the higher spin current $W^{(6)}_{-\frac{2}{3}}(w)$, one can consider the the OPE $W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(\frac{11}{2})}_{-\frac{1}{3}}(w)$ and focus on the second-order pole. For the higher spin current $W^{(6)}_{\frac{2}{3}}(w)$, we expect that the second-order pole in the OPE $W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{11}{2})}_{\frac{1}{3}}(w)$ will provide the right structure on the higher spin current.

6 The OPEs between the higher spin currents

In order to obtain the higher spin symmetry algebra between the higher spin currents, we should calculate the OPEs between the higher spin currents. In this section, we present the OPE between the higher spin-2 currents living in the first components of first and second $\mathcal{N}=2$ multiplets in (3.3).

There exist the trivial OPEs $W^{(2)}_{\frac{2}{3}}(z)\,W^{(2)}_{\frac{2}{3}}(w) = +\cdots$ and $W^{(2)}_{\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{\frac{5}{3}}(w) = +\cdots$ for $N=3$. The regularity of these OPEs can be checked by the counting of spin and $U(1)$ charge [32]. The next OPE $W^{(2)}_{\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{1}{3}}(w)$ has nontrivial OPE and the new higher spin-$\frac{7}{2}$ current $W^{(\frac{7}{2})}_{\frac{1}{3}}(w)$ can be found at the first-order pole, as observed in previous section. One sees that the first-order pole of next OPE $W^{(2)}_{\frac{2}{3}}(z)\,W^{(3)}_{\frac{2}{3}}(w)$ gives the higher spin-4 current $W^{(4)}_{\frac{4}{3}}(w)$ which is the second component of the third $\mathcal{N}=2$ higher spin multiplet. See also Appendix (H.1).

One can continue to calculate the remaining six OPEs between the lowest higher spin currents in the first $\mathcal{N}=2$ multiplet. The OPE $W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\,W^{(\frac{5}{2})}_{\frac{5}{3}}(w)$ does not have any singular terms for $N=3$ and the first-order pole of the OPE $W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{1}{3}}(w)$ leads to the higher spin-4 current $W^{(4)}_{\frac{4}{3}}(w)$ appeared as above for $N=3$. The next OPE $W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\,W^{(3)}_{\frac{2}{3}}(w)$ does not give any singular terms [33].

The next OPEs we can consider are the ones between the first and second $\mathcal{N}=2$ multiplets in (3.3). Then let us calculate the OPE $W^{(2)}_{\frac{2}{3}}(z)\,W^{(2)}_{-\frac{2}{3}}(w)$. Note that this OPE has zero $U(1)$ charge $q=0$. The sum of spins in the left hand side is given by four. Then the right hand of this OPE can start with the fourth-order pole where the central charge term can appear.

[32] First of all we classify the possible composite fields for given spin. Then we should check whether these will satisfy the definite $U(1)$ charge. For example, for the former, the possible spin in the right hand side is given by $0, 1, 2$ and 3. Then the composite fields should have the $U(1)$ charge as $\frac{4}{3}$. For the spin-1 current, one has $J(w)$. For the spin-2 current, one has $JJ(w), \partial J(w), T(w), W^{(2)}_{\frac{2}{3}}(w)$ and $W^{(2)}_{-\frac{2}{3}}(w)$. Similarly for the spin-3 current, one has $JJJ(w)$, $\partial JJ(w)$, $\partial^2 J(w)$, $JT(w)$, G^-G^+, $\partial T(w)$, $JW^{(2)}_{\frac{2}{3}}(w)$, $JW^{(2)}_{-\frac{2}{3}}(w)$, $\partial W^{(2)}_{\frac{2}{3}}(w)$ and $\partial W^{(2)}_{-\frac{2}{3}}(w)$. Then, one sees that there is no possible composite field having the $U(1)$ charge $\frac{4}{3}$.

[33] For the remaining three OPEs, one can analyze further. The first-order pole of the OPE $W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{1}{3}}(w)$ gives the higher spin current $W^{(4)}_{-\frac{2}{3}}(w)$ which is the third component of the third $\mathcal{N}=2$ multiplet in (3.3). The next OPE $W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(3)}_{\frac{2}{3}}(w)$ contains the information on the two higher spin currents, $W^{(\frac{7}{2})}_{\frac{1}{3}}(w)$ and $W^{(\frac{9}{2})}_{\frac{1}{3}}(w)$ corresponding to the first and the last components of the third $\mathcal{N}=2$ multiplet in (3.3). The former appear in the second-order pole while the latter appears in the first-order pole. Therefore, the presence of third $\mathcal{N}=2$ multiplet in (3.3) can be seen from the above fifteen OPEs considered so far. Now one can calculate the last OPE $W^{(3)}_{\frac{2}{3}}(z)\,W^{(3)}_{\frac{2}{3}}(w)$ and the second-order pole provides the higher spin current $W^{(4)}_{\frac{4}{3}}(w)$ which is the second component of the third $\mathcal{N}=2$ multiplet. See also Appendix (H.1).

The other singular term can appear in general. One should determine the possible composite fields with correct spin and $U(1)$ charge at the specific pole. The third-order pole contains the spin-1 field with $q = 0$. The second-order pole has the spin-2 field with vanishing $U(1)$ charge and the first-order pole possesses the spin-3 field where the $U(1)$ charge is zero. Recall that the $\mathcal{N} = 2$ superconformal algebra currents have their spins and $U(1)$ charges as follows: $(1_0, \frac{3}{2}_+, \frac{3}{2}_-, 2_0)$ from Appendix (B.2).

The normalization we take here is that the fourth-order pole is given by $\frac{c}{2}$. Some of the singular terms for this OPE are presented in Appendix F. The fourth-order pole contribution comes from the OPEs $J^aM^a(z)\, J^bM^b(w)$, $K^aM^a(z)\, K^bM^b(w)$, and $L^aM^a(z)\, L^bM^b(w)$. We can introduce the same normalization factor for the higher spin-2 currents. Then the choice in (3.9) and (4.3) together with the results in Appendix F gives the correct $\frac{c}{2}$.

Now let us move on the third-order pole. According to the results in Appendix F, the third-order pole can appear in the OPEs $J^aM^a(z)\, L^bM^b(w)$ and $K^aM^a(z)\, L^bM^b(w)$(and $L^aM^a(z)\, J^bM^b(w)$ and $L^aM^a(z)\, K^bM^b(w)$). By calculating the third-order poles with correct coefficients, one realizes that the third-order pole is given by $J(w)$.

The next second-order pole can be analyzed similarly. Again from Appendix F, the second-order poles can appear in all possible nine terms. We should express them in terms of the currents of $\mathcal{N} = 2$ superconformal algebra. The higher spin currents are given in (3.3) with the spins and $U(1)$ charges. One can easily check that the only possible spin-2 current with vanishing $U(1)$ charge consists of the currents of $\mathcal{N} = 2$ superconformal algebra without any higher spin currents. One can check that the following identities are useful to simplify the OPEs

$$\begin{aligned}
M^aM^a(w) &= -\frac{1}{2}J^aK^a(w) - \frac{4}{N}\psi^a\psi^b\chi^b\chi^a(w) + \frac{(N^2-2)}{4N^2}J^aJ^a(w) + \frac{(N^2-2)}{4N^2}K^aK^a(w), \\
L^aL^a(w) &= -\frac{1}{2}J^aK^a(w) + \frac{1}{4}K^aK^a(w) + \frac{1}{4}J^aJ^a(w), \\
JJ(w) &= -\frac{4}{9}\left(\psi^a\chi^a\psi^b\chi^b + \frac{1}{8N}K^aK^a + \frac{1}{8N}J^aJ^a\right)(w).
\end{aligned} \tag{6.1}$$

In principle, we can also analyze the first-order pole. In this case, the spin of the composite field with vanishing $U(1)$ charge is given by three. Then one should rewrite all the first-order pole in terms of fully normal ordered product [40, 41] in order to express in terms of the known spin-3 field consisting of the currents of the $\mathcal{N} = 2$ superconformal algebra.

It turns out that the OPE between the lowest higher spin-2 current with $q = \frac{2}{3}$ and the lowest higher spin-2 current with $q = -\frac{2}{3}$ is given by

$$W^{(2)}_{\frac{2}{3}}(z)\, W^{(2)}_{-\frac{2}{3}}(w) = \frac{1}{(z-w)^4}\,\frac{c}{2} + \frac{1}{(z-w)^3}\,J(w)$$

$$
\begin{aligned}
&+ \quad \frac{1}{(z-w)^2}\left[-\frac{2}{(c-1)}\,JJ+\frac{1}{2}\,\partial J+\frac{2(3c-1)}{3(c-1)}\,T\right](w) \\
&+ \quad \frac{1}{(z-w)}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[\frac{1}{3}\,(3c+8)(8c+9)\,JT \\
&- \quad \frac{1}{3}\,(32c+127)\,JJJ \\
&- \quad (c^2-36c+8)\,G^-G^+ + \frac{1}{6}\,(12c^3+53c^2-234c+60)\,\partial T \\
&+ \quad \frac{1}{6}\,(c+2)(2c^2+2c+5)\,\partial^2 J - 2(c+6)(2c-3)\,\partial JJ\Big](w) + \cdots . \qquad (6.2)
\end{aligned}
$$

We use the relations (6.1). In the large c limit (or large N limit), all the nonlinear terms in (6.2) disappear. Furthermore, one can analyze the $\frac{1}{c}$- and $\frac{1}{c^2}$-terms [44]. Compared to the $\mathcal{N}=2$ W_3 algebra [45] where one of the OPEs is given by the spin-2 current and itself, the additional field contents in (6.2) arise in the right hand side. That is, the central term, $JJ(w)$, $T(w)$, $\partial JJ(w)$ and $\partial T(w)$ terms in (6.2) appeared in [45, 46]. Let us emphasize that the above OPE is given by two different currents although their spins are the same but the $U(1)$ charges are different. Therefore, the nonderivative terms in the third and first-order poles can appear in the above OPE in general. Furthermore, we expect that there should be the descendant fields $\partial J(w)$ and $\partial^2 J(w)$ in the second and first-order poles. Due to the $U(1)$ charge conservation, either $W^{(2)}_{\frac{2}{3}}(w)$ or $W^{(2)}_{-\frac{2}{3}}(w)$ cannot appear in the second-order pole. One can reexpress the first-order pole as the sum of (quasi) primary fields and other descendant fields, as usual [34].

One can repeat the remaining fifteen OPEs in the two $\mathcal{N}=2$ lowest higher spin currents. It is rather nontrivial and complicated to complete these OPEs for generic N. For $N=3$, the explicit forms in (3.3) are determined completely. The question is how to generalize them for generic N. In order to obtain the higher spin current algebra, the Jacobi identity method in next section will be used.

7 The OPEs between the higher spin currents in $\mathcal{N}=2$ superspace

In this section, by using the package by Krivonos and Thielemans [31], some OPEs of the higher spin currents are determined in the $\mathcal{N}=2$ superspace. That is, the ten OPEs between the first four $\mathcal{N}=2$ higher spin multiplets in (3.3).

[34] One can check that $JJ(w)$, $T(w)$, $JT(w)$, and $JJJ(w)$ are quasi primary fields.

7.1 The OPEs between the higher spin-2 currents $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z)$

Let us consider the OPE between $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)$ and $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)$. That is, the OPE between the first $\mathcal{N}=2$ multiplet and itself in (3.3). The corresponding component results for $N=3$ are obtained from section 6. Now one can introduce the arbitrary coefficients in the right hand side of the OPE. Inside of the package [31], one introduces the OPE in Appendix (B.1), the OPEs in Appendix (B.4) for $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)$ and $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$ which is an $\mathcal{N}=2$ extension of the $W^{(\frac{7}{2})}_{\frac{1}{3}}(w)$. Then one can write down $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)$ with arbitrary coefficients.

By using the Jacobi identity [35] between the three (higher spin) currents $(\mathbf{T}, \mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(2)}_{\frac{2}{3}})$, we obtain the following result

$$\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2) = C^{(\frac{7}{2})+}_{(2)\,(2)}\,\left(\frac{\bar\theta_{12}}{z_{12}}\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2) - \frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\,\frac{1}{2}\,D\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)\right) + \cdots . \quad (7.1)$$

At this level, the unknown structure constant appearing in the first term of (7.1) is present [36]. See also Appendix (H.1) where the component results are given.

The next is the OPE between the higher spin-2 current with $q=\frac{2}{3}$ and the higher spin-2 current with $q=-\frac{2}{3}$. That is, $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)$. From the component results in section 6, one expects that the right hand side of this OPE can consist of the composite fields between the currents of the $\mathcal{N}=2$ superconformal algebra. The nontrivial thing is to write down the right hand side with arbitrary coefficients. In order to obtain the consistent solution for the Jacobi identity, it is necessary to write down all the possible terms in the right hand side. Otherwise, the outcome for the Jacobi identity will give us the inconsistent solutions. Of course, the OPE in Appendix (B.4) for $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)$ should be included inside the package.

After using the Jacobi identity between the three (higher spin) currents $(\mathbf{T}, \mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(2)}_{-\frac{2}{3}})$, one obtains the following OPE

$$\begin{aligned}
&\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2) = -\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^5}\,\frac{c}{6} + \frac{1}{z_{12}^4}\,\frac{c}{2} + \frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^4}\,\frac{8}{3}\,\mathbf{T}(Z_2) + \frac{1}{z_{12}^3}\,\mathbf{T}(Z_2) - \frac{\theta_{12}}{z_{12}^3}\,\frac{5}{2}\,D\mathbf{T}(Z_2) \\
&+\frac{\bar\theta_{12}}{z_{12}^3}\,\frac{7}{2}\,\overline{D}\mathbf{T}(Z_2) + \frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^3}\,\frac{1}{(c-1)}\,\left[\frac{1}{18}\,(3c+34)\,[D,\overline{D}]\mathbf{T} + \frac{37}{6}\,\mathbf{T}\mathbf{T} + \frac{17}{6}\,(c-1)\,\partial\mathbf{T}\right](Z_2) \\
&+\frac{1}{z_{12}^2}\,\frac{1}{(c-1)}\,\left[-\frac{1}{3}(3c-1)\,[D,\overline{D}]\mathbf{T} - 2\,\mathbf{T}\mathbf{T} + \frac{1}{2}\,(c-1)\,\partial\mathbf{T}\right](Z_2)
\end{aligned}$$

[35] The outcome of `OPEJacobi` is a double list of operators [47]. The higher spin currents with large spin appear in the beginning of this list while the higher spin currents with small spin appear at the end of this list. It is better to analyze the elements at the end of the list first.

[36] Recall that the $U(1)$ charge of $\bar\theta_{12}$ is $+1$ (θ_{12} has -1) while the covariant derivative D_2 is $+1$. Then it is easy to see that the $U(1)$ charge is preserved in both sides of (7.1).

$$
+\frac{\theta_{12}}{z_{12}^2}\frac{1}{(c-1)}\left[-\frac{5}{6}(2c-5)\,\partial D\mathbf{T}-\frac{15}{2}\,\mathbf{T}D\mathbf{T}\right](Z_2)
$$

$$
+\frac{\bar\theta_{12}}{z_{12}^2}\frac{1}{(c-1)}\left[\frac{7}{6}(2c-1)\,\partial\overline{D}\mathbf{T}+\frac{7}{2}\,\mathbf{T}\overline{D}\mathbf{T}\right](Z_2)
$$

$$
+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^2}\frac{1}{(c-1)(c+6)(2c-3)}\left[\frac{1}{72}(6c^3-551c^2+2718c-3120)\,\partial[D,\overline{D}]\mathbf{T}\right.
$$

$$
-\frac{1}{18}(204c^2-469c-18)\,\mathbf{T}\,[D,\overline{D}]\mathbf{T}-\frac{2}{9}(101c-239)\,\mathbf{TTT}
$$

$$
+\frac{1}{3}(131c^2-306c+208)\,\overline{D}\mathbf{T}D\mathbf{T}
$$

$$
\left.+\frac{107}{12}(c+6)(2c-3)\,\partial\mathbf{T}\mathbf{T}+\frac{1}{18}(52c^3+51c^2-396c+260)\,\partial^2\mathbf{T}\right](Z_2)
$$

$$
+\frac{1}{z_{12}}\frac{1}{(c-1)(c+6)(2c-3)}\left[-\frac{1}{12}(12c^3+53c^2-234c+60)\,\partial[D,\overline{D}]\mathbf{T}\right.
$$

$$
-\frac{1}{6}(3c+8)(8c+9)\,\mathbf{T}[D,\overline{D}]\mathbf{T}-\frac{1}{3}(32c+127)\,\mathbf{TTT}+(c^2-36c+8)\,\overline{D}\mathbf{T}D\mathbf{T}
$$

$$
\left.-2(c+6)(2c-3)\,\partial\mathbf{T}\mathbf{T}+\frac{1}{6}(c+2)(2c^2+2c+5)\,\partial^2\mathbf{T}\right](Z_2)
$$

$$
+\frac{\theta_{12}}{z_{12}}\frac{1}{(c-1)(c+6)(2c-3)}\left[-\frac{5}{4}(c^3-2c^2+12c-30)\,\partial^2 D\mathbf{T}+\frac{5}{2}(4c-41)\,\mathbf{T}\mathbf{T}D\mathbf{T}\right.
$$

$$
+\frac{5}{12}(27c^2-38c-30)\,[D,\overline{D}]\mathbf{T}D\mathbf{T}-\frac{5}{6}(11c^2+91c-240)\,\partial D\mathbf{T}\mathbf{T}
$$

$$
\left.-\frac{5}{4}(7c^2-2c-4)\,\partial\mathbf{T}D\mathbf{T}\right](Z_2)
$$

$$
+\frac{\bar\theta_{12}}{z_{12}}\frac{1}{(c-1)(c+6)(2c-3)}\left[\frac{7}{24}(6c^3+3c^2+4c+42)\,\partial^2\overline{D}\mathbf{T}-\frac{7}{2}(12c+7)\,\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}\right.
$$

$$
-\frac{7}{12}(27c^2-32c+6)\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+\frac{7}{6}(5c^2-37c-12)\,\partial\overline{D}\mathbf{T}\mathbf{T}
$$

$$
\left.+\frac{7}{4}(c^2+40c-56)\,\partial\mathbf{T}\overline{D}\mathbf{T}\right](Z_2)
$$

$$
+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\left[\right.
$$

$$
\frac{35}{72}(12c^4-57c^3+70c^2+9c+90)\,\partial^2[D,\overline{D}]\mathbf{T}
$$

$$
-\frac{35}{9}(30c^3-23c^2+59c+57)\,\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}-\frac{175}{18}(2c-1)(16c+5)\,\mathbf{TTTT}
$$

$$
+\frac{35}{3}(40c^3-131c^2+23c-26)\,\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+\frac{35}{18}(75c^4-159c^3-58c-72)\,\partial\overline{D}\mathbf{T}D\mathbf{T}
$$

$$
-\frac{35}{216}(264c^3-827c^2+759c+90)\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}
$$

$$
-\frac{35}{36}(30c^4-34c^3-253c^2+231c-240)\,\partial[D,\overline{D}]\mathbf{T}\mathbf{T}
$$

$$
\begin{aligned}
&+\frac{35}{18}\,(75c^4-321c^3+258c^2+514c-360)\,\partial D\mathbf{T}\overline{D}\mathbf{T}\\
&-\frac{35}{36}\,(12c^2+c-36)(c+1)(5c-9)\,\partial\mathbf{T}[D,\overline{D}]\mathbf{T}-\frac{35}{6}\,(8c-17)(c+1)(5c-9)\,\partial\mathbf{T}\mathbf{T}\mathbf{T}\\
&+\frac{35}{24}\,(c-2)(20c^3+118c^2-159c-37)\,\partial\mathbf{T}\partial\mathbf{T}\\
&+\frac{35}{36}\,(40c^4+64c^3-207c^2-381c+950)\,\partial^2\mathbf{T}\mathbf{T}\\
&+\frac{35}{216}\,(30c^5-54c^4-235c^3+782c^2-177c+210)\,\partial^3\mathbf{T}\Big](Z_2)+\cdots. \qquad (7.2)
\end{aligned}
$$

In the large c limit, all the nonlinear terms in (7.2) disappear. One can also analyze the subleading $\frac{1}{c},\cdots,\frac{1}{c^3}$-terms. Note that the normalization for the higher spin currents $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z)$ can be seen from the singular term $\frac{1}{z_{12}^4}$ with the coefficient $\frac{c}{2}$. All the structure constants in (7.2) are completely fixed and can be written in terms of the function of the central charge c [37]. See also Appendix (H.2) for the component result.

Inside of the package [31], one also introduces the OPE in Appendix (B.1), the OPE in Appendix (B.4) for $\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)$ which is an $\mathcal{N}=2$ extension of the $W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)$. Then one can write down the OPE $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)$ with arbitrary coefficients as done before. By using the Jacobi identity between the three (higher spin) currents $(\mathbf{T},\mathbf{W}^{(2)}_{-\frac{2}{3}},\mathbf{W}^{(2)}_{-\frac{2}{3}})$, we obtain the following result

$$
\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2) \;=\; C^{(\frac{7}{2})-}_{(2)\,(2)}\left(\frac{\theta_{12}}{z_{12}}\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)+\frac{\theta_{12}\,\bar{\theta}_{12}}{z_{12}}\,\frac{1}{2}\,\overline{D}\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)\right)+\cdots. \qquad (7.3)
$$

The unknown structure constant appearing in the first term of (7.3) is present. As before Appendix (H.3) describes the component result.

The above three OPEs (7.1), (7.2) and (7.3) can be summarized by

$$
\Big[\mathbf{W}^{(2)}_{\pm\frac{2}{3}}\Big]\cdot\Big[\mathbf{W}^{(2)}_{\pm\frac{2}{3}}\Big]=\Big[\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}\Big],\qquad \Big[\mathbf{W}^{(2)}_{\frac{2}{3}}\Big]\cdot\Big[\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big]=\Big[I\Big]. \qquad (7.4)
$$

Here $[I]$ stands for the $\mathcal{N}=2$ superconformal family of the identity operator. Therefore, the third and fourth $\mathcal{N}=2$ multiplet in (3.3) can be obtained from the first equation of (7.4).

7.2 The OPEs between the higher spin-2 current and the higher spin-$\frac{7}{2}$ current

Let us consider the next OPE between $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)$ and $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$. That is, the OPE between the first and the third $\mathcal{N}=2$ multiplets in (3.3). The corresponding component results for

[37] The covariant derivative $\overline{D}_2$ has $U(1)$ charge -1. One can check the $U(1)$ charge of the right hand side of (7.2) is zero.

$N = 3$ can be obtained. For example, the lowest component higher spin current $W_0^{(4)}(w)$, living in the fifth $\mathcal{N} = 2$ multiplet in (3.3), appears in the second-order pole of the OPE $W_{\frac{2}{3}}^{(2)}(z)\, W_{-\frac{2}{3}}^{(4)}(w)$ for $N = 3$. See also Appendix (I.1). It is obvious to see that the $U(1)$ charge counting in the OPE implies this particular singular term if one takes the first operator as the lowest higher spin current $W_{\frac{2}{3}}^{(2)}(z)$. Note that the above higher spin current $W_0^{(4)}(w)$ is the first element of vanishing $U(1)$ charge in the list of (5.5). Now one can introduce the arbitrary coefficients in the right hand side of the $\mathcal{N} = 2$ OPE. Inside of the package [31], one introduces the OPE in Appendix (B.4) for $\mathbf{W}_0^{(4)}(Z_2)$. Then one can write down the OPE $\mathbf{W}_{\frac{2}{3}}^{(2)}(Z_1)\, \mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}(Z_2)$ with arbitrary coefficients.

By using the Jacobi identity between the three (higher spin) currents $(\mathbf{T}, \mathbf{W}_{\frac{2}{3}}^{(2)}, \mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})})$, we obtain the following result

$$\begin{aligned}
\mathbf{W}_{\frac{2}{3}}^{(2)}(Z_1)\, \mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}(Z_2) = C_{(2)\,(\frac{7}{2})}^{(4)\,+} \Biggl(& \frac{\bar{\theta}_{12}}{z_{12}^2}\, \mathbf{W}_0^{(4)}(Z_2) - \frac{\theta_{12}\, \bar{\theta}_{12}}{z_{12}^2}\, \frac{7}{24}\, D\mathbf{W}_0^{(4)}(Z_2) \\
& - \frac{1}{z_{12}}\, \frac{1}{4}\, D\mathbf{W}_0^{(4)}(Z_2) + \frac{\bar{\theta}_{12}}{z_{12}} \left[\frac{1}{24}\, [D, \overline{D}] \mathbf{W}_0^{(4)} + \frac{3}{8}\, \partial \mathbf{W}_0^{(4)} \right] (Z_2) \\
& + \frac{\theta_{12}\, \bar{\theta}_{12}}{z_{12}} \left[-\frac{5(c-3)}{36(c+9)}\, \partial D\mathbf{W}_0^{(4)} + \frac{20}{3(c+9)}\, D\mathbf{T}\mathbf{W}_0^{(4)} - \frac{5}{3(c+9)} \mathbf{T} D\mathbf{W}_0^{(4)} \right] (Z_2) \Biggr) + \cdots .
\end{aligned} \tag{7.5}$$

In the large c limit, all the nonlinear terms in (7.5) disappear. One can analyze the subleading $\frac{1}{c}$-term. Except an overall structure constant factor in (7.5), all the relative coefficients are determined during this calculation.

Let us move on the next OPE between the first and the fourth $\mathcal{N} = 2$ multiplets in (3.3). The lowest component higher spin current $W_{-\frac{2}{3}}^{(2)}(w)$, living in the second $\mathcal{N} = 2$ multiplet in (3.3), appears in the fourth-order pole of the OPE $W_{\frac{2}{3}}^{(2)}(z)\, W_{-\frac{4}{3}}^{(4)}(w)$ for $N = 3$. It is obvious to see that the $U(1)$ charge counting in the OPE implies this particular OPE if one takes the first operator as the lowest higher spin current $W_{\frac{2}{3}}^{(2)}(z)$ [38]. Note that the above higher spin current $W_{-\frac{2}{3}}^{(2)}(w)$ is the first element of having $U(1)$ charge $-\frac{2}{3}$ in the list of (5.5). Then by reading off the possible terms in the right hand sides of the above four OPEs in the component approach and generalizing them in $\mathcal{N} = 2$ superspace, one can write down the right hand side

[38] One can calculate the OPE $W_{\frac{2}{3}}^{(2)}(z)\, W_{-\frac{1}{3}}^{(\frac{7}{2})}(w)$ and obtain all the singular terms where the third-order pole contains $W_{\frac{1}{3}}^{(\frac{5}{2})}(w)$. Furthermore, one obtains the OPE $W_{\frac{2}{3}}^{(2)}(z)\, W_{\frac{2}{3}}^{(4)}(w)$ where the highest singular term is the second-order pole. Similarly, one can calculate the OPE $W_{\frac{2}{3}}^{(2)}(z)\, W_{-\frac{1}{3}}^{(\frac{9}{2})}(w)$ where the fourth-order pole has $W_{\frac{1}{3}}^{(\frac{5}{2})}(w)$ for $N = 3$. See also Appendix (I.2).

of this OPE with arbitrary coefficients as follows:

$$\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2) = C^{(2)\,+}_{(2)\,(\frac{7}{2})}\,\left(\frac{\bar\theta_{12}}{z^4_{12}}\,\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2) + \frac{\theta_{12}\,\bar\theta_{12}}{z^4_{12}}\,c_2\,D\mathbf{W}^{(2)}_{-\frac{2}{3}} + \frac{1}{z^3_{12}}\,c_3\,D\mathbf{W}^{(2)}_{-\frac{2}{3}}\right.$$
$$+\frac{\bar\theta_{12}}{z^3_{12}}\,\Big[c_4\,[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}} + c_5\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}} + c_6\,\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big]$$
$$+\frac{\theta_{12}\,\bar\theta_{12}}{z^3_{12}}\,\Big[c_7\,\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}} + c_8\,\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}} + c_9\,D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big]$$
$$+\frac{1}{z^2_{12}}\,\Big[c_{10}\,\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}} + c_{11}\,\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}} + c_{12}\,D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big] + \frac{\theta_{12}}{z^2_{12}}\,c_{13}\,D\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}$$
$$+\frac{\bar\theta_{12}}{z^2_{12}}\,\Big[c_{14}\,\partial[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}} + \cdots + c_{22}\,\partial^2\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big]$$
$$+\frac{\theta_{12}\,\bar\theta_{12}}{z^2_{12}}\,\Big[c_{23}\,\partial^2 D\mathbf{W}^{(2)}_{-\frac{2}{3}} + \cdots + c_{31}\,\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big]$$
$$+\frac{1}{z_{12}}\,\Big[c_{32}\,\partial^2 D\mathbf{W}^{(2)}_{-\frac{2}{3}} + \cdots + c_{40}\,\partial\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big]$$
$$+\frac{\theta_{12}}{z_{12}}\,\Big[c_{41}\,\mathbf{T}D\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}} + \cdots + c_{43}\,\partial D\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big]$$
$$+\frac{\bar\theta_{12}}{z_{12}}\,\Big[c_{44}\,\overline{D}\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}} + \cdots + c_{65}\,\partial^3\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big]$$
$$\left.+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\,\Big[c_{66}\,\partial^3 D\mathbf{W}^{(2)}_{-\frac{2}{3}} + \cdots + c_{87}\,\mathbf{T}\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big]\right)(Z_2) + \cdots. \tag{7.6}$$

Using the Jacobi identity between the three (higher spin) currents $(\mathbf{T}, \mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}})$, the coefficients (except an overall coefficient factor) are fixed and their explicit results are given in Appendix (G.2). By $U(1)$ charge counting, the nonlinear term $\mathbf{W}^{(2)}_{\frac{2}{3}}\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)$ in the singular term $\frac{\theta_{12}}{z^2_{12}}$ (and the descendant terms in other singular terms) can arise but this cannot happen because they become identically zero after using the Jacobi identity. The nonlinear higher spin currents do not appear in (7.6). Furthermore, the higher spin current $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$ can also appear in the $\frac{1}{z^2_{12}}$ term but this cannot happen.

Now one can go to the other OPE between the second and the fourth $\mathcal{N}=2$ multiplets in (3.3). As before, the lowest component higher spin current $W^{(2)}_{\frac{2}{3}}(w)$, living in the first $\mathcal{N}=2$ multiplet in (3.3), appears in the fourth-order pole in the OPE $W^{(2)}_{-\frac{2}{3}}(z)\,W^{(4)}_{\frac{4}{3}}(w)$ for $N=3$. See also Appendix (I.3). The $U(1)$ charge counting in the OPE implies this particular OPE if one takes the first operator as the lowest higher spin current $W^{(2)}_{-\frac{2}{3}}(z)$. Note that the above higher spin current $W^{(2)}_{\frac{2}{3}}(w)$ is the first element of having $U(1)$ charge $\frac{2}{3}$ in the list of (5.5). Then the right hand side of this OPE with arbitrary coefficients can be written as follows:

$$\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2) = C^{(2)\,-}_{(2)\,(\frac{7}{2})}$$

$$\times \left(\frac{1}{C^{(2)+}_{(2)\,(\frac{7}{2})}} \mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\, \mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2) \Big|_{\theta_{12}\leftrightarrow\bar{\theta}_{12}, D\leftrightarrow\overline{D}, \mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)\rightarrow \mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2), c_i\rightarrow d_i}} \right). \tag{7.7}$$

Here the previous OPE result (7.6) was used. The explicit form for (7.7) is given in Appendix (G.4). The Jacobi identity between the three (higher spin) currents $(\mathbf{T}, \mathbf{W}^{(2)}_{-\frac{2}{3}}, \mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}})$ determines the coefficients (except an overall coefficient factor) and their explicit results are given in Appendix (G.5).

Now the last OPE in this subsection we consider is the OPE between the second and the fourth $\mathcal{N}=2$ multiplets in (3.3). The lowest component higher spin current $W^{(4)}_0(w)$, living in the fifth $\mathcal{N}=2$ multiplet in (3.3), appears in the second-order pole OPE $W^{(2)}_{-\frac{2}{3}}(z)\, W^{(4)}_{\frac{2}{3}}(w)$ for $N=3$. See also Appendix (I.4). The Jacobi identity between the three (higher spin) currents $(\mathbf{T}, \mathbf{W}^{(2)}_{-\frac{2}{3}}, \mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}})$ determines the following result

$$\begin{aligned}
&\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\, \mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2) = C^{(4)\,-}_{(2)\,(\frac{7}{2})} \left(\frac{\theta_{12}}{z_{12}^2}\, \mathbf{W}^{(4)}_0(Z_2) + \frac{\theta_{12}\,\bar{\theta}_{12}}{z_{12}^2}\, \frac{7}{24}\, \overline{D}\mathbf{W}^{(4)}_0(Z_2) \right. \\
&-\frac{1}{z_{12}}\, \frac{1}{4}\, \overline{D}\mathbf{W}^{(4)}_0(Z_2) + \frac{\theta_{12}}{z_{12}} \left[-\frac{1}{24}\, [D, \overline{D}]\mathbf{W}^{(4)}_0 + \frac{3}{8}\, \partial \mathbf{W}^{(4)}_0 \right](Z_2) \\
&\left. + \frac{\theta_{12}\,\bar{\theta}_{12}}{z_{12}} \left[\frac{5(c-3)}{36(c+9)}\, \partial\overline{D}\mathbf{W}^{(4)}_0 + \frac{20}{3(c+9)}\, \overline{D}\mathbf{T}\mathbf{W}^{(4)}_0 - \frac{5}{3(c+9)}\, \mathbf{T}\overline{D}\mathbf{W}^{(4)}_0 \right](Z_2) \right) + \cdots .
\end{aligned} \tag{7.8}$$

The large c limit can be analyzed before.

The above four OPEs (7.5), (7.6), (7.7), and (7.8) can be simplified as

$$\left[\mathbf{W}^{(2)}_{\pm\frac{2}{3}}\right] \cdot \left[\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}\right] = \left[\mathbf{W}^{(4)}_0\right], \qquad \left[\mathbf{W}^{(2)}_{\mp\frac{2}{3}}\right] \cdot \left[\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}\right] = \left[\mathbf{W}^{(2)}_{\pm\frac{2}{3}}\right]. \tag{7.9}$$

Therefore, the fifth $\mathcal{N}=2$ multiplet in (3.3) can be obtained from the first relations in (7.9) [39].

7.3 The OPEs between the higher spin-$\frac{7}{2}$ currents

Let us consider the OPE between the third $\mathcal{N}=2$ multiplet and itself in (3.3). As before, the lowest component higher spin current $W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)$, living in the fourth $\mathcal{N}=2$ multiplet in (3.3), appears in the fourth-order pole of the OPE $W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\, W^{(4)}_{-\frac{2}{3}}(w)$ for $N=3$. See also Appendix

[39] In this paper, because the OPE between the higher spin current $\mathbf{W}^{(4)}_0(Z)$ and the other higher spin current is not known, one cannot use the Jacobi identity including both the higher spin current and $\mathbf{W}^{(4)}_0(Z)$. For example, in order to obtain the Jacobi identity between the higher spin currents $(\mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}})$, we should calculate more OPEs.

(J.1). Similarly, OPE $W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{7}{2})}_{\frac{1}{3}}(w)$ contains the third-order pole having $W^{(4)}_{\frac{2}{3}}(w)$ for $N=3$.

Then one can write down the following OPE with arbitrary coefficients

$$\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2) = C^{(\frac{7}{2})+}_{(\frac{7}{2})\,(\frac{7}{2})} \times \left(\frac{1}{C^{(2)+}_{(2)\,(\frac{7}{2})}}\,\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)\Big|_{\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)\to\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2),\ c_i\to e_i} \right), \tag{7.10}$$

where the previous expression (7.6) is used. The three (higher spin) currents $(\mathbf{T}, \mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}, \mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}})$ determines the coefficients (except an overall coefficient factor) and their explicit results are given in Appendix (G.8). As long as the $U(1)$ charge is concerned, the higher spin current $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)$ can appear in the above OPE but this cannot happen.

Furthermore, the OPE between the third and fourth $\mathcal{N}=2$ multiplets can be described as follows. Due to the $U(1)$ charge conservation, one can have $\mathbf{W}^{(4)}_{0}(Z_2)$ in the right hand side but it has been checked that the third-order pole in the OPE between $W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)$ for $N=3$ does not contain the above $W^{(4)}_{0}(w)$ in the component approach. See also Appendix (J.2). Only spin-4 composite fields coming from the currents of $\mathcal{N}=2$ superconformal algebra arise in the above third-order pole. This implies that by considering the general terms $(\partial^{l_1}D^{l_2}\overline{D}^{l_3}\mathbf{T}^{l_4}\cdots\partial^{m_1}D^{m_2}\overline{D}^{m_3}\mathbf{T}^{m_4})(Z_2)$, one can write down the possible ansatz with various arbitrary coefficients more than four hundreds as follows:

$$\begin{aligned}
&\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2) = \frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^8}\,g_{379} + \frac{1}{z_{12}^7}\,\frac{2c}{7} + \frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^7}\,g_{380}\,\mathbf{T}(Z_2) + \frac{1}{z_{12}^6}\,g_{381}\,\mathbf{T}(Z_2) \\
&+\frac{\theta_{12}}{z_{12}^6}\,g_{382}\,D\mathbf{T}(Z_2) + \frac{\bar\theta_{12}}{z_{12}^6}\,g_{383}\,\overline{D}\mathbf{T}(Z_2) + \frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^6}\,\Big[g_{384}\,[D,\overline{D}]\mathbf{T} + g_{385}\,\mathbf{T}\mathbf{T} + g_{386}\,\partial\mathbf{T}\Big](Z_2) \\
&+\frac{1}{z_{12}^5}\,\Big[g_{387}\,[D,\overline{D}]\mathbf{T} + g_{388}\,\mathbf{T}\mathbf{T} + g_{399}\,\partial\mathbf{T}\Big](Z_2) + \frac{\theta_{12}}{z_{12}^5}\,\left[g_{389}\,\partial D\mathbf{T} + g_{390}\,\mathbf{T}D\mathbf{T}\right](Z_2) \\
&+\frac{\bar\theta_{12}}{z_{12}^5}\,\Big[g_{391}\,\partial\overline{D}\mathbf{T} + g_{392}\,\mathbf{T}\overline{D}\mathbf{T}\Big](Z_2) + \frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^5}\,\Big[g_{393}\,\partial[D,\overline{D}]\mathbf{T} + \cdots + g_{398}\,\partial^2\mathbf{T}\Big](Z_2) \\
&+\frac{1}{z_{12}^4}\,\Big[g_{400}\,\partial[D,\overline{D}]\mathbf{T} + \cdots + g_{404}\,\partial\mathbf{T}\mathbf{T} + g_{428}\,\partial^2\mathbf{T}\Big](Z_2) \\
&+\frac{\theta_{12}}{z_{12}^4}\,\Big[g_{405}\,\partial^2 D\mathbf{T} + \cdots + g_{409}\,\partial\mathbf{T}D\mathbf{T}\Big](Z_2) + \frac{\bar\theta_{12}}{z_{12}^4}\,\Big[g_{410}\,\partial^2\overline{D}\mathbf{T} + \cdots + g_{414}\,\partial\mathbf{T}\overline{D}\mathbf{T}\Big](Z_2) \\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^4}\,\Big[g_{415}\,\partial^2[D,\overline{D}]\mathbf{T}\cdots + g_{427}\,\partial^3\mathbf{T}\Big](Z_2) \\
&+\frac{1}{z_{12}^3}\,\Big[g_{1}\,\partial^2[D,\overline{D}]\mathbf{T} + \cdots + g_{57}\,\partial^3\mathbf{T}\Big](Z_2) + \frac{\theta_{12}}{z_{12}^3}\,\Big[g_{13}\,\partial^3 D\mathbf{T} + \cdots + g_{22}\,\partial^2\mathbf{T}D\mathbf{T}\Big](Z_2)
\end{aligned} \tag{7.11}$$

$$
+\frac{\bar{\theta}_{12}}{z_{12}^3}\left[g_{23}\,\partial^3\overline{D}\mathbf{T}+\cdots+g_{32}\,\partial^2\mathbf{T}\overline{D}\mathbf{T}\right](Z_2)+\frac{\theta_{12}\,\bar{\theta}_{12}}{z_{12}^3}\left[g_{33}\,\partial^3[D,\overline{D}]\mathbf{T}+\cdots+g_{56}\,\partial^4\mathbf{T}\right](Z_2)
$$
$$
+\frac{1}{z_{12}^2}\left[g_{58}\,\partial^3[D,\overline{D}]\mathbf{T}+\cdots+g_{170}\,\partial^4\mathbf{T}\right](Z_2)+\frac{\theta_{12}}{z_{12}^2}\left[g_{81}\,\partial^4 D\mathbf{T}+\cdots+g_{101}\,\partial^3\mathbf{T}D\mathbf{T}\right](Z_2)
$$
$$
+\frac{\bar{\theta}_{12}}{z_{12}^2}\left[g_{102}\,\partial^4\overline{D}\mathbf{T}+\cdots+g_{122}\,\partial^3\mathbf{T}\overline{D}\mathbf{T}\right](Z_2)
$$
$$
+\frac{\theta_{12}\,\bar{\theta}_{12}}{z_{12}^2}\left[g_{123}\,\partial^4[D,\overline{D}]\mathbf{T}+\cdots+g_{169}\,\partial^5\mathbf{T}\right](Z_2)
$$
$$
+\frac{1}{z_{12}}\left[g_{171}\,\partial^4[D,\overline{D}]\mathbf{T}+\cdots+g_{378}\,\partial^5\mathbf{T}\right](Z_2)+\frac{\theta_{12}}{z_{12}}\left[g_{217}\,\partial^5 D\mathbf{T}+\cdots+g_{255}\,\partial^4\mathbf{T}D\mathbf{T}\right](Z_2)
$$
$$
+\frac{\bar{\theta}_{12}}{z_{12}}\left[g_{256}\,\partial^5\overline{D}\mathbf{T}+\cdots+g_{294}\,\partial^4\mathbf{T}\overline{D}\mathbf{T}\right](Z_2)
$$
$$
+\frac{\theta_{12}\,\bar{\theta}_{12}}{z_{12}}\left[g_{295}\,\partial^5[D,\overline{D}]\mathbf{T}+\cdots+g_{377}\,\partial^6\mathbf{T}\right](Z_2).
$$

Note that the undetermined coefficients g_i where $i=1,2,\cdots,428$ do not appear in order unfortunately. Again, three (higher spin) currents $(\mathbf{T},\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}},\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}})$ determines the coefficients completely, where the normalization for the higher spin currents $\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z)$ are fixed through the singular term $\frac{1}{z_{12}^7}\frac{2c}{7}$, and their explicit results are given in Appendices (G.9) and (G.10). Although we present the OPE (7.11), the complete expression is given in Appendices (G.9) and (G.10).

The final OPE between the fourth $\mathcal{N}=2$ multiplet and itself can be summarized by the following expression

$$
\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)=C^{(\frac{7}{2})\,-}_{(\frac{7}{2})\,(\frac{7}{2})}
$$
$$
\times\left(\frac{1}{C^{(\frac{7}{2})\,+}_{(\frac{7}{2})\,(\frac{7}{2})}}\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)\Big|_{\theta_{12}\leftrightarrow\bar{\theta}_{12},\ D\leftrightarrow\overline{D},\ \mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)\rightarrow\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2),\ e_i\rightarrow f_i}\right),\qquad(7.12)
$$

where the OPE (7.10) is used. In this case, the lowest component higher spin current $W^{(\frac{7}{2})}_{\frac{1}{3}}(w)$, living in the third $\mathcal{N}=2$ multiplet in (3.3), appears in the fourth-order pole in the OPE $W^{(\frac{7}{2})}_{-\frac{1}{3}}(z)\,W^{(4)}_{\frac{2}{3}}(w)$ for $N=3$. See also Appendix (J.3). The detailed expression for the coefficients, after using the Jacobi identity between the three (higher spin) currents $(\mathbf{T},\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}},\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}})$, is given by Appendix (G.13).

The above OPEs (7.10), (7.11) and (7.12) can be described as

$$
\left[\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}\right]\cdot\left[\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}\right]=\left[\mathbf{W}^{(\frac{7}{2})}_{\mp\frac{1}{3}}\right],\qquad\left[\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}\right]\cdot\left[\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right]=\left[I\right].\qquad(7.13)
$$

In other words, the higher spin current algebra for $\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z)$ is closed from (7.13).

From the the Jacobi identity between the higher spin currents $(\mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(2)}_{-\frac{2}{3}})$, one obtains the relation

$$C^{(2)\,-}_{(2)\,(\frac{7}{2})}\,C^{(\frac{7}{2})\,+}_{(2)\,(2)} = \frac{70(810c^5+15354c^4-76443c^3+75177c^2+55324c-80590)}{243(c-1)(c+1)(c+6)(2c-3)(5c-9)}. \quad (7.14)$$

From the three OPEs between the above higher spin currents, one realizes that the structure constant $C^{(\frac{7}{2})\,+}_{(2)\,(2)}$ appears in the OPE (7.1) and the structure constant $C^{(2)\,-}_{(2)\,(\frac{7}{2})}$ appears in the OPE (7.7) by selecting the first and second higher spin currents in the Jacobi identity first and then selecting the higher spin current $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z)$ and the third higher spin current $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z)$. Furthermore, the OPE (7.2) contains the stress energy tensor (and its descendant fields) with known c-dependent coefficients after selecting the first and the third higher spin currents in the Jacobi identity first and then selecting the second higher spin current $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z)$ and the above stress energy tensor. This implies that one can rewrite $C^{(2)\,-}_{(2)\,(\frac{7}{2})}$ in terms of $C^{(\frac{7}{2})\,+}_{(2)\,(2)}$ with the help of (7.14).

Similarly, the Jacobi identity between the higher spin currents $(\mathbf{W}^{(2)}_{-\frac{2}{3}}, \mathbf{W}^{(2)}_{-\frac{2}{3}}, \mathbf{W}^{(2)}_{\frac{2}{3}})$ implies the following relation

$$C^{(2)\,+}_{(2)\,(\frac{7}{2})}\,C^{(\frac{7}{2})\,-}_{(2)\,(2)} = \frac{70(810c^5+15354c^4-76443c^3+75177c^2+55324c-80590)}{243(c-1)(c+1)(c+6)(2c-3)(5c-9)}. \quad (7.15)$$

In this case, from the OPE between the first and second higher spin currents in the Jacobi identity, one observes the OPE (7.3) has the structure constant $C^{(\frac{7}{2})\,-}_{(2)\,(2)}$ and the OPE between the third higher spin current and the higher spin current appearing in the right hand side of (7.3) leads to the OPE (7.6) where the structure constant $C^{(2)\,+}_{(2)\,(\frac{7}{2})}$ appears. Furthermore, the combination between the first and third higher spin currents in the Jacobi identity implies the OPE (7.2) with the stress energy tensor and the OPE between the remaining (second) higher spin current and the stress energy tensor gives the higher spin itself with known c-dependent coefficients. Therefore, it turns out that one obtains the above result (7.15). Then one can rewrite $C^{(2)\,+}_{(2)\,(\frac{7}{2})}$ in terms of $C^{(\frac{7}{2})\,-}_{(2)\,(2)}$ with the help of (7.15).

By using the Jacobi identity between the higher spin currents $(\mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}})$, one has the simple relation

$$C^{(2)\,+}_{(2)\,(\frac{7}{2})} = -\frac{4}{7}\,C^{(\frac{7}{2})\,+}_{(2)\,(2)}. \quad (7.16)$$

According to previous description, the structure constant $C^{(\frac{7}{2})\,+}_{(2)\,(2)}$ appears in the OPE (7.1). Then after doing the OPE between the higher spin current $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)$ appearing in the OPE (7.1) and the third higher spin current in the Jacobi identity leads to the OPE (7.11) where

one can see the fixed coefficients which depend on the central charge. Furthermore, the other combination in the Jacobi identity provides the OPE between the first and third higher spin currents. This is given by the OPE (7.6) where the structure constant $C_{(2)\,(2)}^{(\frac{7}{2})\,+}$ appears. After that, the OPE between the remaining (second) higher spin current and the higher spin current $\mathbf{W}_{-\frac{2}{3}}^{(2)}(Z_2)$ gives the stress energy tensor with fixed coefficients via the OPE (7.2). Then we are left with the above result (7.16).

Also the Jacobi identity between the higher spin currents $(\mathbf{W}_{-\frac{2}{3}}^{(2)}, \mathbf{W}_{-\frac{2}{3}}^{(2)}, \mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})})$ determines the relation

$$C_{(2)\,(\frac{7}{2})}^{(2)\,-} = -\frac{4}{7}\, C_{(2)\,(2)}^{(\frac{7}{2})\,-}. \tag{7.17}$$

From the OPE between the first and second higher spin currents, one sees the structure constant $C_{(2)\,(2)}^{(\frac{7}{2})\,-}$ in the OPE (7.3). Then after using the OPE between the higher spin current $\mathbf{W}_{-\frac{1}{3}}^{(\frac{7}{2})}(Z_1)$ appearing in the OPE (7.3) and the third higher spin current in the Jacobi identity leads to the OPE (7.11) where one can see the fixed coefficients which depend on the central charge. The other combination in the Jacobi identity provides the OPE between the first and third higher spin currents. This is given by the OPE (7.7) where the structure constant $C_{(2)\,(2)}^{(\frac{7}{2})\,-}$ appears. After that, the OPE between the remaining (second) higher spin current and the higher spin current $\mathbf{W}_{\frac{2}{3}}^{(2)}(Z_2)$ gives the stress energy tensor (and its descendant fields) with fixed coefficients via the OPE (7.2). Then one arrives at the above result (7.17).

It is obvious that by combining the two equations (7.15) and (7.16), one obtains

$$C_{(2)\,(2)}^{(\frac{7}{2})\,+}\, C_{(2)\,(2)}^{(\frac{7}{2})\,-} \;=\; -\frac{245(810c^5+15354c^4-76443c^3+75177c^2+55324c-80590)}{486(c-1)(c+1)(c+6)(2c-3)(5c-9)}. \tag{7.18}$$

One can also obtain (7.18) from the two relations (7.14) and (7.17).

Finally, the Jacobi identity between the higher spin currents $(\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}, \mathbf{W}_{-\frac{1}{3}}^{(\frac{7}{2})}, \mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})})$ (or the Jacobi identity between the higher spin currents $(\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}, \mathbf{W}_{-\frac{1}{3}}^{(\frac{7}{2})}, \mathbf{W}_{-\frac{1}{3}}^{(\frac{7}{2})})$) determines the relation

$$\begin{aligned}
&C_{(\frac{7}{2})\,(\frac{7}{2})}^{(\frac{7}{2})\,+}\, C_{(\frac{7}{2})\,(\frac{7}{2})}^{(\frac{7}{2})\,-} \\
&= -\frac{968(c+9)(3c-2)(3c+4)(27c-46)(3c^2+90c-265)}{45927(c-2)(c-1)(c+1)(c+6)(c+12)(c+18)(2c-3)(4c-9)(5c-9)(7c-15)} \times \\
&[\frac{1}{(25515c^6+2447010c^5+37120599c^4-159264468c^3+23829036c^2+286911248c-147772320)}] \\
&\times(3214890c^{10}+456897105c^9+15491804931c^8+80626717305c^7 \\
&-1337882375511c^6+4266884659422c^5-3477197652650c^4-4929653958916c^3 \\
&+8674839058952c^2-1802006074448c-1456307369280).
\end{aligned} \tag{7.19}$$

In this case, by choosing the first and second higher spin currents, one has the stress energy tensor (and its descendant fields) via the OPE (7.11) and then by considering the OPE between the stress energy tensor (with fixed c-dependent coefficients) and the third higher spin current will provide the higher spin itself. Moreover, by taking the first and third higher spin currents, one has the OPE (7.10) with structure constant $C^{(\frac{7}{2})\,+}_{(\frac{7}{2})\,(\frac{7}{2})}$ and then considering the OPE between the higher spin current $\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_1)$ and the second higher spin current, one obtains the OPE (7.12) where one sees the structure constant $C^{(\frac{7}{2})\,-}_{(\frac{7}{2})\,(\frac{7}{2})}$. Then we are left with the above result (7.19).

By collecting the above relations, we are left with the undetermined structure constants $C^{(\frac{7}{2})\,+}_{(2)\,(2)}$, $C^{(\frac{7}{2})\,+}_{(\frac{7}{2})\,(\frac{7}{2})}$, $C^{(4)\,+}_{(2)\,(\frac{7}{2})}$ and $C^{(4)\,-}_{(2)\,(\frac{7}{2})}$ [40].

For the Jacobi identity between the higher spin currents $(\mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(2)}_{\frac{2}{3}}, \mathbf{W}^{(2)}_{-\frac{2}{3}})$, one has

$$\frac{5(1440c^4+34131c^3-74910c^2-14858c+73493)}{243(c-1)(c+1)(c+6)(2c-3)(5c-9)}(3c-8)\,\mathbf{W}^{(2)}_{\frac{2}{3}}(Z). \tag{7.20}$$

Then for $c=\frac{8}{3}$ which is the minimum value in (2.18), this term (7.20) vanishes. Furthermore, the descendant field of $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z)$,

$$\Big(\frac{93}{10}\mathbf{T}D\partial\mathbf{W}^{(2)}_{\frac{2}{3}}-\frac{43}{10}D\mathbf{T}\partial\mathbf{W}^{(2)}_{\frac{2}{3}}+\frac{4}{3}\partial D\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}-\frac{7}{2}\partial\mathbf{T}D\mathbf{W}^{(2)}_{\frac{2}{3}}-\frac{209}{60}\partial^2D\mathbf{W}^{(2)}_{\frac{2}{3}}$$
$$-\frac{13}{4}[D,\overline{D}]\mathbf{T}D\mathbf{W}^{(2)}_{\frac{2}{3}}+\frac{6}{5}D\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}-\frac{51}{4}\mathbf{T}\mathbf{T}D\mathbf{W}^{(2)}_{\frac{2}{3}}+3\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}\Big)(Z), \tag{7.21}$$

appears. However, this expression (7.21) becomes a null field at $c=\frac{8}{3}$. One way to see this feature, following the procedure in [22], is to calculate the OPE $\mathbf{T}(Z_1)$ and the field (7.21) at Z_2. Then the highest-order pole contains $\frac{\bar{\theta}_{12}}{z_{12}^4}\frac{7}{9}(3c-8)\,\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)$ plus other singular terms. This implies that for $c=\frac{8}{3}$, the above field (7.21) is a null field. Similar analysis for the Jacobi identity between the higher spin currents $(\mathbf{W}^{(2)}_{-\frac{2}{3}}, \mathbf{W}^{(2)}_{-\frac{2}{3}}, \mathbf{W}^{(2)}_{\frac{2}{3}})$ can be done [41].

---

[40] If one makes the rescalings $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z) \to \Big(C^{(\frac{7}{2})\,+}_{(\frac{7}{2})\,(\frac{7}{2})}C^{(\frac{7}{2})\,+}_{(\frac{7}{2})\,(\frac{7}{2})}C^{(\frac{7}{2})\,-}_{(\frac{7}{2})\,(\frac{7}{2})}\Big)^{\frac{1}{3}}\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z)$ and $\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z) \to \Big(C^{(\frac{7}{2})\,-}_{(\frac{7}{2})\,(\frac{7}{2})}C^{(\frac{7}{2})\,-}_{(\frac{7}{2})\,(\frac{7}{2})}C^{(\frac{7}{2})\,+}_{(\frac{7}{2})\,(\frac{7}{2})}\Big)^{\frac{1}{3}}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z)$, then the overall factors in (7.10) and (7.12) are given by the right hand side of (7.19). Moreover the right hand side of (7.11) has the extra factor which is equal to the right hand side of (7.19) also. Then the following rescalings hold $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z) \to \Big(C^{(\frac{7}{2})\,+}_{(\frac{7}{2})\,(\frac{7}{2})}C^{(\frac{7}{2})\,+}_{(\frac{7}{2})\,(\frac{7}{2})}C^{(\frac{7}{2})\,-}_{(\frac{7}{2})\,(\frac{7}{2})}\Big)^{\frac{1}{6}}\Big(C^{(\frac{7}{2})\,-}_{(2)\,(2)}\Big)^{\frac{1}{2}}\mathbf{W}^{(2)}_{\frac{2}{3}}(Z)$, and $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z) \to \Big(C^{(\frac{7}{2})\,-}_{(\frac{7}{2})\,(\frac{7}{2})}C^{(\frac{7}{2})\,-}_{(\frac{7}{2})\,(\frac{7}{2})}C^{(\frac{7}{2})\,+}_{(\frac{7}{2})\,(\frac{7}{2})}\Big)^{\frac{1}{6}}\Big(C^{(\frac{7}{2})\,+}_{(2)\,(2)}\Big)^{\frac{1}{2}}\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z)$. Then the right hand sides of (7.5) and (7.8) contain the right hand side of (7.18). The right hand side of (7.6) can be changed also.

[41] As observed in [48], the Zamolodchikov's extended conformal algebra [49] consisting of the spin-$\frac{5}{2}$ current as well as the spin-2 stress energy tensor contains the null field. That is, the spin-$\frac{5}{2}$ current appears in the Jacobi identity with the coefficient $(14c+13)$. Then for $c=-\frac{13}{14}$, this term vanishes. Moreover,

One expects that the sixth-ninth higher spin currents in (5.5) can be obtained the following OPEs

$$\Big[\mathbf{W}^{(2)}_{\pm\frac{2}{3}}\Big]\cdot\Big[\mathbf{W}^{(4)}_{0}\Big]=\Big[\mathbf{W}^{(\frac{11}{2})}_{\mp\frac{1}{3}}\Big],\qquad \Big[\mathbf{W}^{(2)}_{\pm\frac{2}{3}}\Big]\cdot\Big[\mathbf{W}^{(\frac{11}{2})}_{\mp\frac{1}{3}}\Big]=\Big[\mathbf{W}^{(6)}_{\mp\frac{2}{3}}\Big],$$
$$\Big[\mathbf{W}^{(2)}_{\pm\frac{2}{3}}\Big]\cdot\Big[\mathbf{W}^{(\frac{11}{2})}_{\pm\frac{1}{3}}\Big]=\Big[\mathbf{W}^{(4)}_{0}\Big]. \tag{7.22}$$

Of course, in the right hand sides of (7.22), the previous known higher spin currents can appear. It would be interesting to see these extra OPEs in details in the future.

8 Conclusions and outlook

In this paper, the first two $\mathcal{N}=2$ higher spin multiplets in (3.3) are obtained from the two adjoint fermions living in the stringy coset minimal model (1.1). We also obtain the corresponding OPEs between the first four $\mathcal{N}=2$ higher spin multiplets in (3.3) in $\mathcal{N}=2$ superspace for generic N (or central charge c) by using the Jacobi identity.

Now we present the future directions as follows.

• The $\mathcal{N}=3$ (or $\mathcal{N}=4$) supersymmetric coset minimal model

One can think of the following coset models

$$\frac{\hat{SU}(N)_N\oplus\hat{SU}(N)_N\oplus\hat{SU}(N)_N}{\hat{SU}(N)_{3N}},\qquad \frac{\hat{SU}(N)_N\oplus\hat{SU}(N)_N\oplus\hat{SU}(N)_N\oplus\hat{SU}(N)_N}{\hat{SU}(N)_{4N}}.$$

Then it is an open problem to obtain three (four) spin-$\frac{3}{2}$ currents of $\mathcal{N}=3$ (large $\mathcal{N}=4$) superconformal algebra from the three (four) kinds of adjoint fermions. One expects that the spin-2 stress energy tensor can be determined by the Sugawara construction. The nontrivial thing is to obtain the correct OPEs between the spin-$\frac{3}{2}$ currents. Moreover, it is an open problem to check whether there are higher sin currents in the context of large $\mathcal{N}=4$ holography [8, 50, 51, 52, 53, 54, 55].

the descendant field of this current appears in the Jacobi identity and becomes a null field for $c=-\frac{13}{14}$ because the OPE between the stress energy tensor with this descendant field leads to the highest-order pole with the spin-$\frac{5}{2}$ current with the coefficient $(14c+13)$. The Jacobi identity between the higher spin currents $(\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}},\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}},\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}})$ leads to $(3c-8)f(c)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z)$, where $f(c)$ is a complicated fractional expression in c. Then for $c=\frac{8}{3}$, this term vanishes. Furthermore, there exists the descendant field of $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z)$, $\Big(\frac{26703}{637}\mathbf{TT}\partial^2[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}-\frac{8933}{1274}\mathbf{T}\partial^3[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}+\frac{180}{637}\partial^4[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}+\text{other 109-terms}\Big)$. Then the highest-order pole in the OPE between the stress energy tensor and the above descendant field contains $\frac{\theta_{12}\bar{\theta}_{12}}{z^7_{12}}\,g(c)\,(3c-8)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$ where $g(c)$ is a complicated fractional expression in c (plus other singular terms). This implies that for $c=\frac{8}{3}$, the above field is a null field. The analysis for the Jacobi identity $(\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}},\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}},\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}})$ can be done.

• The explicit Casimir higher spin-$\frac{7}{2}, 4, \frac{9}{2}$ currents

So far, the Casimir higher spin-$2, \frac{5}{2}, 3$ currents are found. It would be interesting to obtain the third and fourth $\mathcal{N} = 2$ multiplets in (3.3) in terms of two adjoint fermions. From the $U(1)$ charge counting, one can have

$$W^{(\frac{7}{2})}_{\pm\frac{1}{3}}(z) = d^{abc}d^{cde}f^{bfg}f^{dhi}f^{ejk}$$
$$\times(\psi^a \pm i\chi^a)(\psi^f + i\chi^f)(\psi^g - i\chi^g)(\psi^h + i\chi^h)(\psi^i - i\chi^i)(\psi^j + i\chi^j)(\psi^k - i\chi^k)(z) + \cdots.$$

Here the abbreviated parts come from the derivative terms and the nonderivative terms with different choices of signs in the $\chi^a(z)$ which preserves the corresponding $U(1)$ charge. Furthermore, the higher spin current $W^{(4)}_{\pm\frac{4}{3}}(z)$ can be written in terms of $d^{abc}d^{cde}f^{afg}f^{bhi}f^{djk}f^{elm}(\psi^f \pm i\chi^f)(\psi^g \pm i\chi^g)(\psi^h \pm i\chi^h)(\psi^i \pm i\chi^i)(\psi^j + i\chi^j)(\psi^k - i\chi^k)(\psi^l + i\chi^l)(\psi^m - i\chi^m)(z) + \cdots$. Similarly, one can have $W^{(4)}_{\pm\frac{2}{3}}(z) = d^{abc}d^{cde}f^{afg}f^{bhi}f^{djk}f^{elm}(\psi^f \pm i\chi^f)(\psi^g \pm i\chi^g)(\psi^h + i\chi^h)(\psi^i - i\chi^i)(\psi^j + i\chi^j)(\psi^k - i\chi^k)(\psi^l + i\chi^l)(\psi^m - i\chi^m)(z) + \cdots$. For the higher spin current with vanishing $U(1)$ charge, one expects $W^{(4)}_0(z) = d^{abc}d^{cde}f^{afg}f^{bhi}f^{djk}f^{elm}(\psi^f + i\chi^f)(\psi^g - i\chi^g)(\psi^h + i\chi^h)(\psi^i - i\chi^i)(\psi^j + i\chi^j)(\psi^k - i\chi^k)(\psi^l + i\chi^l)(\psi^m - i\chi^m)(z) + \cdots$.

• Marginal deformation

One of the motivations of this paper is to describe the marginal deformation which breaks the higher spin symmetry and obtain the mass for the higher spin currents in the large N limit. The coset model we consider here has $\mathcal{N} = 2$ supersymmetry and there should be a marginal deformation. It would be interesting to determine the mass for the higher spin currents with the help of the explicit symmetry algebra found in this paper. According to the observation of [14, 15, 16], the $SO(2)_R$ doublet rather than $SO(2)_R$ singlet can have nonzero mass contribution. For the integer spin $SO(2)_R$ doublet, there are the higher spin currents $W^{(4)}_{\pm\frac{4}{3}}(z)$ and $W^{(4)}_{\mp\frac{2}{3}}(z)$. Their OPEs can be found from the $\mathcal{N} = 2$ version, (7.10), (7.11) or (7.12). Unfortunately we did not present them in this paper. As emphasized in Appendix J, one can read off them from the above $\mathcal{N} = 2$ version using the command `N2OPEToComponents` inside of [31]. For the integer spin $SO(2)_R$ singlet, one has $W^{(2)}_{\pm\frac{2}{3}}(z)$ and $W^{(3)}_{\pm\frac{2}{3}}(z)$. Their OPEs can be found from Appendix H in the large N limit (or in the finite N). For the half integer case (either $SO(2)_R$ doublet or $SO(2)_R$ singlet) one can also analyze the mass contribution. From Appendix I, one has the necessary OPEs between the $SO(2)_R$ singlets and the $SO(2)_R$ doublets.

• Possible bulk theory computation

It is an open problem to obtain the AdS_3 dual string theory (or extension of AdS_3 higher spin theory). First of all, in the context of type IIB string theory, the $\mathcal{N} = 2$ supersymmetry should be maintained. The 7-dimensional space may contain the two sphere $\mathbf{S}^2$ having the

$SO(2)_R$ symmetry. See also the relevant work [33].

• The orthogonal version

It is natural to ask whether the present description can apply to the orthogonal coset minimal model [56, 57, 58, 59, 60, 61, 62]. The first thing to do is to obtain the realization of $\mathcal{N}=2$ superconformal algebra in the coset $\frac{\hat{SO}(2N)_{2N-2}\oplus\hat{SO}(2N)_{2N-2}}{\hat{SO}(2N)_{4N-4}}$ model where the two levels are given by the dual Coxeter number of $SO(2N)$ and the level in the denominator is the sum of these two levels. The central charge is given by $c=\frac{1}{3}N(2N-1)$ which behaves as $\frac{2}{3}N^2$ if the large N limit is taken. One expects that there exist $N(2N-1)$ free fermions transforming in the adjoint representation of $SO(2N)$ and the quadratic expression with the structure constant realizes the usual affine Kac-Moody algebra. The adjoint index for the fermions is given by either a single notation or double notation. One can also analyze the $SO(2N+1)$ case.

• The $\mathcal{N}=2$ description of adjoint fermions

It is interesting to see whether there exists an $\mathcal{N}=2$ supersymmetric extension of the two adjoint fermions. How one can write down $\Psi^a(Z)=\psi^a(z)+\cdots$ (and $\Xi^a(Z)=\chi^a(z)+\cdots$)? Then how one can express the (higher spin) currents in terms of these $\mathcal{N}=2$ adjoint fermions? Can we introduce any $\mathcal{N}=2$ constraints on these $\mathcal{N}=2$ currents?

• The $\mathcal{N}=2$ OPE $\left[\mathbf{W}_q^{(h)}\right]\cdot\left[\mathbf{W}_{-q}^{(h)}\right]=\left[I\right]$

In this paper, we have obtained this relation for $(h=2,q=\frac{2}{3})$ and $(h=\frac{7}{2},q=\frac{1}{3})$. It would be interesting to observe whether the above relation satisfies for any (h,q) or not. The point is whether the right hand side of the above OPE contains any other combinations among the higher spin currents with vanishing $U(1)$ charge or not [63].

Acknowledgments

CA would like to thank H. Kim for discussions. This research was supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education (No. 2015R1D1A1A01059064). CA acknowledges warm hospitality from the School of Liberal Arts (and Institute of Convergence Fundamental Studies), Seoul National University of Science and Technology.

A The fundamental OPEs between the adjoint spin-$\frac{1}{2}$ and spin-1 currents

We summarize the fundamental OPEs between the adjoint spin-$\frac{1}{2}$ currents and the adjoint spin-1 currents as follows:

$$
\begin{aligned}
\psi^a(z)\, J^b(w) &= \frac{1}{(z-w)}\, f^{abc}\, \psi^c(w) + \cdots, \\
\psi^a(z)\, L^b(w) &= \frac{1}{(z-w)}\, \frac{1}{2}\, f^{abc}\, \chi^c(w) + \cdots, \\
\psi^a(z)\, M^b(w) &= -\frac{1}{(z-w)}\, \frac{1}{2}\, d^{abc}\, \chi^c(w) + \cdots, \\
\chi^a(z)\, K^b(w) &= \frac{1}{(z-w)}\, f^{abc}\, \chi^c(w) + \cdots, \\
\chi^a(z)\, L^b(w) &= \frac{1}{(z-w)}\, \frac{1}{2}\, f^{abc}\, \psi^c(w) + \cdots, \\
\chi^a(z)\, M^b(w) &= \frac{1}{(z-w)}\, \frac{1}{2}\, d^{abc}\, \psi^c(w) + \cdots, \\
J^a(z)\, J^b(w) &= -\frac{1}{(z-w)^2}\, N\, \delta^{ab} + \frac{1}{(z-w)}\, f^{abc}\, J^c(w) + \cdots, \\
J^a(z)\, L^b(w) &= \frac{1}{(z-w)}\, f^{ace}\, f^{bde}\, \psi^c \chi^d(w) + \cdots, \\
J^a(z)\, M^b(w) &= -\frac{1}{(z-w)}\, f^{ace}\, d^{bde}\, \psi^c \chi^d(w) + \cdots, \\
K^a(z)\, K^b(w) &= -\frac{1}{(z-w)^2}\, N\, \delta^{ab} + \frac{1}{(z-w)}\, f^{abc}\, K^c(w) + \cdots, \\
K^a(z)\, L^b(w) &= -\frac{1}{(z-w)}\, f^{ade}\, f^{bce}\, \psi^c \chi^d(w) + \cdots, \\
K^a(z)\, M^b(w) &= -\frac{1}{(z-w)}\, f^{ade}\, d^{bce}\, \psi^c \chi^d(w) + \cdots, \\
L^a(z)\, L^b(w) &= -\frac{1}{(z-w)^2}\, \frac{N}{2}\, \delta^{ab} + \frac{1}{(z-w)}\, \frac{1}{4}\, f^{abc}\, (J^c + K^c)(w) + \cdots, \\
L^a(z)\, M^b(w) &= -\frac{1}{(z-w)}\, \frac{1}{2}\, f^{ace}\, d^{bde}\, (\chi^c \chi^d - \psi^c \psi^d)(w) + \cdots, \\
M^a(z)\, M^b(w) &= -\frac{1}{(z-w)^2}\, \frac{(N^2-4)}{2N}\, \delta^{ab} + \frac{1}{(z-w)}\, \frac{1}{2}\, d^{ace}\, d^{bde} (\chi^c \chi^d + \psi^c \psi^d)(w) + \cdots.
\end{aligned}
\tag{A.1}
$$

The defining relations are given in (2.2) and (3.5).

B The OPEs between the $\mathcal{N}=2$ stress energy tensor and the $\mathcal{N}=2$ primary current

The standard OPE between $\mathcal{N}=2$ stress energy tensor and itself in $\mathcal{N}=2$ superspace is given by

$$\mathbf{T}(Z_1)\,\mathbf{T}(Z_2) = \frac{1}{z_{12}^2}\,\frac{c}{3} + \frac{\theta_{12}\,\bar{\theta}_{12}}{z_{12}^2}\,\mathbf{T}(Z_2) - \frac{\theta_{12}}{z_{12}}\,D\mathbf{T}(Z_2) + \frac{\bar{\theta}_{12}}{z_{12}}\,\overline{D}\mathbf{T}(Z_2) + \frac{\theta_{12}\,\bar{\theta}_{12}}{z_{12}}\,\partial\,\mathbf{T}(Z_2) \quad \text{(B.1)}$$

where we have the explicit component expression for the stress energy tensor

$$\mathbf{T}(Z) = J(z) + \theta\,G^+(z) + \bar{\theta}\,G^-(z) + \theta\,\bar{\theta}\,T(z). \quad \text{(B.2)}$$

The equivalent 16 component OPEs corresponding to Appendix (B.1) are given by

$$\begin{aligned}
J(z)\,J(w) &= \frac{1}{(z-w)^2}\,\frac{c}{3} + \cdots,\\
J(z)\,G^+(w) &= \frac{1}{(z-w)}\,G^+(w) + \cdots,\\
J(z)\,G^-(w) &= -\frac{1}{(z-w)}\,G^-(w) + \cdots,\\
J(z)\,T(w) &= \frac{1}{(z-w)^2}\,T(w) + \cdots,\\
G^+(z)\,J(w) &= -\frac{1}{(z-w)}\,G^+(w) + \cdots,\\
G^+(z)\,G^+(w) &= +\cdots,\\
G^+(z)\,G^-(w) &= \frac{1}{(z-w)^3}\,\frac{c}{3} + \frac{1}{(z-w)^2}\,J(w) + \frac{1}{(z-w)}\,\left[T + \frac{1}{2}\partial J\right](w) + \cdots,\\
G^+(z)\,T(w) &= \frac{1}{(z-w)^2}\,\frac{3}{2}\,G^+(w) + \frac{1}{(z-w)}\,\frac{1}{2}\,\partial G^+(w) + \cdots,\\
G^-(z)\,J(w) &= \frac{1}{(z-w)}\,G^-(w) + \cdots,\\
G^-(z)\,G^+(w) &= \frac{1}{(z-w)^3}\,\frac{c}{3} - \frac{1}{(z-w)^2}\,J(w) + \frac{1}{(z-w)}\,\left[T - \frac{1}{2}\partial J\right](w) + \cdots,\\
G^-(z)\,G^-(w) &= +\cdots,\\
G^-(z)\,T(w) &= \frac{1}{(z-w)^2}\,\frac{3}{2}\,G^-(w) + \frac{1}{(z-w)}\,\frac{1}{2}\,\partial G^-(w) + \cdots,\\
T(z)\,J(w) &= \frac{1}{(z-w)^2}\,J(w) + \frac{1}{(z-w)}\,\partial J(w) + \cdots,\\
T(z)\,G^+(w) &= \frac{1}{(z-w)^2}\,\frac{3}{2}\,G^+(w) + \frac{1}{(z-w)}\,\partial G^+(w) + \cdots,\\
T(z)\,G^-(w) &= \frac{1}{(z-w)^2}\,\frac{3}{2}\,G^-(w) + \frac{1}{(z-w)}\,\partial G^-(w) + \cdots,
\end{aligned}$$

$$T(z)\,T(w) \;=\; \frac{1}{(z-w)^4}\,\frac{c}{2} + \frac{1}{(z-w)^2}\,2T(w) + \frac{1}{(z-w)}\,\partial T(w) + \cdots. \tag{B.3}$$

Let us introduce the $\mathcal{N}=2$ primary current of spin h with nonzero $U(1)$ charge q as follows:

$$\begin{aligned}\mathbf{T}(Z_1)\,\mathbf{W}_q^{(h)}(Z_2) \;=\; & \left(\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^2}\,h + \frac{1}{z_{12}}\,q\right)\mathbf{W}_q^{(h)}(Z_2) - \frac{\theta_{12}}{z_{12}}\,D\mathbf{W}_q^{(h)}(Z_2) + \frac{\bar\theta_{12}}{z_{12}}\,\overline{D}\mathbf{W}_q^{(h)}(Z_2) \\ & + \frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\,\partial\,\mathbf{W}_q^{(h)}(Z_2).\end{aligned} \tag{B.4}$$

As before, the component result for the $\mathcal{N}=2$ primary current is given by

$$\mathbf{W}_q^{(h)}(Z) = W_q^{(h)}(z) + \theta\,W_{q+1}^{(h+\frac{1}{2})}(z) + \bar\theta\,W_{q-1}^{(h+\frac{1}{2})}(z) + \theta\,\bar\theta\,W_q^{(h+1)}(z). \tag{B.5}$$

In this classification, the above $\mathcal{N}=2$ stress energy tensor is characterized by $h=1$ and $q=0$. More explicitly, $W_0^{(1)}(z)=J(z)$, $W_1^{(\frac{3}{2})}(z)=G^+(z)$, $W_{-1}^{(\frac{3}{2})}(z)=G^-(z)$ and $W_0^{(2)}(z)=T(z)$.

In component approach, we have the following 16 OPEs corresponding to Appendix (B.4)

$$\begin{aligned}
J(z)\,W_q^{(h)}(w) &= \frac{1}{(z-w)}\,q\,W_q^{(h)}(w) + \cdots, \\
J(z)\,W_{q+1}^{(h+\frac{1}{2})}(w) &= \frac{1}{(z-w)}\;(q+1)\;W_{q+1}^{(h+\frac{1}{2})}(w) + \cdots, \\
J(z)\,W_{q-1}^{(h+\frac{1}{2})}(w) &= \frac{1}{(z-w)}\;(q-1)\;W_{q-1}^{(h+\frac{1}{2})}(w) + \cdots, \\
J(z)\,W_q^{(h+1)}(w) &= \frac{1}{(z-w)^2}\,h\,W_q^{(h)}(w) + \frac{1}{(z-w)}\,q\,W_q^{(h+1)}(w) + \cdots, \\
G^+(z)\,W_q^{(h)}(w) &= -\frac{1}{(z-w)}\,W_{q+1}^{(h+\frac{1}{2})}(w) + \cdots, \\
G^+(z)\,W_{q+1}^{(h+\frac{1}{2})}(w) &= +\cdots, \\
G^+(z)\,W_{q-1}^{(h+\frac{1}{2})}(w) &= \frac{1}{(z-w)^2}\left(h+\frac{q}{2}\right)W_q^{(h)} + \frac{1}{(z-w)}\left[W_q^{(h+1)} + \frac{1}{2}\partial W_q^{(h)}\right](w) + \cdots, \\
G^+(z)\,W_q^{(h+1)}(w) &= \frac{1}{(z-w)^2}\left[h+\frac{1}{2}(q+1)\right]W_{q+1}^{(h+\frac{1}{2})}(w) + \frac{1}{(z-w)}\,\frac{1}{2}\,\partial\,W_{q+1}^{(h+\frac{1}{2})}(w) + \cdots, \\
G^-(z)\,W_q^{(h)}(w) &= \frac{1}{(z-w)}\,W_{q-1}^{(h+\frac{1}{2})}(w) + \cdots, \\
G^-(z)\,W_{q+1}^{(h+\frac{1}{2})}(w) &= \frac{1}{(z-w)^2}\left(-h+\frac{q}{2}\right)W_q^{(h)} + \frac{1}{(z-w)}\left[W_q^{(h+1)} - \frac{1}{2}\partial W_q^{(h)}\right](w) + \cdots, \\
G^-(z)\,W_{q-1}^{(h+\frac{1}{2})}(w) &= +\cdots, \\
G^-(z)\,W_q^{(h+1)}(w) &= \frac{1}{(z-w)^2}\left[h-\frac{1}{2}(q-1)\right]W_{q-1}^{(h+\frac{1}{2})}(w) + \frac{1}{(z-w)}\,\frac{1}{2}\,\partial\,W_{q-1}^{(h+\frac{1}{2})}(w) + \cdots, \\
T(z)\,W_q^{(h)}(w) &= \frac{1}{(z-w)^2}\,h\,W_q^{(h)}(w) + \frac{1}{(z-w)}\,\partial\,W_q^{(h)}(w) + \cdots,
\end{aligned}$$

$$
\begin{aligned}
T(z)\,W^{(h+\frac{1}{2})}_{q+1}(w) &= \frac{1}{(z-w)^2}\,(h+\frac{1}{2})\,W^{(h+\frac{1}{2})}_{q+1}(w)+\frac{1}{(z-w)}\,\partial\,W^{(h+\frac{1}{2})}_{q+1}(w)+\cdots,\\
T(z)\,W^{(h+\frac{1}{2})}_{q-1}(w) &= \frac{1}{(z-w)^2}\,(h+\frac{1}{2})\,W^{(h+\frac{1}{2})}_{q-1}(w)+\frac{1}{(z-w)}\,\partial\,W^{(h+\frac{1}{2})}_{q-1}(w)+\cdots, \qquad \text{(B.6)}\\
T(z)\,W^{(h+1)}_{q}(w) &= \frac{1}{(z-w)^3}\,\frac{q}{2}\,W^{(h)}_{q}+\frac{1}{(z-w)^2}\,(h+1)\,W^{(h+1)}_{q}(w)+\frac{1}{(z-w)}\,\partial\,W^{(h+1)}_{q}(w)\\
&+ \cdots.
\end{aligned}
$$

For $q=0$, the above relations reproduce the previous relations (for example in [46]). For the nonzero q, the last component current $W^{(h+1)}_q(w)$ in Appendix (B.5) is not a primary current because there exists the third-order pole in the OPE between the stress energy tensor of spin-2: the last equation of Appendix (B.6). In order to obtain the primary current, one should consider the following OPE which can be obtained from the fourth equation from the bottom of Appendix (B.6)

$$
\begin{aligned}
T(z)\,\partial\,W^{(h)}_{q}(w) &= \frac{1}{(z-w)^3}\,2h\,W^{(h)}_{q}(w)+\frac{1}{(z-w)^2}\,(h+1)\,\partial\,W^{(h)}_{q}(w)\\
&+ \frac{1}{(z-w)}\,\partial^2\,W^{(h)}_{q}(w)+\cdots, \qquad \text{(B.7)}
\end{aligned}
$$

where the third-order pole is nonvanishing. Then it is easy to see that the combination of

$$
W^{(h+1)}_{q}(w)-\frac{q}{4h}\,\partial\,W^{(h)}_{q}(w) \qquad \text{(B.8)}
$$

is primary current because the third-order pole with the stress energy tensor vanishes [42].

C The first-order poles in the OPEs $G^{\pm}(z)\,W^{(2)}_{\pm\frac{2}{3}}(w)$

In subsection 3.2, we have seen the construction of higher spin-$\frac{5}{2}$ current. We present here some details for the first-order poles as follows with (2.2), (3.5) and (3.6):

$$
\begin{aligned}
\psi^a J^a(z)\;J^bM^b(w)\,|_{\frac{1}{(z-w)}} &= -3N\,\partial\psi^aM^a(w)-\frac{3}{2}\,\chi^aQ^a(w),\\
\psi^a J^a(z)\;K^bM^b(w)\,|_{\frac{1}{(z-w)}} &= -\frac{3}{2}\,\chi^aR^a(w),
\end{aligned}
$$

[42] The defining OPEs in Appendix (B.6) can provide how to obtain the remaining three component currents for given lowest higher spin current $W^{(h)}_q(z)$. The fifth relation gives the second component current by reading off the first-order pole. Similarly the third component current can be determined from the ninth relation of Appendix (B.6). Finally, the last component current can be obtained either seventh relation or tenth relation. The first several $\mathcal{N}=2$ primary currents in the coset model are presented by $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z)$, $\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z)$, $\mathbf{W}^{(4)}_{0}(Z)$, $\mathbf{W}^{(\frac{11}{2})}_{\mp\frac{1}{3}}(Z)$, $\mathbf{W}^{(6)}_{\mp\frac{2}{3}}(Z),\cdots$ as in (3.3) or (5.5).

$$
\begin{aligned}
\psi^a J^a(z)\ L^b M^b(w)\,|_{\frac{1}{(z-w)}} &= \frac{3}{2}\,f^{abc}\,\chi^a J^b M^c(w) - \frac{3}{2}\,\chi^a U^a(w), \\
\psi^a K^a(z)\ J^b M^b(w)\,|_{\frac{1}{(z-w)}} &= f^{abc}\,\psi^a K^b M^c(w) - N\,\psi^a \partial M^a(w) - \frac{1}{2}\,\chi^a R^a(w) + \psi^a U^a(w), \\
\psi^a K^a(z)\ K^b M^b(w)\,|_{\frac{1}{(z-w)}} &= -2N\,\partial\psi^a M^a(w) - f^{abc}\,\psi^a K^b M^c(w) - \frac{1}{2}\,\chi^a S^a(w) + \psi^a V^a(w), \\
\psi^a K^a(z)\ L^b M^b(w)\,|_{\frac{1}{(z-w)}} &= \frac{1}{2}\,f^{abc}\,\chi^a K^b M^c(w) + f^{abc}\,\psi^a L^b M^c(w) - \frac{1}{2}\,\chi^a V^a(w) \\
&+ \psi^a W^a(w), \\
\chi^a K^a(z)\ J^b M^b(w)\,|_{\frac{1}{(z-w)}} &= \frac{3}{2}\,\psi^a R^a(w), \qquad\qquad (C.1) \\
\chi^a K^a(z)\ K^b M^b(w)\,|_{\frac{1}{(z-w)}} &= -3N\,\partial\chi^a M^a(w) + \frac{3}{2}\,\psi^a S^a(w), \\
\chi^a K^a(z)\ L^b M^b(w)\,|_{\frac{1}{(z-w)}} &= \frac{3}{2}\,f^{abc}\,\psi^a K^b M^c(w) + \frac{3}{2}\,\psi^a V^a(w), \\
\chi^a J^a(z)\ J^b M^b(w)\,|_{\frac{1}{(z-w)}} &= -2N\,\partial\chi^a M^a(w) - f^{abc}\,\chi^a J^b M^c(w) + \frac{1}{2}\,\psi^a Q^a(w) - \chi^a U^a(w), \\
\chi^a J^a(z)\ K^b M^b(w)\,|_{\frac{1}{(z-w)}} &= f^{abc}\,\chi^a J^b M^c(w) + N\,\partial\chi^a M^a(w) + \frac{1}{2}\,\psi^a R^a(w) - \chi^a V^a(w), \\
\chi^a J^a(z)\ L^b M^b(w)\,|_{\frac{1}{(z-w)}} &= \frac{1}{2}\,f^{abc}\,\psi^a J^b M^c(w) + f^{abc}\,\chi^a L^b M^c(w) + \frac{1}{2}\,\psi^a U^a(w) \\
&- \chi^a W^a(w).
\end{aligned}
$$

As explained before, the last half of the OPEs in Appendix (C.1) can be obtained from the first half of the OPEs using the symmetry under the exchange of $\psi^a(z) \leftrightarrow \chi^a(z)$.

D The first-order poles in the OPEs $G^{\mp}(z)\,W^{(\frac{5}{2})}_{\pm\frac{5}{3}}(w)$

In subsection 3.4, the higher spin-3 current was obtained. The first-order poles (the total number is $4 \times 8 = 32$) together with (3.6) are summarized by

$$
\begin{aligned}
\psi^a J^a(z)\ \psi^b Q^b(w)\,|_{\frac{1}{(z-w)}} &= 15N\,d^{abc}\,\psi^a \partial\psi^b J^c(w), \\
\psi^a J^a(z)\ \psi^b U^b(w)\,|_{\frac{1}{(z-w)}} &= -\frac{3}{2}\,J^a U^a(w) + 3N\,d^{abc}\,\psi^a \partial\psi^b L^c(w) + \frac{3}{2}\,d^{abc} f^{cde}\,\psi^a J^b J^d \chi^e(w), \\
\psi^a J^a(z)\ \psi^b S^b(w)\,|_{\frac{1}{(z-w)}} &= -\frac{3}{2}\,J^a S^a(w), \\
\psi^a J^a(z)\ \psi^b V^b(w)\,|_{\frac{1}{(z-w)}} &= -\frac{3}{2}\,J^a V^a(w) + \frac{3}{2}\,d^{abc} f^{cde}\,\psi^a K^b J^d \chi^e(w), \\
\psi^a J^a(z)\ \chi^b Q^b(w)\,|_{\frac{1}{(z-w)}} &= 3N\,d^{abc}\,\chi^a \partial\psi^b J^c(w) + 3N\,d^{abc}\,\chi^a J^b \partial\psi^c(w), \\
\psi^a J^a(z)\ \chi^b U^b(w)\,|_{\frac{1}{(z-w)}} &= 3N\,d^{abc}\,\chi^a \partial\psi^b L^c(w) + \frac{3}{2}\,d^{abc} f^{cde}\,\chi^a J^b J^d \chi^e(w), \\
\psi^a J^a(z)\ \chi^b S^b(w)\,|_{\frac{1}{(z-w)}} &= +\cdots,
\end{aligned}
$$

$$
\begin{aligned}
\psi^a J^a(z)\ \chi^b V^b(w)\ |_{\frac{1}{(z-w)}} &= \frac{3}{2}\, d^{abc} f^{cde}\, \chi^a K^b J^d \chi^e(w), \\
\psi^a K^a(z)\ \psi^b Q^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{1}{2}\, K^a Q^a(w) - d^{abc} f^{cde}\, \psi^a J^b \psi^d K^e(w) + N\, d^{abc}\, \psi^a \partial\psi^b K^c(w) \\
&- d^{abc} f^{cde}\, \psi^a J^b \psi^d K^e(w), \\
\psi^a K^a(z)\ \psi^b U^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{1}{2}\, K^a U^a(w) - d^{abc} f^{cde}\, \psi^a (\psi^d K^e) L^b(w) \\
&+ \frac{1}{2}\, d^{abc} f^{cde}\, \psi^a J^b K^d \chi^e(w) - d^{abc} f^{cde} f^{efg}\, \psi^a J^b \psi^d \psi^f \chi^g(w), \\
\psi^a K^a(z)\ \psi^b S^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{1}{2}\, K^a S^a(w) + N\, d^{abc}\, \psi^a \partial\psi^b K^c(w) + d^{abc} f^{cde}\, \psi^a (\psi^d K^e) K^b(w) \\
&+ N\, d^{abc}\, \psi^a K^b \partial\psi^c(w) + d^{abc} f^{cde}\, \psi^a K^b \psi^d K^e(w), \\
\psi^a K^a(z)\ \psi^b V^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{1}{2}\, K^a V^a(w) + N\, d^{abc}\, \psi^a \partial\psi^b L^c(w) + d^{abc} f^{cde}\, \psi^a (\psi^d K^e) L^b(w) \\
&+ \frac{1}{2} d^{abc} f^{cde} \psi^a K^b K^d \chi^e(w) - d^{abc} f^{cde} f^{efg} \psi^a K^b \psi^d \psi^f \chi^g(w), \\
\psi^a K^a(z)\ \chi^b Q^b(w)\ |_{\frac{1}{(z-w)}} &= -f^{abc}\, (\psi^a \chi^b) Q^c(w) - d^{abc} f^{cde}\, \chi^a J^b \psi^d K^e(w) \\
&+ N\, d^{abc}\, \chi^a \partial\psi^b K^c(w) \\
&- N\, \partial K^a M^a(w) - d^{abc} f^{cde}\, \chi^a J^b \psi^d K^e(w), \\
\psi^a K^a(z)\ \chi^b U^b(w)\ |_{\frac{1}{(z-w)}} &= -f^{abc}\, (\psi^a \chi^b) U^c(w) - d^{abc} f^{cde}\, \chi^a (\psi^d K^e) L^b(w) \\
&+ \frac{1}{2} d^{abc} f^{cde}\, \chi^a J^b K^d \chi^e(w) - d^{abc} f^{cde} f^{efg}\, \chi^a J^b \psi^d \psi^f \chi^g(w), \\
\psi^a K^a(z)\ \chi^b S^b(w)\ |_{\frac{1}{(z-w)}} &= -f^{abc}\, (\psi^a \chi^b) S^c(w) + N\, d^{abc}\, \chi^a \partial\psi^b K^c(w) \\
&+ d^{abc} f^{cde}\, \chi^a (\psi^d K^e) K^b(w) \\
&+ N\, d^{abc}\, \chi^a K^b \partial\psi^c(w) + d^{abc} f^{cde}\, \chi^a K^b \psi^d K^e(w), \\
\psi^a K^a(z)\ \chi^b V^b(w)\ |_{\frac{1}{(z-w)}} &= -f^{abc}\, (\psi^a \chi^b) V^c(w) + N\, d^{abc}\, \chi^a \partial\psi^b L^c(w) \\
&+ d^{abc} f^{cde}\, \chi^a (\psi^d K^e) L^b(w) \\
&+ \frac{1}{2} d^{abc} f^{cde}\, \chi^a K^b K^d \chi^e(w) - d^{abc} f^{cde} f^{efg}\, \chi^a K^b \psi^d \psi^f \chi^g(w), \\
\chi^a K^a(z)\ \psi^b Q^b(w)\ |_{\frac{1}{(z-w)}} &= + \cdots, \\
\chi^a K^a(z)\ \psi^b U^b(w)\ |_{\frac{1}{(z-w)}} &= \frac{3}{2}\, d^{abc} f^{cde} \psi^a J^b K^d \psi^e(w), \\
\chi^a K^a(z)\ \psi^b S^b(w)\ |_{\frac{1}{(z-w)}} &= 3N\, d^{abc}\, \psi^a \partial\chi^b K^c(w) + 3N\, d^{abc}\, \psi^a K^b \partial\chi^c(w), \\
\chi^a K^a(z)\ \psi^b V^b(w)\ |_{\frac{1}{(z-w)}} &= 3N\, d^{abc}\, \psi^a \partial\chi^b L^c(w) + \frac{3}{2}\, d^{abc} f^{cde}\, \psi^a K^b K^d \psi^e(w), \\
\chi^a K^a(z)\ \chi^b Q^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{3}{2}\, K^a Q^a(w), \\
\chi^a K^a(z)\ \chi^b U^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{3}{2}\, K^a U^a(w) + \frac{3}{2}\, d^{abc} f^{cde}\, \chi^a J^b K^d \psi^e(w),
\end{aligned}
$$

$$
\begin{aligned}
\chi^a K^a(z)\ \chi^b S^b(w)\ |_{\frac{1}{(z-w)}} &= 15N\, d^{abc}\, \chi^a \partial\chi^b K^c(w), \\
\chi^a K^a(z)\ \chi^b V^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{3}{2}\, K^a V^a(w) + 3N\, d^{abc}\, \chi^a \partial\chi^b L^c(w) \\
&+ \frac{3}{2}\, d^{abc} f^{cde}\, \chi^a K^b K^d \psi^e(w), \\
\chi^a J^a(z)\ \psi^b Q^b(w)\ |_{\frac{1}{(z-w)}} &= -f^{abc}\, (\chi^a \psi^b) Q^c(w) + N\, d^{abc}\, \psi^a \partial\chi^b J^c(w) \\
&+ d^{abc} f^{cde}\, \psi^a (\chi^d J^e) J^b(w) \\
&+ N\, d^{abc}\, \psi^a J^b \partial\chi^c(w) + d^{abc} f^{cde}\, \psi^a J^b \chi^d J^e(w), \\
\chi^a J^a(z)\ \psi^b U^b(w)\ |_{\frac{1}{(z-w)}} &= -f^{abc}\, (\chi^a \psi^b) U^c(w) + N\, d^{abc}\, \psi^a \partial\chi^b L^c(w) \\
&+ d^{abc} f^{cde}\, \psi^a (\chi^d J^e) L^b(w) \\
&+ \frac{1}{2}\, d^{abc} f^{cde}\, \psi^a J^b J^d \psi^e(w) - d^{abc} f^{cde} f^{efg}\, \psi^a J^b \chi^d \chi^f \psi^g(w), \\
\chi^a J^a(z)\ \psi^b S^b(w)\ |_{\frac{1}{(z-w)}} &= -f^{abc}\, (\chi^a \psi^b) S^c(w) - d^{abc} f^{cde}\, \psi^a K^b \chi^d J^e(w) \\
&+ N\, d^{abc}\, \psi^a \partial\chi^b J^c(w) + N\, \partial J^a M^a(w) - d^{abc} f^{cde}\, \psi^a K^b \chi^d J^e(w), \\
\chi^a J^a(z)\ \psi^b V^b(w)\ |_{\frac{1}{(z-w)}} &= -f^{abc}\, (\chi^a \psi^b) V^c(w) - d^{abc} f^{cde}\, \psi^a (\chi^d J^e) L^b(w) \\
&+ \frac{1}{2}\, d^{abc} f^{cde}\, \psi^a K^b J^d \psi^e(w) - d^{abc} f^{cde} f^{efg}\, \psi^a K^b \chi^d \chi^f \psi^g(w), \\
\chi^a J^a(z)\ \chi^b Q^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{1}{2}\, J^a Q^a(w) + N\, d^{abc}\, \chi^a \partial\chi^b J^c(w) + d^{abc} f^{cde} \chi^a (\chi^d J^e) J^b(w) \\
&+ N\, d^{abc}\, \chi^a J^b \partial\chi^c(w) + d^{abc} f^{cde}\, \chi^a J^b \chi^d J^e(w), \\
\chi^a J^a(z)\ \chi^b U^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{1}{2}\, J^a U^a(w) + N\, d^{abc}\, \chi^a \partial\chi^b L^c(w) + d^{abc} f^{cde}\, \chi^a (\chi^d J^e) L^b(w) \\
&+ \frac{1}{2} d^{abc} f^{cde} \chi^a J^b J^d \psi^e(w) - d^{abc} f^{cde} f^{efg}\, \chi^a J^b \chi^d \chi^f \psi^g(w), \\
\chi^a J^a(z)\ \chi^b S^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{1}{2}\, J^a S^a(w) - d^{abc} f^{cde}\, \chi^a K^b \chi^d J^e(w) + N\, d^{abc}\, \chi^a \partial\chi^b J^c(w) \\
&- d^{abc} f^{cde}\, \chi^a K^b \chi^d J^e(w), \\
\chi^a J^a(z)\ \chi^b V^b(w)\ |_{\frac{1}{(z-w)}} &= -\frac{1}{2}\, J^a V^a(w) - d^{abc} f^{cde}\, \chi^a (\chi^d J^e) L^b(w) \\
&+ \frac{1}{2}\, d^{abc} f^{cde}\, \chi^a K^b J^d \psi^e(w) - d^{abc} f^{cde} f^{efg}\, \chi^a K^b \chi^d \chi^f \psi^g(w). \quad \text{(D.1)}
\end{aligned}
$$

In this case, one can use the symmetry between $\psi^a(z)$ and $\chi^a(z)$. That is, the last half of these OPEs in Appendix (D.1) can be obtained from the first half of those OPEs. In order to obtain the final higher spin-3 current, we should simplify these expressions in terms of fully normal ordered product [40, 41]. We present some useful identities (which can be checked using the Jacobi identities between the f and d symbols) as follows:

$$
d^{bcd} f^{def}\, \psi^b J^c J^e \chi^f(w) = -\frac{1}{2} d^{abc} J^a J^b L^c(w) + \frac{N}{2} \partial J^a M^a(w) + N d^{abc} J^a \partial\psi^b \chi^c(w),
$$

$$
\begin{aligned}
d^{bcd}f^{def}\,\psi^bK^cJ^e\chi^f(w) &= -d^{abc}K^aJ^bL^c(w)+Nd^{abc}K^a\partial\psi^b\chi^c(w)\\
&- 2Nd^{abc}\psi^aJ^b\partial\chi^c(w),\\
d^{bcd}f^{def}\,\chi^bJ^cJ^e\chi^f(w) &= -\frac{1}{2}d^{abc}J^aJ^bK^c(w),\\
d^{bcd}f^{def}\,\chi^bK^cJ^e\chi^f(w) &= -3Nd^{abc}\chi^a\partial\chi^bJ^c(w)-d^{abc}J^aK^bK^c(w),\\
d^{bcd}f^{cae}\,\psi^bJ^d\psi^eK^a(w) &= -d^{abc}J^aJ^bK^c(w)-3Nd^{abc}\psi^a\partial\psi^bK^c(w),\\
d^{bcd}f^{cae}f^{def}\psi^b\partial(\psi^fK^a)(w) &= -Nd^{abc}\psi^a\partial\psi^bK^c(w),\\
d^{bcd}f^{dae}\,\psi^bJ^c\psi^eK^a(w) &= -d^{abc}J^aJ^bK^c(w)-3Nd^{abc}\psi^a\partial\psi^bK^c(w),\\
d^{bcd}f^{def}\,\psi^bJ^cK^e\chi^f(w) &= 2Nd^{gbc}\psi^bJ^c\psi\chi^g(w),\\
d^{bcd}f^{def}f^{fag}\psi^bJ^c\psi^e\psi^a\chi^g(w) &= -d^{bcd}d^{daf}\psi^bJ^c\psi^aM^f(w),\\
d^{bcd}f^{cae}\psi^b(\psi^aK^e)K^d(w) &= \frac{1}{2}d^{abc}J^aK^bK^c(w)+Nd^{abc}\psi^a\partial\psi^bK^c(w),\\
d^{bcd}f^{dae}\psi^bK^c\psi^aK^e(w) &= \frac{1}{2}d^{abc}J^aK^bK^c(w),\\
d^{bcd}f^{cef}\psi^b(\psi^eK^f)L^d(w) &= -\frac{N}{2}d^{abc}\psi^a\partial\chi^bK^c(w)-\frac{N}{2}\partial K^aM^a(w)-\frac{N}{2}\partial M^aJ^a(w)\\
&- \frac{N}{4}M^a\partial J^a(w)+\frac{N}{2}d^{abc}\psi^a\partial\psi^bL^c(w)\\
&+ d^{bcd}f^{cef}\psi^bL^d\psi^eK^f(w),\\
d^{bcd}f^{def}\psi^bK^cK^e\chi^f(w) &= 2Nd^{abc}\psi^a\partial\chi^bK^c(w),\\
d^{bcd}f^{cae}\chi^bJ^d\psi^eK^a(w) &= -Nd^{dge}J^d\psi^e\partial\chi^g-d^{abc}J^aK^bL^c(w)-2Nd^{abc}\chi^a\partial\psi^bK^c(w),\\
f^{cae}f^{def}d^{bcd}\chi^b\partial(\psi^fK^a)(w) &= -Nd^{abc}\chi^a\partial\psi^bK^c(w)+N\partial K^aM^a(w),\\
f^{dae}d^{bcd}\chi^bJ^c\psi^eK^a(w) &= -Nd^{abc}\psi^a\partial\chi^bJ^c(w)-d^{abc}J^aK^bL^c(w)\\
&- 2Nd^{abc}\chi^a\partial\psi^bK^c(w),\\
f^{bfg}d^{bcd}(\psi^f\chi^g)(J^cL^d) &= d^{abc}L^aJ^bL^c(w),\\
f^{def}d^{bcd}\chi^bJ^cK^e\chi^f(w) &= 2Nd^{abc}\chi^a\partial\chi^bJ^c(w),\\
d^{bcd}f^{cfg}\chi^b(\psi^fK^g)K^d(w) &= d^{bcd}f^{cfg}\chi^bK^d\psi^fK^g(w)-Nd^{abc}\partial\psi^a\chi^bK^c(w)\\
&- N\partial K^aM^a(w),\\
d^{bcd}f^{dfg}\chi^bK^c\psi^fK^g(w) &= -Nd^{abc}\psi^a\partial\chi^bK^c(w)+N\partial K^aM^a(w),\\
f^{cef}d^{bcd}\chi^b(\psi^fK^e)L^d(w) &= f^{cef}d^{bcd}\chi^bL^d\psi^fK^e(w)+\frac{N}{2}d^{abc}\chi^a\partial\chi^bK^c(w)+\frac{N}{2}\partial M^aL^a(w)\\
&+ \frac{N}{2}f^{abc}\partial\psi^a\chi^bM^c(w)+\frac{N}{2}\partial L^aM^a(w)+\frac{N}{2}d^{abc}\partial\psi^a\chi^bL^c(w),\\
d^{bcd}f^{bfg}(\psi^f\chi^g)(K^cL^d)(w) &= d^{abc}L^aK^bL^c(w),\\
d^{bcd}f^{cef}\chi^b(\psi^eK^f)L^d(w) &= -f^{cef}d^{bcd}\chi^bL^d\psi^fK^e(w)-\frac{N}{2}d^{abc}\chi^a\partial\chi^bK^c(w)
\end{aligned}
$$

$$
\begin{aligned}
& - \frac{N}{2}\partial M^a L^a(w) \\
& - \frac{N}{2} f^{abc}\partial\psi^a\chi^b M^c(w) - \frac{N}{2}\partial L^a M^a(w) - \frac{N}{2} d^{abc}\partial\psi^a\chi^b L^c(w), \\
d^{bcd}f^{def}\chi^b K^c K^e\chi^f(w) &= 2N d^{abc}\chi^a\partial\chi^b K^c(w), \\
d^{bcd}f^{def}\chi^b J^c\psi^e L^f(w) &= -\frac{1}{4} d^{abc} J^a J^b K^c(w), \\
d^{bcd}f^{def}\chi^b K^c\psi^e L^f(w) &= -\frac{1}{2} d^{abc} J^a K^b K^c(w) - \frac{3N}{2} d^{abc}\psi^a\partial\chi^b L^c(w) \\
& + \frac{3N}{2} f^{abc}\psi^a\partial\chi^b M^c(w), \\
d^{bcd}f^{def}\psi^b K^c\psi^e L^f(w) &= -\frac{1}{2} d^{abc} J^a K^b L^c(w) + \frac{N}{2} d^{abc}\partial\psi^a\chi^b K^c(w) \\
& - N d^{abc}\psi^a\partial\chi^b J^c(w), \\
d^{bcd}f^{cef}\psi^b L^d\psi^f K^e(w) &= -\frac{3}{2} d^{abc} J^a K^b L^c(w) + \frac{N}{2} d^{abc}\psi^a\partial\psi^b L^c(w) \\
& + \frac{3N}{2} d^{abc}\partial\psi^a\chi^b K^c(w) \\
& - \frac{3N}{2} d^{abc}\psi^a\partial\chi^b J^c(w) - \frac{N}{2} d^{abc}\psi^a\partial\chi^b K^c(w) - \frac{N}{4}\partial J^a M^a(w), \\
d^{bcd}f^{cef}\chi^b L^d\psi^f K^e(w) &= -d^{abc} K^a L^b L^c(w) - \frac{1}{2} d^{abc} J^a K^b K^c(w) + \frac{1}{6} d^{abc} K^a K^b K^c(w) \\
& - 3N d^{abc}\psi^a\partial\chi^b L^c(w) - N f^{abc}\partial\psi^a\chi^b M^c(w) \\
& + N f^{abc}\psi^a\partial\chi^b M^c(w), \\
d^{abc} K^a K^b L^c(w) &= -N\partial K^a M^a(w) - 4N d^{abc}\chi^a\partial\chi^b L^c(w), \\
\partial M^a J^a(w) &= \frac{1}{2}\partial J^a M^a(w) - d^{abc}\psi^a\partial\psi^b L^c(w) + d^{abc}\psi^a\partial\chi^b J^c(w), \\
\partial M^a L^a(w) &= d^{abc}\partial\psi^a\chi^b L^c(w) + d^{abc}\psi^a\partial\chi^b L^c(w), \\
\partial L^a M^a(w) &= -d^{abc}\chi^a\partial\chi^b J^c(w) + d^{abc}\psi^a\partial\chi^b L^c(w) + d^{abc}\psi^a\partial\psi^b K^c(w) \\
& + d^{abc}\partial\psi^a\chi^b L^c(w), \\
\partial M^a K^a(w) &= d^{abc}\partial\psi^a\chi^b K^c(w) + d^{abc}\chi^a\partial\chi^b L^c(w) + \frac{1}{2}\partial K^a M^a(w), \\
d^{abc}\chi^a\partial\chi^b L^c(w) &= d^{abc}\psi^a\partial\chi^b K^c(w) - \frac{1}{2} M^a\partial K^a(w), \\
f^{abc}\psi^a\partial\chi^b M^c(w) &= -d^{abc} J^a\chi^b\partial\chi^c(w) + d^{abc}\psi^a\partial\chi^b L^c(w), \\
d^{abc} J^a\partial\psi^b\chi^c(w) &= \frac{1}{2}\partial J^a M^a(w) - d^{abc}\psi^a\partial\psi^b L^c(w), \\
f^{abc}\partial\psi^a\chi^b M^c(w) &= d^{abc}\psi^a\partial\psi^b K^c(w) + d^{abc}\partial\psi^a\chi^b L^c(w), \\
d^{abc}\partial\psi^a\chi^b J^c(w) &= \frac{1}{2}\partial J^a M^a(w) - d^{abc}\psi^a\partial\psi^b L^c(w), \\
d^{abc} L^a J^b L^c(w) &= d^{abc} J^a L^b L^c(w) - N d^{abc}\partial\psi^a\chi^b L^c(w) - N d^{abc}\psi^a\partial\chi^b L^c(w),
\end{aligned}
$$

$$
\begin{aligned}
d^{abc}L^aK^bL^c(w) &= d^{abc}K^aL^bL^c(w)+Nd^{abc}\psi^a\partial\chi^bL^c(w)+Nd^{abc}\partial\psi^a\chi^bL^c(w),\\
d^{abc}L^aJ^bJ^c(w) &= d^{abc}J^aJ^bL^c(w)-N\partial J^aM^a(w)+2Nd^{abc}\psi^a\partial\psi^bL^c(w)\\
&- 2Nd^{abc}\psi^a\partial\chi^bJ^c(w),\\
d^{abc}L^aK^bK^c(w) &= d^{abc}K^aK^bL^c(w)+N\partial K^aM^a(w)+2Nd^{abc}\chi^a\partial\chi^bL^c(w)\\
&- 2Nd^{abc}\chi^a\partial\psi^bK^c(w). \qquad \text{(D.2)}
\end{aligned}
$$

E The first-order poles in the OPEs $W^{(2)}_{\pm\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{\mp\frac{1}{3}}(w)$

Let us consider the higher spin-$\frac{7}{2}$ current with $q=\frac{1}{3}$ or $q=-\frac{1}{3}$. According to the section 5, one should calculate the OPE between $W^{(2)}_{\pm\frac{2}{3}}(z)$ and $W^{(\frac{5}{2})}_{\mp\frac{1}{3}}(w)$. The first-order poles of $3\times 10=30$ OPEs are given by

$$
\begin{aligned}
&J^aM^a(z)\;\psi^bQ^b(w)\;|_{\frac{1}{(z-w)}}=f^{abc}\,(\psi^aM^b)Q^c(w)+\frac{1}{2}\,d^{abc}\,(J^a\chi^b)Q^c(w)\\
&-2N\,d^{abc}\,\psi^a\partial M^bJ^c(w)\\
&+d^{abc}f^{cde}\,\psi^a(J^dM^e)J^b(w)+d^{abc}d^{def}f^{cdg}\,\psi^e(J^a\psi^g\chi^b)J^f(w)\\
&-2N\,d^{abc}\,\psi^aJ^b\partial M^c(w)+d^{abc}f^{cde}\,\psi^aJ^bJ^dM^e(w)\\
&+d^{abc}d^{def}f^{cdg}\,\psi^eJ^fJ^a\psi^g\chi^b(w),\\
&J^aM^a(z)\;\psi^bU^b(w)\;|_{\frac{1}{(z-w)}}=f^{abc}\,(\psi^aM^b)U^c(w)+\frac{1}{2}\,d^{abc}\,(J^a\chi^b)U^c(w)\\
&-2N\,d^{abc}\,\psi^a\partial M^bL^c(w)\\
&+d^{abc}f^{cde}\,\psi^a(J^dM^e)L^b(w)+d^{abc}d^{def}f^{cdg}\,\psi^e(J^a\psi^g\chi^b)L^f(w)\\
&+d^{abc}f^{cde}f^{efg}\,\psi^aJ^b(\psi^g\chi^d)M^f(w)+\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\psi^eJ^fJ^a\chi^g\chi^b(w),\\
&-\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\psi^dJ^eJ^a\psi^g\psi^b(w),\\
&J^aM^a(z)\;\psi^bS^b(w)\;|_{\frac{1}{(z-w)}}=f^{abc}\,(\psi^aM^b)S^c(w)+\frac{1}{2}\,d^{abc}\,(J^a\chi^b)S^c(w)\\
&-d^{abc}d^{def}f^{cdg}\,\psi^a(J^e\psi^f\chi^g)K^b(w)-d^{abc}d^{def}f^{cdg}\,\psi^aJ^eK^b\psi^f\chi^g(w),\\
&J^aM^a(z)\;\psi^bV^b(w)\;|_{\frac{1}{(z-w)}}=f^{abc}\,(\psi^aM^b)V^c(w)+\frac{1}{2}\,d^{abc}\,(J^a\chi^b)V^c(w)\\
&-d^{abc}d^{def}f^{cdg}\,\psi^a(J^e\psi^f\chi^g)L^b(w)+d^{abc}f^{cde}f^{efg}\,\psi^aK^b(\psi^g\chi^d)M^f(w)\\
&-\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\psi^aK^bJ^e\chi^g\chi^f(w)+\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\psi^aK^bJ^e\psi^g\psi^f(w),\\
&J^aM^a(z)\;\chi^bQ^b(w)\;|_{\frac{1}{(z-w)}}=-\frac{1}{2}\,d^{abc}\,(J^a\psi^b)Q^c(w)-2N\,d^{abc}\,\chi^a\partial M^bJ^c(w)\\
&+d^{abc}f^{cde}\,\chi^a(J^dM^e)J^b(w)+d^{abc}d^{def}f^{cdg}\,\chi^e(J^a\psi^g\chi^b)J^f(w)\\
&-2N\,d^{abc}\,\chi^aJ^b\partial M^c(w)+d^{abc}f^{cde}\,\chi^aJ^bJ^dM^e(w)
\end{aligned}
$$

$$+d^{abc}d^{def}f^{cdg}\,\chi^e J^f J^a\psi^g\chi^b(w),$$
$$J^aM^a(z)\;\chi^bU^b(w)\mid_{\frac{1}{(z-w)}}=-\frac{1}{2}\,d^{abc}\,(J^a\psi^b)U^c(w)-2N\,d^{abc}\,\chi^a\partial M^bL^c(w)$$
$$+d^{abc}f^{cde}\,\chi^a(J^dM^e)L^b(w)+d^{abc}d^{def}f^{cdg}\,\chi^e(J^a\psi^g\chi^b)L^f(w)$$
$$+d^{abc}f^{cde}f^{efg}\,\chi^aJ^b(\psi^g\chi^d)M^f(w)+\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\chi^eJ^fJ^a\chi^g\chi^b(w)$$
$$-\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\chi^eJ^fJ^a\psi^g\psi^b(w),$$
$$J^aM^a(z)\;\chi^bS^b(w)\mid_{\frac{1}{(z-w)}}=-\frac{1}{2}\,d^{abc}\,(J^a\psi^b)S^c(w)$$
$$-d^{abc}d^{def}f^{cdg}\,\chi^a(J^e\psi^f\chi^g)K^b(w)-d^{abc}d^{def}f^{cdg}\,\chi^aJ^eK^b\psi^f\chi^g(w),$$
$$J^aM^a(z)\;\chi^bV^b(w)\mid_{\frac{1}{(z-w)}}=-\frac{1}{2}\,d^{abc}\,(J^a\psi^b)V^c(w)$$
$$-d^{abc}d^{def}f^{cdg}\,\chi^a(J^e\psi^f\chi^g)L^b(w)+d^{abc}f^{cde}f^{efg}\,\chi^aK^b(\psi^g\chi^d)M^f(w)$$
$$-\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\chi^aK^bJ^e\chi^g\chi^f(w)+\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\chi^aK^bJ^e\psi^g\psi^f(w),$$
$$J^aM^a(z)\;\psi^bR^b(w)\mid_{\frac{1}{(z-w)}}=f^{abc}\,(\psi^aM^b)R^c(w)+\frac{1}{2}\,d^{abc}\,(J^a\chi^b)R^c(w)$$
$$-2Nd^{abc}\,\psi^a\partial M^bK^c(w)$$
$$+d^{abc}f^{cde}\,\psi^a(J^dM^e)K^b(w)+d^{abc}d^{def}f^{cdg}\,\psi^e(J^a\psi^g\chi^b)K^f(w)$$
$$-d^{abc}d^{def}f^{cdg}\,\psi^aJ^bJ^e\psi^f\chi^g(w),$$
$$J^aM^a(z)\;\chi^bW^b(w)\mid_{\frac{1}{(z-w)}}=-\frac{1}{2}\,d^{abc}\,(J^a\psi^b)W^c(w)$$
$$+d^{abc}f^{cde}f^{efg}\,\chi^a((\psi^g\chi^d)M^f)L^b(w)$$
$$+\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\chi^e(J^a\chi^g\chi^b)L^f(w)$$
$$-\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\chi^e(J^a\psi^g\psi^b)L^f(w)+d^{abc}f^{cde}f^{efg}\,\chi^aL^b(\psi^g\chi^d)M^f(w)$$
$$+\frac{1}{2}d^{abc}d^{def}f^{cdg}\chi^eL^fJ^a\chi^g\chi^b(w)-\frac{1}{2}d^{abc}d^{def}f^{cdg}\chi^eL^fJ^a\psi^g\psi^b(w),$$
$$K^aM^a(z)\;\psi^bQ^b(w)\mid_{\frac{1}{(z-w)}}=\frac{1}{2}\,d^{abc}\,(K^a\chi^b)Q^c(w)$$
$$+d^{abc}d^{def}f^{cdg}\,\psi^a(K^e\chi^f\psi^g)J^b(w)+d^{abc}d^{def}f^{cdg}\,\psi^aK^eJ^b\chi^f\psi^g(w),$$
$$K^aM^a(z)\;\psi^bU^b(w)\mid_{\frac{1}{(z-w)}}=\frac{1}{2}\,d^{abc}\,(K^a\chi^b)U^c(w)$$
$$+d^{abc}d^{def}f^{cdg}\,\psi^a(K^e\chi^f\psi^g)L^b(w)+d^{abc}f^{cde}f^{efg}\,\psi^aJ^b(\chi^g\psi^d)M^f(w)$$
$$+\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\psi^aJ^bK^e\psi^g\psi^f(w)-\frac{1}{2}d^{abc}d^{def}f^{cdg}\,\psi^aJ^bK^e\chi^g\chi^f(w),$$
$$K^aM^a(z)\;\psi^bS^b(w)\mid_{\frac{1}{(z-w)}}=\frac{1}{2}\,d^{abc}\,(K^a\chi^b)S^c(w)-2N\,d^{abc}\,\psi^a\partial M^bK^c(w)$$
$$+d^{abc}f^{cde}\,\psi^a(K^dM^e)K^b(w)-d^{abc}d^{def}f^{cdg}\,\psi^e(K^a\chi^g\psi^b)K^f(w)$$

$$-2N\, d^{abc}\,\psi^a K^b\partial M^c(w) + d^{abc} f^{cde}\,\psi^a K^b K^d M^e(w)$$
$$-d^{abc} d^{def} f^{cdg}\,\psi^e K^f K^a \chi^g \psi^b(w),$$
$$K^a M^a(z)\ \psi^b V^b(w)\mid_{\frac{1}{(z-w)}} = -\frac{1}{2}\, d^{abc}\,(K^a\chi^b)V^c(w) - 2N\, d^{abc}\,\psi^a\partial M^b L^c(w)$$
$$+d^{abc} f^{cde}\,\psi^a(K^d M^e)L^b(w) + d^{abc} d^{def} f^{cdg}\,\psi^e(K^a\chi^g\psi^b)L^f(w)$$
$$+d^{abc} f^{cde} f^{efg}\,\psi^a K^b(\chi^g\psi^d)M^f(w)$$
$$+\frac{1}{2} d^{abc} d^{def} f^{cdg}\,\psi^e K^f K^a \psi^g\psi^b(w),$$
$$K^a M^a(z)\ \chi^b Q^b(w)\mid_{\frac{1}{(z-w)}} = f^{abc}\,(\chi^a M^b)Q^c(w) - \frac{1}{2}\, d^{abc}\,(K^a\psi^b)Q^c(w)$$
$$+d^{abc} d^{def} f^{cdg}\,\chi^a(K^e\chi^f\psi^g)J^b(w) + d^{abc} d^{def} f^{cdg}\,\chi^a K^e J^b\chi^f\psi^g(w),$$
$$K^a M^a(z)\ \chi^b U^b(w)\mid_{\frac{1}{(z-w)}} = f^{abc}\,(\chi^a M^b)U^c(w) - \frac{1}{2}\, d^{abc}\,(K^a\psi^b)U^c(w)$$
$$+d^{abc} d^{def} f^{cdg}\,\chi^a(K^e\chi^f\psi^g)L^b(w) + d^{abc} f^{cde} f^{efg}\,\chi^a J^b(\chi^g\psi^d)M^f(w)$$
$$+\frac{1}{2} d^{abc} d^{def} f^{cdg}\,\chi^a J^b K^e\psi^g\psi^f(w) - \frac{1}{2} d^{abc} d^{def} f^{cdg}\,\chi^a J^b K^e\chi^g\chi^f(w),$$
$$K^a M^a(z)\ \chi^b S^b(w)\mid_{\frac{1}{(z-w)}} = f^{abc}\,(\chi^a M^b)S^c(w) - \frac{1}{2}\, d^{abc}\,(K^a\psi^b)S^c(w)$$
$$-2N\, d^{abc}\,\chi^a\partial M^b K^c(w)$$
$$+d^{abc} f^{cde}\,\chi^a(K^d M^e)K^b(w) - d^{abc} d^{def} f^{cdg}\,\chi^e(K^a\chi^g\psi^b)K^f(w)$$
$$-2N\, d^{abc}\,\chi^a K^b\partial M^c(w) + d^{abc} f^{cde}\,\chi^a K^b K^d M^e(w)$$
$$-d^{abc} d^{def} f^{cdg}\,\chi^e K^f K^a\chi^g\psi^b(w),$$
$$K^a M^a(z)\ \chi^b V^b(w)\mid_{\frac{1}{(z-w)}} = f^{abc}\,(\chi^a M^b)V^c(w) - \frac{1}{2}\, d^{abc}\,(K^a\psi^b)V^c(w)$$
$$-2N\, d^{abc}\,\chi^a\partial M^b L^c(w)$$
$$+d^{abc} f^{cde}\,\chi^a(K^d M^e)L^b(w) - d^{abc} d^{def} f^{cdg}\,\chi^e(K^a\chi^g\psi^b)L^f(w)$$
$$+d^{abc} f^{cde} f^{efg}\,\chi^a K^b(\chi^g\psi^d)M^f(w) - \frac{1}{2} d^{abc} d^{def} f^{cdg}\,\chi^e K^f K^a\psi^g\psi^b(w),$$
$$K^a M^a(z)\ \psi^b R^b(w)\mid_{\frac{1}{(z-w)}} = \frac{1}{2}\, d^{abc}\,(K^a\chi^b)R^c(w) - 2N\, d^{abc}\,\psi^a\partial M^b J^c(w)$$
$$-d^{abc} f^{cde}\psi^a(K^e M^d)J^b(w)$$
$$+d^{abc} d^{def} f^{cdg}\,\psi^a(K^e\chi^g\psi^f)J^b(w) + d^{abc} d^{def} f^{cdg}\,\psi^a K^b K^e\chi^f\psi^g(w),$$
$$K^a M^a(z)\ \chi^b W^b(w)\mid_{\frac{1}{(z-w)}} = f^{abc}\,(\chi^a M^b)W^c(w) - \frac{1}{2}\, d^{abc}\,(K^a\psi^b)W^c(w)$$
$$+d^{abc} f^{cde} f^{efg}\chi^a((\chi^g\psi^d)M^f)L^b(w)$$
$$+\frac{1}{2}\, d^{abc} d^{def} f^{cdg}\chi^a(K^e\psi^g\psi^f)L^b(w)$$
$$+\frac{1}{2}\, d^{abc} d^{def} f^{cdg}\chi^a(K^e\chi^g\chi^f)L^b(w) + d^{abc} f^{cde} f^{efg}\,\chi^a L^b(\chi^g\psi^d)M^f(w)$$

$$+\frac{1}{2}\,d^{abc}d^{def}f^{cdg}\chi^a L^b K^e\psi^g\psi^f(w)-\frac{1}{2}\,d^{abc}d^{def}f^{cdg}\chi^a L^b K^e\chi^g\chi^f(w),$$

$$L^aM^a(z)\ \psi^bQ^b(w)\mid_{\frac{1}{(z-w)}}=-\frac{1}{2}\,f^{abc}\,(\chi^aM^b)Q^c(w)+\frac{1}{2}\,d^{abc}\,(L^a\chi^b)Q^c(w)$$

$$+d^{abc}f^{def}f^{cdg}\,\psi^a(M^e\psi^g\chi^f)J^b(w)-d^{abc}d^{def}f^{cdg}\,\psi^a(L^e\psi^g\chi^f)J^b(w)$$

$$+d^{abc}f^{def}f^{cdg}\,\psi^aJ^bM^e\psi^g\chi^f(w)-d^{abc}f^{def}f^{cdg}\,\psi^aJ^bL^e\psi^g\chi^f(w),$$

$$L^aM^a(z)\ \psi^bU^b(w)\mid_{\frac{1}{(z-w)}}=\frac{1}{2}\,f^{abc}(\chi^aM^b)U^b(w)+\frac{1}{2}\,d^{abc}(L^a\chi^b)U^c(w)$$

$$+d^{abc}f^{def}f^{cdg}\,\psi^a((\psi^g\chi^f)M^e)L^b(w)-d^{abc}d^{def}f^{cdg}\,\psi^a(L^e\psi^g\chi^f)L^b(w)$$

$$-N\,d^{abc}\,\psi^aJ^b\partial M^c(w)+\frac{1}{4}d^{abc}f^{cde}\psi^aJ^bJ^dM^e(w)$$

$$+\frac{1}{4}\,d^{abc}f^{cde}\,\psi^aJ^bK^dM^e(w)-\frac{1}{2}\,d^{abc}d^{def}f^{cdg}\,\psi^aJ^bL^e\chi^g\chi^f(w)$$

$$+\frac{1}{2}\,d^{abc}d^{def}f^{cdg}\,\psi^aJ^bL^e\psi^g\psi^f(w),$$

$$L^aM^a(z)\ \psi^bS^b(w)\mid_{\frac{1}{(z-w)}}=\frac{1}{2}\,f^{abc}\,(\chi^aM^b)S^c(w)+\frac{1}{2}\,d^{abc}\,(L^a\chi^b)S^c(w)$$

$$-d^{abc}f^{def}f^{cdg}\,\psi^a((\psi^f\chi^g)M^e)K^b(w)-d^{abc}d^{def}f^{cdg}\,\psi^a(L^e\psi^f\chi^g)K^b(w)$$

$$-d^{abc}f^{def}f^{cdg}\psi^aK^b(\psi^f\chi^g)M^e(w)-d^{abc}d^{def}f^{cdg}\,\psi^aK^bL^e\psi^f\chi^g(w),$$

$$L^aM^a(z)\ \psi^bV^b(w)\mid_{\frac{1}{(z-w)}}=\frac{1}{2}\,f^{abc}\,(\chi^aM^b)V^c(w)+\frac{1}{2}\,d^{abc}\,(L^a\chi^b)V^c(w)$$

$$-d^{abc}f^{def}f^{cdg}\,\psi^a((\psi^f\chi^g)M^e)L^b(w)-d^{abc}d^{def}f^{cdg}\,\psi^a(L^e\psi^f\chi^g)L^b(w)$$

$$-N\,d^{abc}\,\psi^aK^b\partial M^c(w)+\frac{1}{4}\,d^{abc}f^{cde}\,\psi^aK^bJ^dM^e(w)$$

$$+\frac{1}{4}\,d^{abc}f^{cde}\,\psi^aK^bK^dM^e(w)-\frac{1}{2}\,d^{abc}d^{def}f^{cdg}\,\psi^aK^bL^e\chi^g\chi^f(w)$$

$$+\frac{1}{2}\,d^{abc}d^{def}f^{cdg}\,\psi^aK^bL^e\psi^g\psi^f(w),$$

$$L^aM^a(z)\ \chi^bQ^b(w)\mid_{\frac{1}{(z-w)}}=\frac{1}{2}\,f^{abc}\,(\psi^aM^b)Q^c(w)-\frac{1}{2}\,d^{abc}\,(L^a\psi^b)Q^c(w)$$

$$-d^{abc}f^{def}f^{cdg}\,\chi^a((\chi^f\psi^g)M^e)J^b(w)+d^{abc}d^{def}f^{cdg}\,\chi^a(L^e\chi^f\psi^g)J^b(w)$$

$$-d^{abc}f^{def}f^{cdg}\chi^aJ^b(\chi^f\psi^g)M^e(w)+d^{abc}d^{def}f^{cdg}\,\chi^aJ^bL^e\chi^f\psi^g(w),$$

$$L^aM^a(z)\ \chi^bU^b(w)\mid_{\frac{1}{(z-w)}}=\frac{1}{2}\,f^{abc}\,(\psi^aM^b)U^c(w)-\frac{1}{2}\,d^{abc}\,(L^a\psi^b)U^c(w)$$

$$-d^{abc}f^{def}f^{cdg}\,\chi^a((\chi^f\psi^g)M^e)L^b(w)+d^{abc}d^{def}f^{cdg}\,\chi^a(L^e\chi^f\psi^g)L^b(w)$$

$$-N\,d^{abc}\,\chi^aJ^b\partial M^c(w)+\frac{1}{4}\,d^{abc}f^{cde}\,\chi^aJ^bK^dM^e(w)$$

$$+\frac{1}{4}\,d^{abc}f^{cde}\,\chi^aJ^bJ^dM^e(w)+\frac{1}{2}\,d^{abc}d^{def}f^{cdg}\,\chi^aJ^bL^e\psi^g\psi^f(w)$$

$$-\frac{1}{2}\,d^{abc}d^{def}f^{cdg}\,\chi^aJ^bL^e\chi^g\chi^f(w),$$

$$
\begin{aligned}
&L^a M^a(z)\ \chi^b S^b(w)\mid_{\frac{1}{(z-w)}}= -\frac{1}{2}\, f^{abc}\,(\psi^a M^b)S^c(w) - \frac{1}{2}\, d^{abc}\,(L^a\psi^b)S^c(w)\\
&+d^{abc}f^{def}f^{cdg}\,\chi^a(M^e\chi^g\psi^f)K^b(w) + d^{abc}d^{def}f^{cdg}\,\chi^a(L^e\chi^g\psi^f)K^b(w)\\
&+d^{abc}f^{def}f^{cdg}\,\chi^a K^b M^e\chi^g\psi^f(w) + d^{abc}f^{def}f^{cdg}\,\chi^a K^b L^e\chi^g\psi^f(w),\\
&L^a M^a(z)\ \chi^b V^b(w)\mid_{\frac{1}{(z-w)}}= \frac{1}{2}\, f^{abc}(\psi^a M^b)V^b(w) - \frac{1}{2}\, d^{abc}(L^a\psi^b)V^c(w)\\
&+d^{abc}f^{def}f^{cdg}\,\chi^a((\chi^g\psi^f)M^e)L^b(w) + d^{abc}d^{def}f^{cdg}\,\chi^a(L^e\chi^g\psi^f)L^b(w)\\
&-N\, d^{abc}\,\chi^a K^b\partial M^c(w) + \frac{1}{4}d^{abc}f^{cde}\chi^a K^b K^d M^e(w)\\
&+\frac{1}{4}\, d^{abc}f^{cde}\,\chi^a K^b J^d M^e(w) + \frac{1}{2}\, d^{abc}d^{def}f^{cdg}\,\chi^a K^b L^e\psi^g\psi^f(w)\\
&-\frac{1}{2}\, d^{abc}d^{def}f^{cdg}\,\chi^a K^b L^e\chi^g\chi^f(w),\\
&L^a M^a(z)\ \psi^b R^b(w)\mid_{\frac{1}{(z-w)}}= \frac{1}{2}\, f^{abc}\,(\chi^a M^b)R^c(w) + \frac{1}{2}\, d^{abc}\,(L^a\chi^b)R^c(w)\\
&+d^{abc}f^{def}f^{cdg}\,\psi^a((\psi^g\chi^f)M^e)K^b(w) - d^{abc}d^{def}f^{cdg}\,\psi^a(L^e\psi^g\chi^f)K^b(w)\\
&-d^{abc}f^{def}f^{cdg}\,\psi^a J^b(\psi^f\chi^g)M^e(w) - d^{abc}d^{def}f^{cdg}\,\psi^a J^b L^e\psi^f\chi^g(w),\\
&L^a M^a(z)\ \chi^b W^b(w)\mid_{\frac{1}{(z-w)}}= \frac{1}{2}\, f^{abc}\,(\psi^a M^b)W^c(w) - \frac{1}{2}\, d^{abc}\,(L^a\psi^b)W^c(w)\\
&-N\, d^{abc}\,\chi^a\partial M^b L^c(w)\\
&+\frac{1}{4}d^{abc}f^{cde}\chi^a(J^d M^e)L^b(w) + \frac{1}{4}d^{abc}f^{cde}\chi^a(K^d M^e)L^b(w)\\
&-\frac{1}{2}\, d^{abc}d^{def}f^{cdg}\,\chi^a(L^e\chi^g\chi^f)L^b(w) + \frac{1}{2}\, d^{abc}d^{def}f^{cdg}\,\chi^a(L^e\psi^g\psi^f)L^b(w)\\
&-N\, d^{abc}\,\chi^a L^b\partial M^c(w) + \frac{1}{4}\, d^{abc}f^{cde}\,\chi^a L^b J^d M^e(w)\\
&+\frac{1}{4}\, d^{abc}f^{cde}\,\chi^a L^b K^d M^e(w) - \frac{1}{2}\, d^{abc}d^{def}f^{cdg}\,\chi^a L^b L^e\chi^g\chi^f(w)\\
&+\frac{1}{2}\, d^{abc}d^{def}f^{cdg}\,\chi^a L^b L^e\psi^g\psi^f(w).
\end{aligned}
\tag{E.1}
$$

As noticed before, the half of them in Appendix (E.1) are obtained from the remaining ones using the symmetry under $\psi^a(z) \leftrightarrow \chi^a(z)$. In order to obtain the complete form for the higher spin-$\frac{7}{2}$ currents, the fully normal ordered products from the intermediate expressions in Appendix (E.1) are needed.

For example, $f^{abc}(\psi^a M^b)Q^c(w)$ should be simplified further. That is, this can be written as $f^{abc}(\psi^a M^b)Q^c(w) = f^{abc}Q^c(\psi^a M^b)(w) - f^{abc}[Q^c, \psi^a M^b](w)$. In order to simplify the second term, one should calculate the OPE $Q^c(z)\,\psi^a M^b(w)$. This becomes

$$
\begin{aligned}
Q^c(z)\,\psi^a M^b(w) &= -\frac{1}{(z-w)^2}\,3(N^2-4)\chi^a J^a(w)\\
&+ \frac{1}{(z-w)}\,\Big[-2(N^2-4)\,\partial\chi^a J^a - 4(N^2-4)\,\chi^a\partial J^a
\end{aligned}
$$

$$+ \quad 2N\, d^{abc}\psi^a M^b J^c + 2(N^2-4)\,\partial\psi^a L^a\Big](w) + \cdots . \tag{E.2}$$

From Appendix (E.2), the above commutator can be obtained and the final result can be written as

$$\begin{aligned} f^{abc}(\psi^a M^b)Q^c(w) &= f^{abc}Q^c\psi^a M^b(w) + \frac{1}{2}(N^2-4)\,\partial^2\chi^a J^a(w) + 3(N^2-4)\,\partial\chi^a\partial J^a(w) \\ &+ \frac{5}{2}(N^2-4)\,\chi^a\partial^2 J^a(w) - 2N\, d^{abc}\partial(\psi^a M^b J^c)(w) \\ &- 2(N^2-4)\,\partial(\partial\psi^a L^a)(w). \end{aligned} \tag{E.3}$$

The fourth term of the first equation of Appendix (E.1) should be simplified further as done in Appendix (E.3). This can be written as $d^{abc}f^{cde}\,\psi^a(J^dM^e)J^b(w) = d^{abc}f^{cde}\,\psi^a J^b J^d M^e(w) - d^{abc}f^{cde}\,\psi^a[J^b, J^dM^e](w)$. For the commutator in this relation, the following OPE should be calculated as follows:

$$\begin{aligned} J^b(z)\,J^dM^e(w) &= \frac{1}{(z-w)^2}\,\Big[-N\delta^{bd}\,M^e - f^{bde'}f^{e'c''e''}d^{ed''e''}\psi^{c''}\chi^{d''}\Big](w) \\ &+ \frac{1}{(z-w)}\,\Big[f^{bde'}J^{e'}M^e - f^{bc'e'}d^{ed'e'}J^d\psi^{c'}\chi^{d'}\Big](w) + \cdots . \end{aligned} \tag{E.4}$$

In order to obtain the above commutator, one should use Appendices $(A.6), (A.7)$ and $(A.15)$ of [42] in Appendix (E.4). Then one can easily see that this becomes $\frac{1}{2}(N^2-4)\,\psi^a\partial^2 L^a + \frac{N}{2}d^{abc}\psi^a\partial(J^bM^c) + \frac{N}{2}d^{abc}d^{cde}\psi^a\partial(J^d\psi^e\chi^b) - \frac{N}{2}d^{abc}d^{cde}\psi^a\partial(J^d\psi^b\chi^e)$ [43].

One can analyze the second term of the second equation of Appendix (E.1) which is given by $d^{abc}\,(J^a\chi^b)U^c(w)$. This can be written as $d^{abc}\,(J^a\chi^b)U^c(w) = d^{abc}\,U^aJ^b\chi^c(w) - d^{abc}\,[U^c, J^a\chi^b](w)$. As before, one should know the OPE $U^c(z)\,(J^a\chi^b)(w)$ in order to calculate the above commutator. It turns out that

$$\begin{aligned} U^c(z)\,d^{abc}\,J^a\chi^b(w) &= -\frac{1}{(z-w)^2}\,3(N^2-4)\chi^a L^a(w) \\ &+ \frac{1}{(z-w)}\,\Big[-(N^2-4)\,\partial\psi^a J^a - 3(N^2-4)\,\chi^a\partial L^a \\ &+ \frac{(N^2-4)}{N}f^{abc}\chi^a J^b L^c + \frac{4(4-N^2)}{N^2}\chi^a J^a\psi^b\chi^b \\ &+ \frac{(8-N^2)}{2N}\,d^{abc}d^{cde}\,\chi^a J^b\psi^d\chi^e - \frac{N}{2}\,d^{abc}d^{cde}\chi^a J^d\psi^b\chi^e\Big](w) + \cdots . \end{aligned} \tag{E.5}$$

Here we used the fact that the expression $f^{ac'e'}f^{e'd'e}d^{edc}d^{cba}\chi^bJ^d\psi^{c'}\chi^{d'}(w)$ is equal to the last three terms of the first-order pole in Appendix (E.5) with the help of Appendix $(A.14)$ of

[43] For the fifth term of the first equation of Appendix (E.1), the property of Appendix $(A.11)$ of [42] can be used. When we simplify the last term of the first equation of Appendix (E.1), Appendix $(A.10)$ of [42] is used.

[42]. Then it is straightforward to express the above commutator using the OPE in Appendix (E.5).

F The singular terms in the OPE $W^{(2)}_{\frac{2}{3}}(z)\, W^{(2)}_{-\frac{2}{3}}(w)$

In section 6, one of the OPEs between the higher spin currents is given. We would like to present the OPE between the higher spin-2 currents $W^{(2)}_{\pm\frac{2}{3}}(z)$. The six OPEs (rather than nine OPEs) are given by

$$
\begin{aligned}
&J^aM^a(z)\ J^bM^b(w) = \frac{1}{(z-w)^4}\,(N^2-4)(N^2-1)\\
&+\frac{1}{(z-w)^2}\left[-3N\,M^aM^a+\frac{(N^2-4)}{2N}J^aK^a-\frac{3(N^2-4)}{4N}J^aJ^a+\frac{(N^2-4)}{4N}K^aK^a\right](w)\\
&+\mathcal{O}(\frac{1}{(z-w)})+\cdots,\\
&J^aM^a(z)\ K^bM^b(w) =\\
&\frac{1}{(z-w)^2}\left[N\,M^aM^a-\frac{3(N^2-4)}{2N}J^aK^a-\frac{(N^2-4)}{4N}J^aJ^a-\frac{(N^2-4)}{4N}K^aK^a\right](w)\\
&+\mathcal{O}(\frac{1}{(z-w)})+\cdots,\\
&J^aM^a(z)\ L^bM^b(w) = -\frac{1}{(z-w)^3}\,2(N^2-4)\,\psi^a\chi^a(w)-\frac{1}{(z-w)^2}\,2(N^2-4)\partial\psi^a\chi^a(w)\\
&+\mathcal{O}(\frac{1}{(z-w)})+\cdots,\\
&K^aM^a(z)\ K^bM^b(w) = \frac{1}{(z-w)^4}\,(N^2-4)(N^2-1)\\
&+\frac{1}{(z-w)^2}\left[-3N\,M^aM^a+\frac{(N^2-4)}{2N}J^aK^a-\frac{3(N^2-4)}{4N}K^aK^a+\frac{(N^2-4)}{4N}J^aJ^a\right](w)\\
&+\mathcal{O}(\frac{1}{(z-w)})+\cdots,\\
&K^aM^a(z)\ L^bM^b(w) = \frac{1}{(z-w)^3}\,2(N^2-4)\,\psi^a\chi^a(w)+\frac{1}{(z-w)^2}\,2(N^2-4)\psi^a\partial\chi^a(w)\\
&+\mathcal{O}(\frac{1}{(z-w)})+\cdots,\\
&L^aM^a(z)\ L^bM^b(w) = \frac{1}{(z-w)^4}\,\frac{1}{2}\,(N^2-4)(N^2-1)\\
&+\frac{1}{(z-w)^2}\left[-2N\,M^aM^a+\frac{(N^2-4)}{4N}\,J^aK^a+\frac{3(N^2-4)}{8N}\,J^aJ^a\right.
\end{aligned}
$$

$$+\frac{3(N^2-4)}{8N}\,K^aK^a-\frac{3(N^2-4)}{2N}\,L^aL^a\Big](w)+\mathcal{O}(\frac{1}{(z-w)})+\cdots. \tag{F.1}$$

We did not present the first-order poles in Appendix (F.1). One can use the symmetry under the transformation $\psi^a(z)\leftrightarrow\chi^a(z)$. Then one can check (6.2) by using the above results in Appendix (F.1) with correct coefficients. For the first-order poles, one resorts to the description of section 7.

G The details for the OPEs between the higher spin currents in $\mathcal{N}=2$ superspace

In this Appendix, the $\mathcal{N}=2$ description for the OPEs between the higher spin currents are given based on the section 7.

G.1 The OPEs $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_2)$

The OPE between the first higher spin $\mathcal{N}=2$ multiplet and the third higher spin $\mathcal{N}=2$ multiplet in (3.3) can be summarized by

$$\begin{aligned}
&\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)=C^{(4)+}_{(2)\,(\frac{7}{2})}\,\Big(\frac{\bar\theta_{12}}{z^2_{12}}\,\mathbf{W}^{(4)}_0(Z_2)-\frac{\theta_{12}\,\bar\theta_{12}}{z^2_{12}}\,\frac{7}{24}\,D\mathbf{W}^{(4)}_0(Z_2)\\
&-\frac{1}{z_{12}}\,\frac{1}{4}\,D\mathbf{W}^{(4)}_0(Z_2)+\frac{\bar\theta_{12}}{z_{12}}\Big[\frac{1}{24}\,[D,\overline{D}]\mathbf{W}^{(4)}_0+\frac{3}{8}\,\partial\mathbf{W}^{(4)}_0\Big](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\Big[-\frac{5(c-3)}{36(c+9)}\,\partial D\mathbf{W}^{(4)}_0+\frac{20}{3(c+9)}\,D\mathbf{T}\mathbf{W}^{(4)}_0-\frac{5}{3(c+9)}\mathbf{T}D\mathbf{W}^{(4)}_0\Big](Z_2)\Big)+\cdots.
\end{aligned} \tag{G.1}$$

Similarly, the OPE between the first higher spin $\mathcal{N}=2$ multiplet and the fourth higher spin $\mathcal{N}=2$ multiplet in (3.3) can be described by

$$\begin{aligned}
&\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)=C^{(2)+}_{(2)\,(\frac{7}{2})}\,\Big(\frac{\bar\theta_{12}}{z^4_{12}}\,\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)+\frac{\theta_{12}\,\bar\theta_{12}}{z^4_{12}}\,c_2\,D\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)+\frac{1}{z^3_{12}}\,c_3\,D\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)\\
&+\frac{\bar\theta_{12}}{z^3_{12}}\,\Big[c_4\,[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_5\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_6\,\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z^3_{12}}\,\Big[c_7\,\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_8\,\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_9\,D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big](Z_2)\\
&+\frac{1}{z^2_{12}}\,\Big[c_{10}\,\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{11}\,\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{12}\,D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big](Z_2)+\frac{\theta_{12}}{z^2_{12}}\,c_{13}\,D\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)\\
&+\frac{\bar\theta_{12}}{z^2_{12}}\,\Big[c_{14}\,\partial[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{15}\,\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{16}\,\mathbf{T}\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{17}\,\mathbf{T}\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{18}\,\overline{D}\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{19}\,[D,\overline{D}]\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{20}\,D\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{21}\,\partial\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{22}\,\partial^2\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big](Z_2)
\end{aligned}$$

$$
\begin{aligned}
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^2}\Big[c_{23}\,\partial^2 D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{24}\,\mathbf{T}\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{25}\,\mathbf{T}\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{26}\,[D,\overline{D}]\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{27}\,D\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{28}\,D\mathbf{T}\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{29}\,\partial\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{30}\,\partial D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{31}\,\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big](Z_2)\\
&+\frac{1}{z_{12}}\Big[c_{32}\,\partial^2 D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{33}\,\mathbf{T}\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{34}\,\mathbf{T}\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{35}\,\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{36}\,[D,\overline{D}]\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{37}\,D\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{38}\,D\mathbf{T}\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{39}\,\partial D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{40}\,\partial\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big](Z_2)\\
&+\frac{\theta_{12}}{z_{12}}\Big[c_{41}\,\mathbf{T}D\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{42}\,D\mathbf{T}\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{43}\,\partial D\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big](Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}}\Big[c_{44}\,\overline{D}\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{45}\,\partial^2[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{46}\,\mathbf{T}\partial[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{47}\,\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{48}\,\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{49}\,\mathbf{T}\mathbf{T}\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{50}\,\mathbf{T}\overline{D}\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{51}\,\mathbf{T}[D,\overline{D}]\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{52}\,\mathbf{T}D\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{53}\,\mathbf{T}\partial^2\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{54}\,\overline{D}\mathbf{T}\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{55}\,\partial\overline{D}\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{56}\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{57}\,[D,\overline{D}]\mathbf{T}\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{58}\,\partial[D,\overline{D}]\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{59}\,D\mathbf{T}\partial\overline{D}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{60}\,\partial D\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{61}\,\partial\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{62}\,\partial\mathbf{T}\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{63}\,\partial\mathbf{T}\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{64}\,\partial^2\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{65}\,\partial^3\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\Big[c_{66}\,\partial^3 D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{67}\,\mathbf{T}\partial^2 D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{68}\,\mathbf{T}\mathbf{T}\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{69}\,\mathbf{T}\mathbf{T}\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{70}\,\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{71}\,\mathbf{T}D\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{72}\,\mathbf{T}D\mathbf{T}\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{73}\,\overline{D}\mathbf{T}D\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{74}\,[D,\overline{D}]\mathbf{T}\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{75}\,\partial[D,\overline{D}]\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{76}\,D\mathbf{T}\partial[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{77}\,D\mathbf{T}\partial^2\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{78}\,\partial D\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{79}\,\partial D\mathbf{T}\partial\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{80}\,\partial\mathbf{T}\partial D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{81}\,\partial\mathbf{T}\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+c_{82}\,\partial^2\mathbf{T}D\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{83}\,\partial^2 D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{84}\,\partial\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{85}\,\partial D\mathbf{T}\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}+c_{86}\,[D,\overline{D}]\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}\\
&+\,c_{87}\,\mathbf{T}\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{-\frac{2}{3}}\Big](Z_2)\Big)+\cdots,
\end{aligned}
\tag{G.2}
$$

where the coefficients appearing in Appendix (G.2) are given by

$$
\begin{aligned}
c_2 &= -\frac{1}{14}, \qquad c_3=-\frac{3}{7}, \qquad c_4=\frac{3}{70}, \qquad c_5=0, \qquad c_6=\frac{17}{70}, \qquad c_7=-\frac{(2c-81)}{35(c+6)},\\
c_8 &= -\frac{93}{35(c+6)}, \qquad c_9=\frac{31}{5(c+6)}, \qquad c_{10}=-\frac{3(c-3)}{35(c+6)}, \qquad c_{11}=-\frac{27}{35(c+6)},\\
c_{12} &= \frac{9}{5(c+6)},\\
c_{13} &= \frac{15}{7(c+6)}, \qquad c_{14}=\frac{3(9c^4-156c^3-8130c^2+11704c+24069)}{70(c+6)(9c-11)(3c^2+54c-169)},\\
c_{15} &= -\frac{9(3c^3-897c^2+10517c-1783)}{70(c+6)(9c-11)(3c^2+54c-169)}, \qquad c_{16}=-\frac{234(c+1)}{(9c-11)(3c^2+54c-169)},\\
c_{17} &= \frac{3(75c^3-4617c^2-55519c+142773)}{70(c+6)(9c-11)(3c^2+54c-169)}, \qquad c_{18}=-\frac{9(381c^3+3499c^2-11015c-11933)}{35(c+6)(9c-11)(3c^2+54c-169)},
\end{aligned}
$$

$$
\begin{aligned}
c_{19} &= -\frac{(87c^2+896c-2271)}{10(c+6)(3c^2+54c-169)}, \qquad c_{20} = \frac{3(9c^3-2199c^2+3345c+3353)}{5(c+6)(9c-11)(3c^2+54c-169)},\\
c_{21} &= -\frac{3(21c^3-671c^2-13725c+44167)}{10(c+6)(9c-11)(3c^2+54c-169)},\\
c_{22} &= \frac{(90c^4-1875c^3-24159c^2+82747c-35859)}{70(c+6)(9c-11)(3c^2+54c-169)},\\
c_{23} &= -\frac{(189c^5-10089c^4-162501c^3+1083579c^2-2319700c+1852098)}{140(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{24} &= -\frac{3(1125c^4+1866c^3-400176c^2+1289780c-925103)}{70(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{25} &= -\frac{9(138c^3+3272c^2-20155c+16311)}{5(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{26} &= \frac{5(243c^4-1872c^3-22806c^2+118666c-129483)}{28(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{27} &= \frac{3(1188c^4-5337c^3+82971c^2-293445c+420059)}{140(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{28} &= \frac{(17550c^4+358209c^3-1944915c^2+3998133c-3565693)}{140(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{29} &= -\frac{3(9927c^4+192834c^3-69356c^2-2083236c+1532827)}{140(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{30} &= \frac{(3456c^4+55017c^3-189063c^2-196243c+477781)}{10(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{31} &= \frac{63(111c^3+1589c^2-6025c+5697)}{5(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{32} &= -\frac{3(27c^5-747c^4-15963c^3+26637c^2+60860c-38166)}{70(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{33} &= -\frac{9(45c^4+678c^3-8628c^2-8020c+29841)}{35(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{34} &= \frac{54(132c^3+1258c^2-995c+2279)}{35(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{35} &= \frac{18(63c^3+237c^2+3075c-1499)}{5(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{36} &= \frac{15(81c^4+810c^3-1836c^2-3428c+2217)}{14(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{37} &= \frac{9(54c^4-3591c^3+6033c^2+19605c-1073)}{70(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{38} &= \frac{9(180c^4+8589c^3+1245c^2-53167c+4597)}{70(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{39} &= \frac{9(36c^4+167c^3-3893c^2+4967c+2391)}{5(c+6)(3c+2)(9c-11)(3c^2+54c-169)},
\end{aligned}
$$

$$
\begin{aligned}
c_{40} &= -\frac{9(261c^4+3852c^3+8902c^2-41898c-75809)}{70(c+6)(3c+2)(9c-11)(3c^2+54c-169)},\\
c_{41} &= \frac{18}{(c+6)(3c+2)}, \qquad c_{42}=\frac{3(3c-19)}{7(c+6)(3c+2)}, \qquad c_{43}=\frac{3(10c+23)}{7(c+6)(3c+2)},\\
c_{44} &= \frac{6}{35d_1(c)}(6c-5)(12636c^5+213291c^4-869547c^3-1688193c^2+9155809c-7487400),\\
c_{45} &= \frac{3}{980d_1(c)}(6c-5)(162c^7-7785c^6-221163c^5+372513c^4\\
&+ 2956895c^3-15133452c^2+45663254c-56921328),\\
c_{46} &= -\frac{9}{490d_1(c)}(6c-5)(18c^6-8007c^5+199476c^4\\
&+ 723368c^3-5758220c^2+13579913c-17090600),\\
c_{47} &= -\frac{27}{245d_1(c)}(6c-5)(600c^5-920c^4-68870c^3+499227c^2-563431c+810392),\\
c_{48} &= -\frac{36}{7d_1(c)}(c+6)(6c-5)(24c^3-1413c^2+7051c-312),\\
c_{49} &= -\frac{9}{245d_1(c)}(6c-5)(9948c^5+69578c^4+6344c^3+2045165c^2-3013125c-9608376),\\
c_{50} &= -\frac{36}{245d_1(c)}(6c-5)(2736c^5+35961c^4-367677c^3-88833c^2+3519449c-5809320),\\
c_{51} &= -\frac{3}{35d_1(c)}(6c-5)(486c^5-12429c^4+202083c^3-592713c^2+1289849c-929640),\\
c_{52} &= \frac{18}{35d_1(c)}(6c-5)(18c^5-6807c^4-46011c^3+502931c^2-1728763c+1726520),\\
c_{53} &= \frac{3(6c-5)}{490d_1(c)}(954c^6-65019c^5-954840c^4\\
&- 1317980c^3+20872044c^2-16574843c-26680200),\\
c_{54} &= -\frac{9(6c-5)}{245d_1(c)}(3510c^6+4647c^5-560158c^4\\
&+ 1409686c^3+5284684c^2-25272657c+28763240),\\
c_{55} &= -\frac{3}{245d_1(c)}(6c-5)(30456c^6+555030c^5+979827c^4\\
&- 16722391c^3-956413c^2+94359951c-69377880),\\
c_{56} &= -\frac{3}{980d_1(c)}(c+6)(6c-5)(9c-11)(810c^4-3699c^3-69146c^2+419403c-575480),\\
c_{57} &= -\frac{1}{980d_1(c)}(6c-5)(119394c^6+1136979c^5-5384853c^4\\
&- 11413555c^3+114851475c^2-255103168c+161816640),\\
c_{58} &= -\frac{1}{70d_1(c)}(6c-5)(15876c^6+232614c^5-454779c^4\\
&- 4689629c^3+12949785c^2-6736983c-1874280),\\
c_{59} &= \frac{3}{35d_1(c)}(6c-5)(162c^6-27603c^5+45714c^4
\end{aligned}
$$

$$
\begin{aligned}
&+ \quad 386502c^3 - 2695994c^2 + 7793319c - 7547864),\\
c_{60} &= \frac{3}{35d_1(c)}(6c-5)(108c^6 - 27528c^5 - 143997c^4\\
&+ \quad 566823c^3 + 2483685c^2 - 7353379c + 3020920),\\
c_{61} &= -\frac{9}{980d_1(c)}(6c-5)(270c^6 - 36843c^5 + 8837c^4\\
&+ \quad 1993967c^3 + 1569217c^2 - 23275344c + 17205056),\\
c_{62} &= -\frac{9}{35d_1(c)}(6c-5)(5262c^5 + 80377c^4 + 188761c^3 - 1514111c^2 + 181483c + 1936840),\\
c_{63} &= -\frac{3(6c-5)}{980d_1(c)}(54c^6 + 86325c^5 + 18223c^4\\
&- \quad 1900127c^3 + 7301039c^2 + 43132590c - 142114928),\\
c_{64} &= -\frac{(6c-5)}{70d_1(c)}(1296c^6 - 59886c^5 - 1374639c^4\\
&+ \quad 1261671c^3 + 28832545c^2 - 58221783c + 821400),\\
c_{65} &= \frac{1}{2940d_1(c)}\\
&\times \quad (6c-5)(3726c^7 - 198711c^6 - 2233857c^5 + 6866295c^4\\
&+ \quad 30429673c^3 - 143190204c^2 + 250626670c - 207457968),\\
c_{66} &= -\frac{1}{294d_1(c)}(972c^8 - 79272c^7 + 7731c^6 + 10446411c^5 - 21084303c^4\\
&- \quad 208264183c^3 + 891248796c^2 - 1200942160c + 537945600),\\
c_{67} &= -\frac{6}{49d_1(c)}(864c^7 - 32760c^6 - 535152c^5 + 1699326c^4\\
&+ \quad 14157958c^3 - 72609371c^2 + 112633825c - 57153800),\\
c_{68} &= -\frac{18}{49d_1(c)}(396c^6 + 93084c^5 - 338545c^4\\
&- \quad 4056553c^3 + 23472490c^2 - 42123390c + 24287600),\\
c_{69} &= \frac{36}{7d_1(c)}(3312c^5 - 4632c^4 - 92505c^3 + 603674c^2 - 1237965c + 784200),\\
c_{70} &= \frac{15}{49d_1(c)}(23004c^6 - 11124c^5 - 989991c^4\\
&+ \quad 2728689c^3 + 3856415c^2 - 18890897c + 14478440),\\
c_{71} &= \frac{9}{49d_1(c)}(3996c^6 - 54540c^5 - 552621c^4\\
&+ \quad 3168369c^3 - 7758539c^2 + 17550647c - 12700760),\\
c_{72} &= \frac{3}{49d_1(c)}(66420c^6 + 903852c^5 - 5656347c^4\\
&- \quad 27245901c^3 + 212618587c^2 - 391025811c + 209729080),\\
c_{73} &= \frac{6}{49d_1(c)}(182088c^6 + 69984c^5 - 3586797c^4\\
&+ \quad 2890611c^3 - 4721361c^2 + 49900535c - 42855000),
\end{aligned}
$$

$$
\begin{aligned}
c_{74} &= \frac{5}{98d_1(c)}(4860c^7 - 173124c^6 - 1050993c^5 + 8755464c^4 \\
&+ 907370c^3 - 81713274c^2 + 149730149c - 78979080), \\
c_{75} &= \frac{1}{98d_1(c)}(29160c^7 + 501228c^6 - 2858976c^5 - 8735367c^4 \\
&+ 85139311c^3 - 272136831c^2 + 442206735c - 210327000), \\
c_{76} &= \frac{3}{98d_1(c)}(3564c^7 - 150444c^6 - 113949c^5 + 2761866c^4 \\
&- 11202750c^3 + 54951740c^2 - 120084663c + 72084440), \\
c_{77} &= \frac{1}{98d_1(c)}(28836c^7 - 502740c^6 - 7227999c^5 + 24981018c^4 \\
&+ 124984842c^3 - 579844400c^2 + 719963079c - 286824920), \\
c_{78} &= \frac{3}{98d_1(c)}(6480c^7 + 25452c^6 + 517908c^5 + 2105547c^4 \\
&- 14714569c^3 + 10292323c^2 - 2604737c - 250840), \\
c_{79} &= \frac{1}{98d_1(c)}(101088c^7 + 1972404c^6 + 3464640c^5 - 39604647c^4 \\
&- 44660867c^3 + 246743165c^2 - 54701219c - 84179080), \\
c_{80} &= -\frac{15}{98d_1(c)}(3564c^7 + 30636c^6 - 582069c^5 - 569956c^4 \\
&+ 16379738c^3 - 42067358c^2 + 31022649c - 2553640), \\
c_{81} &= -\frac{9}{49d_1(c)}(28260c^6 + 649932c^5 - 1011487c^4 \\
&- 17746275c^3 + 57026779c^2 - 46205105c + 3639400), \\
c_{82} &= -\frac{1}{98d_1(c)}(124416c^7 + 2668572c^6 + 4393764c^5 - 86497545c^4 \\
&+ 20413401c^3 + 667925879c^2 - 1085835075c + 458100600), \\
c_{83} &= \frac{2}{7d_1(c)}(5508c^7 + 67923c^6 - 86064c^5 - 1427376c^4 \\
&+ 1333962c^3 + 13913834c^2 - 34980625c + 18308200), \\
c_{84} &= \frac{6}{7d_1(c)}(15984c^6 + 320931c^5 - 444090c^4 \\
&- 8473867c^3 + 25850560c^2 - 19328210c + 2659600), \\
c_{85} &= \frac{12}{7d_1(c)}(4644c^6 + 92313c^5 + 105393c^4 - 2228802c^3 + 4284334c^2 - 4512340c + 1734400), \\
c_{86} &= -\frac{2}{7d_1(c)}(9c - 11)(7776c^5 + 26487c^4 - 282471c^3 + 347798c^2 + 376350c - 583600), \\
c_{87} &= -\frac{36}{7d_1(c)}(7488c^5 + 2082c^4 - 212150c^3 + 976741c^2 - 2519915c + 1814200), \\
d_1(c) &\equiv (c + 6)(3c + 2)(6c - 5)(9c - 11)(2c^2 + 9c - 40)(3c^2 + 54c - 169). \qquad \text{(G.3)}
\end{aligned}
$$

In the large c limit, all the nonlinear terms associated with the coefficients in Appendix (G.3) disappear. One can also analyze the $\frac{1}{c}, \cdots, \frac{1}{c^3}$-terms. We introduce $d_1(c)$ in Appendix (G.3)

which appears in the denominators of the coefficients. The OPE between the second higher spin $\mathcal{N}=2$ multiplet and the third higher spin $\mathcal{N}=2$ multiplet in (3.3) can be written as

$$
\begin{aligned}
&\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2) = C^{(2)\,-}_{(2)\,(\frac{7}{2})}\,\left(\frac{\theta_{12}}{z_{12}^4}\,\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^4}\,d_2\,\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)+ +\frac{1}{z_{12}^3}\,d_3\,\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)\right.\\
&+\frac{\theta_{12}}{z_{12}^3}\,\left[d_4\,[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_5\,\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_6\,\partial\mathbf{W}^{(2)}_{\frac{2}{3}}\right](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^3}\,\left[d_7\,\partial\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_8\,\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_9\,\overline{D}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}\right](Z_2)\\
&+\frac{1}{z_{12}^2}\,\left[d_{10}\,\partial\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{11}\,\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{12}\,\overline{D}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}\right](Z_2)+\frac{\bar\theta_{12}}{z_{12}^2}\,d_{13}\,\overline{D}\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)\\
&+\frac{\theta_{12}}{z_{12}^2}\,\left[d_{14}\,\partial[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{15}\,\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{16}\,\mathbf{T}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{17}\,\mathbf{T}\partial\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{18}\,D\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}\right.\\
&\left.+\,d_{19}\,[D,\overline{D}]\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{20}\,\overline{D}\mathbf{T}D\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{21}\,\partial\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{22}\,\partial^2\mathbf{W}^{(2)}_{\frac{2}{3}}\right](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^2}\,\left[d_{23}\,\partial^2\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{24}\,\mathbf{T}\partial\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{25}\,\mathbf{T}\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{26}\,[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}\right.\\
&\left.+\,d_{27}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{28}\,\overline{D}\mathbf{T}\partial\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{29}\,\partial\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{30}\,\partial\overline{D}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{31}\,\mathbf{T}\overline{D}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}\right](Z_2)\\
&+\frac{1}{z_{12}}\,\left[d_{32}\,\partial^2\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{33}\,\mathbf{T}\partial\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{34}\,\mathbf{T}\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{35}\,\mathbf{T}\overline{D}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{36}\,[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}\right.\\
&\left.+d_{37}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{38}\,\overline{D}\mathbf{T}\partial\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{39}\,\partial\overline{D}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{40}\,\partial\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}\right](Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}}\,\left[d_{41}\,\mathbf{T}\overline{D}\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{42}\,\overline{D}\mathbf{T}\partial\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{43}\,\partial\overline{D}\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}\right](Z_2)\\
&+\frac{\theta_{12}}{z_{12}}\,\left[d_{44}\,\overline{D}\mathbf{T}D\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{45}\,\partial^2[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{46}\,\mathbf{T}\partial[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{47}\,\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}\right.\\
&+d_{48}\,\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{49}\,\mathbf{T}\mathbf{T}\partial\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{50}\,\mathbf{T}D\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{51}\,\mathbf{T}[D,\overline{D}]\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{52}\,\mathbf{T}\overline{D}\mathbf{T}D\mathbf{W}^{(2)}_{\frac{2}{3}}\\
&+d_{53}\,\mathbf{T}\partial^2\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{54}\,D\mathbf{T}\partial\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{55}\,\partial D\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{56}\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}\\
&+d_{57}\,[D,\overline{D}]\mathbf{T}\partial\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{58}\,\partial[D,\overline{D}]\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{59}\,\overline{D}\mathbf{T}\partial D\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{60}\,\partial\overline{D}\mathbf{T}D\mathbf{W}^{(2)}_{\frac{2}{3}}\\
&\left.+\,d_{61}\,\partial\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{62}\,\partial\mathbf{T}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{63}\,\partial\mathbf{T}\partial\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{64}\,\partial^2\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{65}\,\partial^3\mathbf{W}^{(2)}_{\frac{2}{3}}\right](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\,\left[d_{66}\,\partial^3\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{67}\,\mathbf{T}\partial^2\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{68}\,\mathbf{T}\mathbf{T}\partial\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{69}\,\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}\right.\\
&+d_{70}\,\mathbf{T}[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{71}\,\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{72}\,\mathbf{T}\overline{D}\mathbf{T}\partial\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{73}\,\overline{D}\mathbf{T}D\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}\\
&+d_{74}\,[D,\overline{D}]\mathbf{T}\partial\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{75}\,\partial[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{76}\,\overline{D}\mathbf{T}\partial[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{77}\,\overline{D}\mathbf{T}\partial^2\mathbf{W}^{(2)}_{\frac{2}{3}}\\
&+d_{78}\,\partial\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{79}\,\partial\overline{D}\mathbf{T}\partial\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{80}\,\partial\mathbf{T}\partial\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{81}\,\partial\mathbf{T}\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}\\
&+d_{82}\,\partial^2\mathbf{T}\overline{D}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{83}\,\partial^2\overline{D}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{84}\,\partial\mathbf{T}\overline{D}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{85}\,\partial\overline{D}\mathbf{T}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}+d_{86}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}
\end{aligned}
$$

$$+\ d_{87}\,\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}\mathbf{W}^{(2)}_{\frac{2}{3}}\Big]\,(Z_2)\Big)+\cdots, \tag{G.4}$$

where the coefficients in Appendix (G.4) can be written in terms of previous ones c_i in Appendix (G.3) and are given by

$$\begin{aligned}
d_2 &= -c_2, \quad d_3=c_3, \quad d_4=-c_4, \quad d_5=0, \quad d_6=c_6, \quad d_7=-c_7,\\
d_8 &= c_8, \quad d_9=c_9, \quad d_{10}=c_{10}, \quad d_{11}=-c_{11}, \quad d_{12}=-c_{12}, \quad d_{13}=-c_{13},\\
d_{14} &= -c_{14}, \quad d_{15}=c_{15}, \quad d_{16}=c_{16}, \quad d_{17}=-c_{17}, \quad d_{18}=-c_{18}, \quad d_{19}=c_{19},\\
d_{20} &= -c_{20}, \quad d_{21}=-c_{21}, \quad d_{22}=c_{22}, \quad d_{23}=-c_{23}, \quad d_{24}=c_{24}, \quad d_{25}=-c_{25},\\
d_{26} &= -c_{26}, \quad d_{27}=-c_{27}, \quad d_{28}=c_{28}, \quad d_{29}=c_{29}, \quad d_{30}=c_{30}, \quad d_{31}=-c_{31},\\
d_{32} &= c_{32}, \quad d_{33}=-c_{33}, \quad d_{34}=c_{34}, \quad d_{35}=c_{35}, \quad d_{36}=c_{36}, \quad d_{37}=c_{37},\\
d_{38} &= -c_{38}, \quad d_{39}=-c_{39}, \quad d_{40}=-c_{40}, \quad d_{41}=c_{41}, \quad d_{42}=-c_{42}, \quad d_{43}=-c_{43},\\
d_{44} &= -c_{44}, \quad d_{45}=-c_{45}, \quad d_{46}=c_{46}, \quad d_{47}=-c_{47}, \quad d_{48}=-c_{48}, \quad d_{49}=c_{49},\\
d_{50} &= c_{50}, \quad d_{51}=-c_{51}, \quad d_{52}=c_{52}, \quad d_{53}=-c_{53}, \quad d_{54}=-c_{54}, \quad d_{55}=-c_{55},\\
d_{56} &= -c_{56}, \quad d_{57}=c_{57}, \quad d_{59}=-c_{59}, \quad d_{60}=-c_{60}, \quad d_{61}=c_{61},\\
d_{62} &= c_{62}, \quad d_{63}=-c_{63}, \quad d_{64}=-c_{64}, \quad d_{65}=c_{65}, \quad d_{66}=-c_{66} \quad d_{67}=c_{67},\\
d_{68} &= -c_{68}, \quad d_{69}=c_{69}, \quad d_{70}=c_{70}, \quad d_{71}=c_{71}, \quad d_{72}=-c_{72}, \quad d_{73}=c_{73},\\
d_{74} &= -c_{74}, \quad d_{76}=-c_{76}, \quad d_{77}=c_{77}, \quad d_{78}=-c_{78}, \quad d_{79}=c_{79}, \quad d_{80}=c_{80},\\
d_{81} &= -c_{81}, \quad d_{82}=c_{82}, \quad d_{84}=-c_{84}, \quad d_{85}=-c_{85}, \quad d_{86}=c_{86}, \quad d_{87}=c_{87},\\
d_{58} &= -\frac{1}{70d_1(c)}(6c-5)(15876c^6+308430c^5+824967c^4\\
&- 9906911c^3+2820627c^2+48197871c-46798680),\\
d_{75} &= -\frac{1}{98d_1(c)}5(5832c^7-118260c^6-655776c^5+2557083c^4\\
&+ 13559129c^3-48761733c^2+28560705c+9360600),\\
d_{83} &= \frac{1}{7d_1(c)}(11016c^7+205830c^6-19281c^5-5688348c^4\\
&+ 8905287c^3+27389040c^2-79353500c+43036000).
\end{aligned} \tag{G.5}$$

Note that the last three terms in Appendix (G.5) are different from the corresponding coefficients in Appendix (G.3). Furthermore, the OPE between the second higher spin $\mathcal{N}=2$ multiplet and the fourth higher spin $\mathcal{N}=2$ multiplet in (3.3) can be described as

$$\begin{aligned}
&\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)=C^{(4)\,-}_{(2)\,(\frac{7}{2})}\,\left(\frac{\theta_{12}}{z_{12}^2}\,\mathbf{W}^{(4)}_0(Z_2)+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^2}\,\frac{7}{24}\,\overline{D}\mathbf{W}^{(4)}_0(Z_2)\right.\\
&-\frac{1}{z_{12}}\,\frac{1}{4}\,\overline{D}\mathbf{W}^{(4)}_0(Z_2)+\frac{\theta_{12}}{z_{12}}\left[-\frac{1}{24}\,[D,\overline{D}]\mathbf{W}^{(4)}_0+\frac{3}{8}\,\partial\mathbf{W}^{(4)}_0\right](Z_2)\\
&\left.+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\left[\frac{5(c-3)}{36(c+9)}\,\partial\overline{D}\mathbf{W}^{(4)}_0+\frac{20}{3(c+9)}\,\overline{D}\mathbf{T}\mathbf{W}^{(4)}_0-\frac{5}{3(c+9)}\,\mathbf{T}\overline{D}\mathbf{W}^{(4)}_0\right](Z_2)\right)+\cdots,
\end{aligned} \tag{G.6}$$

which looks like as Appendix (G.1). Again, in the large c limit, all the nonlinear terms in Appendix (G.6) disappear. One can also analyze the $\frac{1}{c}$-terms.

G.2 The OPEs $\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_2)$

Now let us consider the OPE between the third higher spin $\mathcal{N}=2$ multiplet and itself in (3.3).

$$
\begin{aligned}
&\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2) = C^{(\frac{7}{2})+}_{(\frac{7}{2})(\frac{7}{2})}\left(\frac{\bar\theta_{12}}{z_{12}^4}\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^4}\,e_2\,D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)++\frac{1}{z_{12}^3}\,e_3\,D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)\right.\\
&+\frac{\bar\theta_{12}}{z_{12}^3}\left[e_4\,[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_5\,\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_6\,\partial\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^3}\left[e_7\,\partial D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_8\,\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_9\,D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right](Z_2)\\
&+\frac{1}{z_{12}^2}\left[e_{10}\,\partial D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{11}\,\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{12}\,D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right](Z_2)+\frac{\theta_{12}}{z_{12}^2}\,e_{13}\,D\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}^2}\left[e_{14}\,\partial[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{15}\,\mathbf{T}[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{16}\,\mathbf{T}\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{17}\,\mathbf{T}\partial\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{18}\,\overline{D}\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right.\\
&\left.+\,e_{19}\,[D,\overline{D}]\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{20}\,D\mathbf{T}\overline{D}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{21}\,\partial\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{22}\,\partial^2\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^2}\left[e_{23}\,\partial^2 D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{24}\,\mathbf{T}\partial D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{25}\,\mathbf{T}\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{26}\,[D,\overline{D}]\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right.\\
&\left.+\,e_{27}\,D\mathbf{T}[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{28}\,D\mathbf{T}\partial\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{29}\,\partial\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{30}\,\partial D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{31}\,\mathbf{T}D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right](Z_2)\\
&+\frac{1}{z_{12}}\left[e_{32}\,\partial^2 D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{33}\,\mathbf{T}\partial D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{34}\,\mathbf{T}\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{35}\,\mathbf{T}D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{36}\,[D,\overline{D}]\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right.\\
&\left.+\,e_{37}\,D\mathbf{T}[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{38}\,D\mathbf{T}\partial\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{39}\,\partial D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{40}\,\partial\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right](Z_2)\\
&+\frac{\theta_{12}}{z_{12}}\left[e_{41}\,\mathbf{T}D\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{42}\,D\mathbf{T}\partial D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{43}\,\partial D\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right](Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}}\left[e_{44}\,\overline{D}\mathbf{T}D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{45}\,\partial^2[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{46}\,\mathbf{T}\partial[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{47}\,\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right.\\
&+e_{48}\,\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{49}\,\mathbf{T}\mathbf{T}\partial\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{50}\,\mathbf{T}\overline{D}\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{51}\,\mathbf{T}[D,\overline{D}]\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{52}\,\mathbf{T}D\mathbf{T}\overline{D}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&+e_{53}\,\mathbf{T}\partial^2\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{54}\,\overline{D}\mathbf{T}\partial D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{55}\,\partial\overline{D}\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{56}\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&+e_{57}\,[D,\overline{D}]\mathbf{T}\partial\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{58}\,\partial[D,\overline{D}]\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{59}\,D\mathbf{T}\partial\overline{D}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{60}\,\partial D\mathbf{T}\overline{D}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&\left.+\,e_{61}\,\partial\mathbf{T}[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{62}\,\partial\mathbf{T}\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{63}\,\partial\mathbf{T}\partial\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{64}\,\partial^2\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{65}\,\partial^3\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\left[e_{66}\,\partial^3 D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{67}\,\mathbf{T}\partial^2 D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{68}\,\mathbf{T}\mathbf{T}\partial D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{69}\,\mathbf{T}\mathbf{T}\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right.\\
&+e_{70}\,\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{71}\,\mathbf{T}D\mathbf{T}[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{72}\,\mathbf{T}D\mathbf{T}\partial\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{73}\,\overline{D}\mathbf{T}D\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&+e_{74}\,[D,\overline{D}]\mathbf{T}\partial D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{75}\,\partial[D,\overline{D}]\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{76}\,D\mathbf{T}\partial[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{77}\,D\mathbf{T}\partial^2\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&\left.+e_{78}\,\partial D\mathbf{T}[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{79}\,\partial D\mathbf{T}\partial\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{80}\,\partial\mathbf{T}\partial D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{81}\,\partial\mathbf{T}\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\right.
\end{aligned}
$$

$$+e_{82}\,\partial^2\mathbf{T}D\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{83}\,\partial^2 D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{84}\,\partial\mathbf{T}D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{85}\,\partial D\mathbf{T}\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}+e_{86}\,[D,\overline{D}]\mathbf{T}D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+\,e_{87}\,\mathbf{T}\mathbf{T}D\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}\Big](Z_2)\Big)+\cdots, \tag{G.7}$$

where the coefficients are given by

$$\begin{aligned}
e_2 &= -\frac{1}{2},\qquad e_3=-\frac{3}{11},\qquad e_4=\frac{3}{44},\qquad e_5=0,\qquad e_6=\frac{25}{44},\qquad e_7=-\frac{(7c+3)}{22(c+9)},\\
e_8 &= -\frac{30}{11(c+9)},\qquad e_9=\frac{10}{(c+9)},\qquad e_{10}=-\frac{3}{22},\qquad e_{11}=0,\qquad e_{12}=0,\\
e_{13} &= \frac{30}{11(c+9)},\\
e_{14} &= \frac{3(45c^4+1326c^3-6567c^2-24340c+82596)}{44(c+9)(27c-46)(3c^2+90c-265)},\\
e_{15} &= -\frac{9(39c^3-984c^2+18923c-22118)}{44(c+9)(27c-46)(3c^2+90c-265)},\\
e_{16} &= -\frac{36(31c-35)}{(27c-46)(3c^2+90c-265)},\qquad e_{17}=\frac{3(15c^3-6552c^2-121229c+352266)}{44(c+9)(27c-46)(3c^2+90c-265)},\\
e_{18} &= -\frac{9(687c^3+7144c^2-25501c-6790)}{22(c+9)(27c-46)(3c^2+90c-265)},\qquad e_{19}=-\frac{(51c^2+614c-1725)}{4(c+9)(3c^2+90c-265)},\\
e_{20} &= \frac{3(45c^3-2904c^2+4281c+5998)}{2(c+9)(27c-46)(3c^2+90c-265)},\qquad e_{21}=-\frac{3(3c^3-1544c^2-35529c+108050)}{4(c+9)(27c-46)(3c^2+90c-265)},\\
e_{22} &= \frac{(630c^4+16881c^3+18150c^2-385343c+529542)}{44(c+9)(27c-46)(3c^2+90c-265)},\\
e_{23} &= -\frac{(765c^4+11139c^3-276591c^2+897037c-685470)}{88(c+9)(27c-46)(3c^2+90c-265)},\\
e_{24} &= -\frac{3(1569c^3+44040c^2-314899c+453110)}{44(c+9)(27c-46)(3c^2+90c-265)},\qquad e_{25}=\frac{18(31c-35)}{(27c-46)(3c^2+90c-265)},\\
e_{26} &= \frac{(8235c^3+41664c^2-187409c+40170)}{44(c+9)(27c-46)(3c^2+90c-265)},\qquad e_{27}=\frac{3(279c^3+1368c^2-15255c+30428)}{11(c+9)(27c-46)(3c^2+90c-265)},\\
e_{28} &= \frac{(19485c^3+630744c^2-2712543c+2420134)}{44(c+9)(27c-46)(3c^2+90c-265)},\\
e_{29} &= -\frac{3(861c^3+21992c^2-45423c-59690)}{11(c+9)(27c-46)(3c^2+90c-265)},\\
e_{30} &= \frac{(2313c^3+48408c^2-334171c+468230)}{4(c+9)(27c-46)(3c^2+90c-265)},\qquad e_{31}=\frac{36(31c-35)}{(27c-46)(3c^2+90c-265)},\\
e_{32} &= -\frac{3}{44d_2(c)}(3c-1)(3c-2)(45c^4+1302c^3+1407c^2-42794c+75240),\\
e_{33} &= \frac{9}{22d_2(c)}(3c-2)(9c^4-528c^3-8139c^2+103598c-178320),\\
e_{34} &= \frac{216}{11d_2(c)}(3c-2)(42c^3+614c^2-1651c+1385),
\end{aligned}$$

$$
\begin{aligned}
e_{35} &= \frac{36}{d_2(c)}(3c-2)(9c^3-372c^2+3333c-4030),\\
e_{36} &= \frac{3}{22d_2(c)}(3c-2)(2025c^4+27756c^3-38283c^2-269878c+353640),\\
e_{37} &= \frac{9}{11d_2(c)}(3c-2)(27c^4-1575c^3+507c^2+16059c-10778),\\
e_{38} &= -\frac{9}{22d_2(c)}(3c-2)(45c^4-4242c^3-36687c^2+154420c-87036),\\
e_{39} &= \frac{9}{2d_2(c)}(3c-2)(9c^4-884c^3-7131c^2+26506c-11080),\\
e_{40} &= -\frac{18}{11d_2(c)}(3c-2)(9c^4-390c^3+4957c^2+17064c-78580),\\
e_{41} &= \frac{90}{11(c+9)(3c+4)}, \qquad e_{42}=\frac{15(3c+1)}{11(c+9)(3c+4)}, \qquad e_{43}=\frac{30(2c+5)}{11(c+9)(3c+4)},\\
e_{44} &= \frac{18}{d_2(c)}(3c-2)(9c^3-372c^2+3333c-4030),\\
e_{45} &= \frac{3}{88d_2(c)}(3c-2)(81c^5+1395c^4-32979c^3-48651c^2+299050c+73344),\\
e_{46} &= -\frac{9}{44d_2(c)}(3c-2)(63c^4-1662c^3+22347c^2+56468c-133396),\\
e_{47} &= -\frac{54}{11d_2(c)}(3c-2)(42c^3+614c^2-1651c+1385), \qquad e_{48}=0,\\
e_{49} &= -\frac{18}{11d_2(c)}(3c-2)(1149c^3+11258c^2-4612c-9705),\\
e_{50} &= \frac{216}{11d_2(c)}(3c-2)(42c^3+614c^2-1651c+1385),\\
e_{51} &= -\frac{9}{d_2(c)}(3c-2)(9c^3-372c^2+3333c-4030),\\
e_{52} &= -\frac{18}{d_2(c)}(3c-2)(9c^3-372c^2+3333c-4030),\\
e_{53} &= \frac{3}{44d_2(c)}(3c-2)(9c^4-9006c^3-182739c^2+130544c+972012),\\
e_{54} &= -\frac{9}{11d_2(c)}(3c-2)(513c^4+6177c^3-9947c^2-56493c+37790),\\
e_{55} &= -\frac{3}{11d_2(c)}(3c-2)(2079c^4+22392c^3-52749c^2-48622c-217560),\\
e_{56} &= -\frac{3(81c^2+87c-698)}{88(3c+4)(3c^2+90c-265)},\\
e_{57} &= -\frac{1}{88d_2(c)}(3c-2)(51111c^4+651690c^3-1627485c^2-2872900c+5335644),\\
e_{58} &= -\frac{1}{2d_2(c)}(3c-2)(1053c^4+10062c^3-57927c^2+44332c+54420),\\
e_{59} &= \frac{3}{2d_2(c)}(3c-2)(81c^4-5274c^3-4251c^2+42996c-2812),
\end{aligned}
$$

$$
\begin{aligned}
e_{60} &= \frac{3}{d_2(c)}(3c-2)(27c^4-1470c^3+5655c^2-11100c+14308),\\
e_{61} &= -\frac{9}{88d_2(c)}(3c-2)(135c^4-4386c^3+34019c^2-26800c+204292),\\
e_{62} &= -\frac{9}{d_2(c)}(3c-2)(381c^3+3052c^2+3457c-9070),\\
e_{63} &= \frac{3}{88d_2(c)}(3c-2)(189c^4+13818c^3+799921c^2-762464c-4549204),\\
e_{64} &= -\frac{3}{2d_2(c)}(3c-2)(9c^4-1818c^3-33539c^2+65388c+99740),\\
e_{65} &= \frac{1}{264d_2(c)}(3c-2)(2511c^5+31365c^4-242229c^3-252861c^2+1795390c-786096),\\
e_{66} &= -\frac{5}{66d_2(c)}(243c^6-513c^5-109449c^4+391569c^3-21342c^2-1057292c+1013112),\\
e_{67} &= -\frac{15}{11d_2(c)}(189c^5+3501c^4-46959c^3+36513c^2+251732c-301892),\\
e_{68} &= \frac{90}{d_2(c)}(36c^4-21c^3-575c^2+4846c-6616),\\
e_{69} &= \frac{1080}{11d_2(c)}(252c^3+141c^2-3017c+3694),\\
e_{70} &= \frac{15}{11d_2(c)}(6075c^4-11664c^3+56673c^2-338112c+406316),\\
e_{71} &= \frac{45}{11d_2(c)}(108c^4-1809c^3-23475c^2+85134c-71288),\\
e_{72} &= \frac{15}{11d_2(c)}(3888c^4+37935c^3-39735c^2-289890c+522872),\\
e_{73} &= \frac{90}{11d_2(c)}(3456c^4-6345c^3-29889c^2+71576c-55076),\\
e_{74} &= \frac{5}{22d_2(c)}(4617c^5-4077c^4-41121c^3-114363c^2+822908c-1024116),\\
e_{75} &= \frac{5}{11d_2(c)}(1944c^5+18630c^4-20313c^3-82179c^2-351932c+491628),\\
e_{76} &= \frac{15}{22d_2(c)}(567c^5-2214c^4-31635c^3+132786c^2-138528c+108592),\\
e_{77} &= \frac{5}{22d_2(c)}(5265c^5+134136c^4-548721c^3+254544c^2+735192c-751784),\\
e_{78} &= \frac{15}{22d_2(c)}(648c^5+5409c^4+444c^3-84405c^2+295772c-236180),\\
e_{79} &= \frac{5}{22d_2(c)}(12636c^5+303129c^4-1117764c^3-365481c^2+2621708c-954148),\\
e_{80} &= -\frac{15}{22d_2(c)}(1539c^5+37377c^4-54291c^3-201209c^2-136724c+509396),\\
e_{81} &= \frac{45}{11d_2(c)}(1179c^4+11010c^3+7403c^2-144728c+206180),
\end{aligned}
$$

$$
\begin{aligned}
e_{82} &= -\frac{15}{11 d_2(c)}(783c^5+17685c^4-41751c^3-60493c^2+107556c-108844),\\
e_{83} &= \frac{5}{d_2(c)}(405c^5+3150c^4-57864c^3+110343c^2+142176c-200156),\\
e_{84} &= \frac{15}{d_2(c)}(459c^4+6075c^3-444c^2-39272c+2648),\\
e_{85} &= \frac{30}{d_2(c)}(216c^4+1917c^3+1653c^2+14448c-27964),\\
e_{86} &= -\frac{5}{d_2(c)}(3c+4)(27c-46)(81c^2-183c-44),\\
e_{87} &= -\frac{360}{d_2(c)}(252c^3+141c^2-3017c+3694),\\
d_2(c) &\equiv (c+9)(3c-2)(3c+4)(27c-46)(3c^2+90c-265). \qquad \text{(G.8)}
\end{aligned}
$$

In the large c limit, all the nonlinear terms corresponding to the coefficients Appendix (G.8) disappear. One can also analyze the $\frac{1}{c},\cdots,\frac{1}{c^3}$-terms. We introduce $d_2(c)$ in Appendix (G.8) which appears in the denominators of the coefficients.

Now the OPE between the third higher spin $\mathcal{N}=2$ multiplet and the fourth higher spin $\mathcal{N}=2$ multiplet in (3.3) can be described as

$$
\begin{aligned}
&\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)=\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^8}\,g_{379}+\frac{1}{z_{12}^7}\,\frac{2c}{7}+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^7}\,g_{380}\,\mathbf{T}(Z_2)+\frac{1}{z_{12}^6}\,g_{381}\,\mathbf{T}(Z_2)\\
&+\frac{\theta_{12}}{z_{12}^6}\,g_{382}\,D\mathbf{T}(Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}^6}\,g_{383}\,\overline{D}\mathbf{T}(Z_2)+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^6}\,\Big[g_{384}\,[D,\overline{D}]\mathbf{T}+g_{385}\,\mathbf{TT}+g_{386}\,\partial\mathbf{T}\Big](Z_2)\\
&+\frac{1}{z_{12}^5}\,\Big[g_{387}\,[D,\overline{D}]\mathbf{T}+g_{388}\,\mathbf{TT}+g_{399}\,\partial\mathbf{T}\Big](Z_2)+\frac{\theta_{12}}{z_{12}^5}\,[g_{389}\,\partial D\mathbf{T}+g_{390}\,\mathbf{T}D\mathbf{T}](Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}^5}\,\Big[g_{391}\,\partial\overline{D}\mathbf{T}+g_{392}\,\mathbf{T}\overline{D}\mathbf{T}\Big](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^5}\,\Big[g_{393}\,\partial[D,\overline{D}]\mathbf{T}+g_{394}\,\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{395}\,\mathbf{TTT}+g_{396}\,\overline{D}\mathbf{T}D\mathbf{T}+g_{397}\,\partial\mathbf{TT}\\
&+g_{398}\,\partial^2\mathbf{T}\Big](Z_2)\\
&+\frac{1}{z_{12}^4}\,\Big[g_{400}\,\partial[D,\overline{D}]\mathbf{T}+g_{401}\,\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{402}\,\mathbf{TTT}+g_{403}\,\overline{D}\mathbf{T}D\mathbf{T}+g_{404}\,\partial\mathbf{TT}+g_{428}\,\partial^2\mathbf{T}\Big](Z_2)\\
&+\frac{\theta_{12}}{z_{12}^4}\,\Big[g_{405}\,\partial^2 D\mathbf{T}+g_{406}\,\mathbf{TT}D\mathbf{T}+g_{407}\,[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{408}\,\partial D\mathbf{TT}+g_{409}\,\partial\mathbf{T}D\mathbf{T}\Big](Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}^4}\,\Big[g_{410}\,\partial^2\overline{D}\mathbf{T}+g_{411}\,\mathbf{TT}\overline{D}\mathbf{T}+g_{412}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{413}\,\partial\overline{D}\mathbf{TT}+g_{414}\,\partial\mathbf{T}\overline{D}\mathbf{T}\Big](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^4}\,\Big[g_{415}\,\partial^2[D,\overline{D}]\mathbf{T}+g_{416}\,\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_{417}\mathbf{TTTT}+g_{418}\,\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{419}\,\partial\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{420}\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{421}\,\partial[D,\overline{D}]\mathbf{TT}+g_{422}\,\partial D\mathbf{T}\overline{D}\mathbf{T}\\
&+g_{423}\,\partial\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{424}\,\partial\mathbf{TTT}+g_{425}\,\partial\mathbf{T}\partial\mathbf{T}+g_{426}\,\partial^2\mathbf{TT}+g_{427}\,\partial^3\mathbf{T}\Big](Z_2)
\end{aligned}
$$

$$
\begin{aligned}
&+\frac{1}{z_{12}^3}\Big[g_1\,\partial^2[D,\overline{D}]\mathbf{T}+g_2\,\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_3\,\mathbf{TTTT}+g_4\,\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_5\,\partial\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_6\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_7\,\partial[D,\overline{D}]\mathbf{TT}+g_8\,\partial D\mathbf{T}\overline{D}\mathbf{T}\\
&+g_9\,\partial\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{10}\,\partial\mathbf{TTT}+g_{11}\,\partial\mathbf{T}\partial\mathbf{T}+g_{12}\,\partial^2\mathbf{TT}+g_{57}\,\partial^3\mathbf{T}\Big]\,(Z_2)\\
&+\frac{\theta_{12}}{z_{12}^3}\Big[g_{13}\,\partial^3 D\mathbf{T}+g_{14}\,\mathbf{TTT}D\mathbf{T}+g_{15}\,\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{16}\,\partial[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{17}\,\partial D\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{18}\,\partial D\mathbf{TTT}+g_{19}\,\partial D\mathbf{T}\partial\mathbf{T}+g_{20}\,\partial^2 D\mathbf{TT}+g_{21}\,\partial\mathbf{TT}D\mathbf{T}+g_{22}\,\partial^2\mathbf{T}D\mathbf{T}\Big]\,(Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}^3}\Big[g_{23}\,\partial^3\overline{D}\mathbf{T}+g_{24}\,\mathbf{TTT}\overline{D}\mathbf{T}+g_{25}\,\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{26}\,\partial\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{27}\,\partial\overline{D}\mathbf{TTT}\\
&+g_{28}\,\partial\overline{D}\mathbf{T}\partial\mathbf{T}+g_{29}\,\partial^2\overline{D}\mathbf{TT}+g_{30}\,[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{T}+g_{31}\,\partial\mathbf{TT}\overline{D}\mathbf{T}+g_{32}\,\partial^2\mathbf{T}\overline{D}\mathbf{T}\Big]\,(Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^3}\Big[g_{33}\,\partial^3[D,\overline{D}]\mathbf{T}+g_{34}\,\mathbf{TTT}[D,\overline{D}]\mathbf{T}+g_{35}\,\mathbf{TTTTT}+g_{36}\,\mathbf{TT}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{37}\,\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{38}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{39}\,\partial\overline{D}\mathbf{T}\partial D\mathbf{T}+g_{40}\,\partial\overline{D}\mathbf{TT}D\mathbf{T}\\
&+g_{41}\,\partial^2\overline{D}\mathbf{T}D\mathbf{T}+g_{42}\,\partial[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{43}\,\partial[D,\overline{D}]\mathbf{TTT}+g_{44}\,\partial[D,\overline{D}]\mathbf{T}\partial\mathbf{T}\\
&+g_{45}\,\partial^2[D,\overline{D}]\mathbf{TT}+g_{46}\,\partial D\mathbf{TT}\overline{D}\mathbf{T}+g_{47}\,\partial^2 D\mathbf{T}\overline{D}\mathbf{T}+g_{48}\,\partial\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_{49}\,\partial\mathbf{TTTT}\\
&+g_{50}\,\partial\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{51}\,\partial\mathbf{T}\partial\mathbf{TT}\\
&+g_{52}\,\partial^2\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{53}\,\partial^2\mathbf{TTT}+g_{54}\,\partial^2\mathbf{T}\partial\mathbf{T}+g_{55}\,\partial^3\mathbf{TT}+g_{56}\,\partial^4\mathbf{T}\Big]\,(Z_2)\\
&+\frac{1}{z_{12}^2}\Big[g_{58}\,\partial^3[D,\overline{D}]\mathbf{T}+g_{59}\,\mathbf{TTT}[D,\overline{D}]\mathbf{T}+g_{60}\,\mathbf{TTTTT}+g_{61}\,\mathbf{TT}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{62}\,\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{63}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{64}\,\partial\overline{D}\mathbf{T}\partial D\mathbf{T}+g_{65}\,\partial\overline{D}\mathbf{TT}D\mathbf{T}+g_{66}\,\partial^2\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{67}\,\partial[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{68}\,\partial[D,\overline{D}]\mathbf{TTT}+g_{69}\,\partial[D,\overline{D}]\mathbf{T}\partial\mathbf{T}+g_{70}\,\partial^2[D,\overline{D}]\mathbf{TT}\\
&+g_{71}\,\partial D\mathbf{TT}\overline{D}\mathbf{T}+g_{72}\,\partial^2 D\mathbf{T}\overline{D}\mathbf{T}+g_{73}\,\partial\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_{74}\,\partial\mathbf{TTTT}+g_{75}\,\partial\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{76}\,\partial\mathbf{T}\partial\mathbf{TT}+g_{77}\,\partial^2\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{78}\,\partial^2\mathbf{TTT}+g_{79}\,\partial^2\mathbf{T}\partial\mathbf{T}+g_{80}\,\partial^3\mathbf{TT}+g_{170}\,\partial^4\mathbf{T}\Big]\,(Z_2)\\
&+\frac{\theta_{12}}{z_{12}^2}\Big[g_{81}\,\partial^4 D\mathbf{T}+g_{82}\,\mathbf{TTTT}D\mathbf{T}+g_{83}\,\mathbf{TT}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{84}\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}\\
&+g_{85}\,\partial[D,\overline{D}]\mathbf{T}\partial D\mathbf{T}+g_{86}\,\partial[D,\overline{D}]\mathbf{TT}D\mathbf{T}+g_{87}\,\partial^2[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{88}\,\partial D\mathbf{TT}[D,\overline{D}]\mathbf{T}\\
&+g_{89}\,\partial D\mathbf{TTTT}+g_{90}\,\partial D\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{91}\,\partial D\mathbf{T}\partial\mathbf{TT}+g_{92}\,\partial^2 D\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{93}\,\partial^2 D\mathbf{TTT}\\
&+g_{94}\,\partial^2 D\mathbf{T}\partial\mathbf{T}+g_{95}\,\partial^3 D\mathbf{TT}+g_{96}\,\partial\mathbf{TTT}D\mathbf{T}+g_{97}\,\partial\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}\\
&+g_{98}\,\partial\mathbf{T}\partial\mathbf{T}D\mathbf{T}+g_{99}\,\partial^2\mathbf{T}\partial D\mathbf{T}+g_{100}\,\partial^2\mathbf{TT}D\mathbf{T}+g_{101}\,\partial^3\mathbf{T}D\mathbf{T}\Big]\,(Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}^2}\Big[g_{102}\,\partial^4\overline{D}\mathbf{T}+g_{103}\,\mathbf{TTTT}\overline{D}\mathbf{T}+g_{104}\,\mathbf{TT}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{105}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{106}\,\partial\overline{D}\mathbf{T}\partial[D,\overline{D}]\mathbf{T}+g_{107}\,\partial\overline{D}\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_{108}\,\partial\overline{D}\mathbf{TTTT}+g_{109}\,\partial\overline{D}\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{110}\,\partial\overline{D}\mathbf{T}\partial\mathbf{TT}+g_{111}\,\partial^2\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{112}\,\partial^2\overline{D}\mathbf{TTT}+g_{113}\,\partial^2\overline{D}\mathbf{T}\partial\mathbf{T}\\
&+g_{114}\,\partial^3\overline{D}\mathbf{TT}+g_{115}\,\partial[D,\overline{D}]\mathbf{TT}\overline{D}\mathbf{T}+g_{116}\,\partial^2[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{T}+g_{117}\,\partial\mathbf{TTT}\overline{D}\mathbf{T}\\
&+g_{118}\,\partial\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{119}\,\partial\mathbf{T}\partial\mathbf{T}\overline{D}\mathbf{T}+g_{120}\,\partial^2\mathbf{T}\partial\overline{D}\mathbf{T}+g_{121}\,\partial^2\mathbf{TT}\overline{D}\mathbf{T}+g_{122}\,\partial^3\mathbf{T}\overline{D}\mathbf{T}\Big]\,(Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^2}\Big[g_{123}\,\partial^4[D,\overline{D}]\mathbf{T}+g_{124}\,\mathbf{TTTT}[D,\overline{D}]\mathbf{T}+g_{125}\,\mathbf{TTTTTT}+g_{126}\,\mathbf{TTT}\overline{D}\mathbf{T}D\mathbf{T}
\end{aligned}
$$

$$
\begin{aligned}
&+g_{127}\,\mathbf{TT}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{128}\,\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{129}\,\partial\overline{D}\mathbf{TTT}D\mathbf{T}\\
&+g_{130}\,\partial\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}\\
&+g_{131}\,\partial\overline{D}\mathbf{T}\partial D\mathbf{TT}+g_{132}\,\partial\overline{D}\mathbf{T}\partial\mathbf{T}D\mathbf{T}+g_{133}\,\partial^2\overline{D}\mathbf{T}\partial D\mathbf{T}+g_{134}\,\partial^2\overline{D}\mathbf{TT}D\mathbf{T}\\
&+g_{135}\,\partial^3\overline{D}\mathbf{T}D\mathbf{T}+g_{136}\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{137}\,\partial[D,\overline{D}]\mathbf{T}\partial[D,\overline{D}]\mathbf{T}\\
&+g_{138}\,\partial[D,\overline{D}]\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_{139}\,\partial[D,\overline{D}]\mathbf{TTTT}+g_{140}\,\partial[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{141}\,\partial[D,\overline{D}]\mathbf{T}\partial\mathbf{TT}\\
&+g_{142}\,\partial^2[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{143}\,\partial^2[D,\overline{D}]\mathbf{TTT}+g_{144}\,\partial^2[D,\overline{D}]\mathbf{T}\partial\mathbf{T}+g_{145}\,\partial^3[D,\overline{D}]\mathbf{TT}\\
&+g_{146}\,\partial D\mathbf{TTT}\overline{D}\mathbf{T}+g_{147}\,\partial D\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{148}\,\partial D\mathbf{T}\partial\mathbf{T}\overline{D}\mathbf{T}+g_{149}\,\partial^2 D\mathbf{T}\partial\overline{D}\mathbf{T}\\
&+g_{150}\,\partial^2 D\mathbf{TT}\overline{D}\mathbf{T}+g_{151}\,\partial^3 D\mathbf{T}\overline{D}\mathbf{T}+g_{152}\,\partial\mathbf{TTT}[D,\overline{D}]\mathbf{T}+g_{153}\,\partial\mathbf{TTTTT}\\
&+g_{154}\,\partial\mathbf{TT}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{155}\,\partial\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{156}\,\partial\mathbf{T}\partial\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{157}\,\partial\mathbf{T}\partial\mathbf{TTT}\\
&+g_{158}\,\partial\mathbf{T}\partial\mathbf{T}\partial\mathbf{T}+g_{159}\,\partial^2\mathbf{T}\partial[D,\overline{D}]\mathbf{T}+g_{160}\,\partial^2\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_{161}\,\partial^2\mathbf{TTTT}\\
&+g_{162}\,\partial^2\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{163}\,\partial^2\mathbf{T}\partial\mathbf{TT}+g_{164}\,\partial^2\mathbf{T}\partial^2\mathbf{T}+g_{165}\,\partial^3\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{166}\,\partial^3\mathbf{TTT}+g_{167}\,\partial^3\mathbf{T}\partial\mathbf{T}+g_{168}\,\partial^4\mathbf{TT}+g_{169}\,\partial^5\mathbf{T}\Big]\,(Z_2)\\
&+\frac{1}{z_{12}}\Big[g_{171}\,\partial^4[D,\overline{D}]\mathbf{T}+g_{172}\,\mathbf{TTTT}[D,\overline{D}]\mathbf{T}+g_{173}\,\mathbf{TTTTTT}+g_{174}\,\mathbf{TTT}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{175}\,\mathbf{TT}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{176}\,\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{177}\,\partial\overline{D}\mathbf{TTT}D\mathbf{T}\\
&+g_{178}\,\partial\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{179}\,\partial\overline{D}\mathbf{T}\partial D\mathbf{TT}+g_{180}\,\partial\overline{D}\mathbf{T}\partial\mathbf{T}D\mathbf{T}+g_{181}\,\partial^2\overline{D}\mathbf{T}\partial D\mathbf{T}\\
&+g_{182}\,\partial^2\overline{D}\mathbf{TT}D\mathbf{T}+g_{183}\,\partial^3\overline{D}\mathbf{T}D\mathbf{T}+g_{184}\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{185}\,\partial[D,\overline{D}]\mathbf{T}\partial[D,\overline{D}]\mathbf{T}+g_{186}\,\partial[D,\overline{D}]\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_{187}\,\partial[D,\overline{D}]\mathbf{TTTT}\\
&+g_{188}\,\partial[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{189}\,\partial[D,\overline{D}]\mathbf{T}\partial\mathbf{TT}+g_{190}\,\partial^2[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{191}\,\partial^2[D,\overline{D}]\mathbf{TTT}+g_{192}\,\partial^2[D,\overline{D}]\mathbf{T}\partial\mathbf{T}+g_{193}\,\partial^3[D,\overline{D}]\mathbf{TT}+g_{194}\,\partial D\mathbf{TTT}\overline{D}\mathbf{T}\\
&+g_{195}\,\partial D\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{196}\,\partial D\mathbf{T}\partial\mathbf{T}\overline{D}\mathbf{T}+g_{197}\,\partial^2 D\mathbf{T}\partial\overline{D}\mathbf{T}+g_{198}\,\partial^2 D\mathbf{TT}\overline{D}\mathbf{T}\\
&+g_{199}\,\partial^3 D\mathbf{T}\overline{D}\mathbf{T}+g_{200}\,\partial\mathbf{TTT}[D,\overline{D}]\mathbf{T}+g_{201}\,\partial\mathbf{TTTTT}+g_{202}\,\partial\mathbf{TT}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{203}\,\partial\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{204}\,\partial\mathbf{T}\partial\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{205}\,\partial\mathbf{T}\partial\mathbf{TTT}\\
&+g_{206}\,\partial\mathbf{T}\partial\mathbf{T}\partial\mathbf{T}+g_{207}\,\partial^2\mathbf{T}\partial[D,\overline{D}]\mathbf{T}+g_{208}\,\partial^2\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_{209}\,\partial^2\mathbf{TTTT}\\
&+g_{210}\,\partial^2\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{211}\,\partial^2\mathbf{T}\partial\mathbf{TT}+g_{212}\,\partial^2\mathbf{T}\partial^2\mathbf{T}+g_{213}\,\partial^3\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{214}\,\partial^3\mathbf{TTT}+g_{215}\,\partial^3\mathbf{T}\partial\mathbf{T}+g_{216}\,\partial^4\mathbf{TT}+g_{378}\,\partial^5\mathbf{T}\Big]\,(Z_2)\\
&+\frac{\theta_{12}}{z_{12}}\Big[g_{217}\,\partial^5 D\mathbf{T}+g_{218}\,\mathbf{TTTTT}D\mathbf{T}+g_{219}\,\mathbf{TTT}[D,\overline{D}]\mathbf{T}D\mathbf{T}\\
&+g_{220}\,\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{221}\,\partial\overline{D}\mathbf{T}\partial D\mathbf{T}D\mathbf{T}+g_{222}\,\partial[D,\overline{D}]\mathbf{TTT}D\mathbf{T}\\
&+g_{223}\,\partial[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{224}\,\partial[D,\overline{D}]\mathbf{T}\partial D\mathbf{TT}+g_{225}\,\partial[D,\overline{D}]\mathbf{T}\partial\mathbf{T}D\mathbf{T}\\
&+g_{226}\,\partial^2[D,\overline{D}]\mathbf{T}\partial D\mathbf{T}+g_{227}\,\partial^2[D,\overline{D}]\mathbf{TT}D\mathbf{T}+g_{228}\,\partial^3[D,\overline{D}]\mathbf{T}D\mathbf{T}\\
&+g_{229}\,\partial D\mathbf{TTT}[D,\overline{D}]\mathbf{T}+g_{230}\,\partial D\mathbf{TTTTT}+g_{231}\,\partial D\mathbf{TT}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{232}\,\partial D\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{233}\,\partial D\mathbf{T}\partial\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{234}\,\partial D\mathbf{T}\partial\mathbf{TTT}+g_{235}\,\partial D\mathbf{T}\partial\mathbf{T}\partial\mathbf{T}+g_{236}\,\partial^2 D\mathbf{T}\partial[D,\overline{D}]\mathbf{T}\\
&+g_{237}\,\partial^2 D\mathbf{TT}[D,\overline{D}]\mathbf{T}+g_{238}\,\partial^2 D\mathbf{TTTT}+g_{239}\,\partial^2 D\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{240}\,\partial^2 D\mathbf{T}\partial\mathbf{TT}\\
&+g_{241}\,\partial^2 D\mathbf{T}\partial^2\mathbf{T}+g_{242}\,\partial^3 D\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{243}\,\partial^3 D\mathbf{TTT}+g_{244}\,\partial^3 D\mathbf{T}\partial\mathbf{T}+g_{245}\,\partial^4 D\mathbf{TT}
\end{aligned}
$$

$$
\begin{aligned}
&+g_{246}\,\partial\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}D\mathbf{T}+g_{247}\,\partial\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{248}\,\partial\mathbf{T}\partial\mathbf{T}\mathbf{T}D\mathbf{T}\\
&+g_{249}\,\partial^2\mathbf{T}\mathbf{T}\mathbf{T}D\mathbf{T}+g_{250}\,\partial^2\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{251}\,\partial^2\mathbf{T}\partial D\mathbf{T}\mathbf{T}\\
&+\,g_{252}\,\partial^2\mathbf{T}\partial\mathbf{T}D\mathbf{T}+g_{253}\,\partial^3\mathbf{T}\partial D\mathbf{T}+g_{254}\,\partial^3\mathbf{T}\mathbf{T}D\mathbf{T}+g_{255}\,\partial^4\mathbf{T}D\mathbf{T}\Big]\,(Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}}\Big[g_{256}\,\partial^5\overline{D}\mathbf{T}+g_{257}\,\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}+g_{258}\,\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{259}\,\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{260}\,\partial\overline{D}\mathbf{T}\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{261}\,\partial\overline{D}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}+g_{262}\,\partial\overline{D}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{263}\,\partial\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{264}\,\partial\overline{D}\mathbf{T}\partial[D,\overline{D}]\mathbf{T}\mathbf{T}+g_{265}\,\partial\overline{D}\mathbf{T}\partial D\mathbf{T}\overline{D}\mathbf{T}\\
&+g_{266}\,\partial\overline{D}\mathbf{T}\partial\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{267}\,\partial\overline{D}\mathbf{T}\partial\mathbf{T}\mathbf{T}\mathbf{T}+g_{268}\,\partial\overline{D}\mathbf{T}\partial\mathbf{T}\partial\mathbf{T}+g_{269}\,\partial^2\overline{D}\mathbf{T}\partial[D,\overline{D}]\mathbf{T}\\
&+g_{270}\,\partial^2\overline{D}\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{271}\,\partial^2\overline{D}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}+g_{272}\,\partial^2\overline{D}\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{273}\,\partial^2\overline{D}\mathbf{T}\partial\mathbf{T}\mathbf{T}\\
&+g_{274}\,\partial^2\overline{D}\mathbf{T}\partial^2\mathbf{T}+g_{275}\,\partial^3\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{276}\,\partial^3\overline{D}\mathbf{T}\mathbf{T}\mathbf{T}+g_{277}\,\partial^3\overline{D}\mathbf{T}\partial\mathbf{T}\\
&+g_{278}\,\partial^4\overline{D}\mathbf{T}\mathbf{T}+g_{279}\,\partial[D,\overline{D}]\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}+g_{280}\,\partial[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{281}\,\partial[D,\overline{D}]\mathbf{T}\partial\mathbf{T}\overline{D}\mathbf{T}\\
&+g_{282}\,\partial^2[D,\overline{D}]\mathbf{T}\partial\overline{D}\mathbf{T}+g_{283}\,\partial^2[D,\overline{D}]\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}+g_{284}\,\partial^3[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{T}+g_{285}\,\partial\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}\\
&+g_{286}\,\partial\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{287}\,\partial\mathbf{T}\partial\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}+g_{288}\,\partial^2\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}+g_{289}\,\partial^2\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{290}\,\partial^2\mathbf{T}\partial\overline{D}\mathbf{T}\mathbf{T}+g_{291}\,\partial^2\mathbf{T}\partial\mathbf{T}\overline{D}\mathbf{T}+g_{292}\,\partial^3\mathbf{T}\partial\overline{D}\mathbf{T}+g_{293}\,\partial^3\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}+g_{294}\,\partial^4\mathbf{T}\overline{D}\mathbf{T}\Big]\,(Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\Big[g_{295}\,\partial^5[D,\overline{D}]\mathbf{T}+g_{296}\,\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{297}\,\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\\
&+g_{298}\,\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{299}\,\mathbf{T}\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{300}\,\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}\\
&+g_{301}\,\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{302}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{303}\,\partial\overline{D}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}D\mathbf{T}\\
&+g_{304}\,\partial\overline{D}\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{305}\,\partial\overline{D}\mathbf{T}\partial[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{306}\,\partial\overline{D}\mathbf{T}\partial D\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{307}\,\partial\overline{D}\mathbf{T}\partial D\mathbf{T}\mathbf{T}\mathbf{T}\\
&+g_{308}\,\partial\overline{D}\mathbf{T}\partial D\mathbf{T}\partial\mathbf{T}+g_{309}\,\partial\overline{D}\mathbf{T}\partial\mathbf{T}\mathbf{T}D\mathbf{T}+g_{310}\,\partial^2\overline{D}\mathbf{T}\partial^2D\mathbf{T}+g_{311}\,\partial^2\overline{D}\mathbf{T}\mathbf{T}\mathbf{T}D\mathbf{T}\\
&+g_{312}\,\partial^2\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}+g_{313}\,\partial^2\overline{D}\mathbf{T}\partial D\mathbf{T}\mathbf{T}+g_{314}\,\partial^2\overline{D}\mathbf{T}\partial\mathbf{T}D\mathbf{T}+g_{315}\,\partial^3\overline{D}\mathbf{T}\partial D\mathbf{T}\\
&+g_{316}\,\partial^3\overline{D}\mathbf{T}\mathbf{T}D\mathbf{T}+g_{317}\,\partial^4\overline{D}\mathbf{T}D\mathbf{T}+g_{318}\,\partial[D,\overline{D}]\mathbf{T}\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{319}\,\partial[D,\overline{D}]\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\\
&+g_{320}\,\partial[D,\overline{D}]\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{321}\,\partial[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{322}\,\partial[D,\overline{D}]\mathbf{T}\partial[D,\overline{D}]\mathbf{T}\mathbf{T}\\
&+g_{323}\,\partial[D,\overline{D}]\mathbf{T}\partial D\mathbf{T}\overline{D}\mathbf{T}+g_{324}\,\partial[D,\overline{D}]\mathbf{T}\partial\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{325}\,\partial[D,\overline{D}]\mathbf{T}\partial\mathbf{T}\mathbf{T}\mathbf{T}\\
&+g_{326}\,\partial[D,\overline{D}]\mathbf{T}\partial\mathbf{T}\partial\mathbf{T}+g_{327}\,\partial^2[D,\overline{D}]\mathbf{T}\partial[D,\overline{D}]\mathbf{T}+g_{328}\,\partial^2[D,\overline{D}]\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{329}\,\partial^2[D,\overline{D}]\mathbf{T}\mathbf{T}\mathbf{T}+g_{330}\,\partial^2[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{331}\,\partial^2[D,\overline{D}]\mathbf{T}\partial\mathbf{T}\mathbf{T}+g_{332}\,\partial^2[D,\overline{D}]\mathbf{T}\partial^2\mathbf{T}\\
&+g_{333}\,\partial^3[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{334}\,\partial^3[D,\overline{D}]\mathbf{T}\mathbf{T}\mathbf{T}+g_{335}\,\partial^3[D,\overline{D}]\mathbf{T}\partial\mathbf{T}+g_{336}\,\partial^4[D,\overline{D}]\mathbf{T}\mathbf{T}\\
&+g_{337}\,\partial D\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}+g_{338}\,\partial D\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{339}\,\partial D\mathbf{T}\partial\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}+g_{340}\,\partial^2D\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}\\
&+g_{341}\,\partial^2D\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{342}\,\partial^2D\mathbf{T}\partial\overline{D}\mathbf{T}\mathbf{T}+g_{343}\,\partial^2D\mathbf{T}\partial\mathbf{T}\overline{D}\mathbf{T}+g_{344}\,\partial^3D\mathbf{T}\partial\overline{D}\mathbf{T}\\
&+g_{345}\,\partial^3D\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}+g_{346}\,\partial^4D\mathbf{T}\overline{D}\mathbf{T}+g_{347}\,\partial\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{348}\,\partial\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\\
&+g_{349}\,\partial\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{350}\,\partial\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{351}\,\partial\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}D\mathbf{T}\\
&+g_{352}\,\partial\mathbf{T}\partial\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{353}\,\partial\mathbf{T}\partial\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}+g_{354}\,\partial\mathbf{T}\partial\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{355}\,\partial\mathbf{T}\partial\mathbf{T}\partial\mathbf{T}\mathbf{T}\\
&+g_{356}\,\partial^2\mathbf{T}\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{357}\,\partial^2\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}+g_{358}\,\partial^2\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{359}\,\partial^2\mathbf{T}\partial\overline{D}\mathbf{T}D\mathbf{T}\\
&+g_{360}\,\partial^2\mathbf{T}[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{361}\,\partial^2\mathbf{T}\partial[D,\overline{D}]\mathbf{T}\mathbf{T}+g_{362}\,\partial^2\mathbf{T}\partial D\mathbf{T}\overline{D}\mathbf{T}+g_{363}\,\partial^2\mathbf{T}\partial\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{364}\,\partial^2\mathbf{T}\partial\mathbf{T}\mathbf{T}+g_{365}\,\partial^2\mathbf{T}\partial\mathbf{T}\partial\mathbf{T}+g_{366}\,\partial^2\mathbf{T}\partial^2\mathbf{T}\mathbf{T}+g_{367}\,\partial^3\mathbf{T}\partial[D,\overline{D}]\mathbf{T}\\
&+g_{368}\,\partial^3\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{T}\\
&+g_{369}\,\partial^3\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}+g_{370}\,\partial^3\mathbf{T}\overline{D}\mathbf{T}D\mathbf{T}+g_{371}\,\partial^3\mathbf{T}\partial\mathbf{T}\mathbf{T}+g_{372}\,\partial^3\mathbf{T}\partial^2\mathbf{T}
\end{aligned}
$$

$$+g_{373}\,\partial^4\mathbf{T}[D,\overline{D}]\mathbf{T}+g_{374}\,\partial^4\mathbf{T}\mathbf{T}\mathbf{T}+g_{375}\,\partial^4\mathbf{T}\partial\mathbf{T}+g_{376}\,\partial^5\mathbf{T}\partial\mathbf{T}+g_{377}\,\partial^6\mathbf{T}\Big](Z_2), \tag{G.9}$$

where the various coefficients are given by

$$\begin{aligned}
g_1 &= -\frac{(63c^5-255c^4+177c^3+1835c^2-2304c-36)}{42(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_2 &= \frac{2(1113c^3-230c^2+59c-402)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_3 &= \frac{4(796c^2-309c+248)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_4 &= \frac{4(29c^3-1720c^2+1945c+86)}{7(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_5 &= \frac{2(24c^4-1401c^3+1692c^2-473c+18)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_6 &= \frac{(2331c^4+162c^3-15457c^2+15540c-36)}{126(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_7 &= -\frac{(105c^4+274c^3+5065c^2-6996c-1068)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_8 &= \frac{2(39c^4-2358c^3+2451c^2+1204c-36)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_9 &= -\frac{(3c+5)(7c+18)}{21(c-1)(c+6)(2c-3)}, \qquad g_{10}=-\frac{2(31c+134)}{7(c-1)(c+6)(2c-3)},\\
g_{11} &= -\frac{(121c^4-492c^3-1435c^2+5674c-4328)}{14(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{12} &= -\frac{(179c^4+1544c^3+555c^2-9834c+9016)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{13} &= -\frac{40(3c^5-9c^4-23c^3+145c^2-72c+36)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{14} &= \frac{80(157c^2+57c+98)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{15} &= \frac{80(57c^3-91c^2+104c-12)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)}, \qquad g_{16}=\frac{20(57c^3-91c^2+104c-12)}{21(c+1)(c+6)(2c-3)(5c-9)},\\
g_{17} &= \frac{40(111c^4-218c^3-497c^2+468c+108)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{18} &= \frac{80(47c^3-291c^2-68c-60)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{19} &= -\frac{40(11c^3-26c^2+45c-50)}{21(c-1)(c+1)(2c-3)(5c-9)}, \qquad g_{20}=-\frac{80(3c^4-9c^3+148c^2-128c+240)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{21} &= \frac{40(43c^3+82c^2-167c-74)}{7(c-1)(c+1)(c+6)(2c-3)(5c-9)}, \qquad g_{22}=-\frac{20(14c^3-173c^2+271c+62)}{21(c+1)(c+6)(2c-3)(5c-9)},\\
g_{23} &= \frac{11(12c^4-72c^3+223c^2-263c-150)}{63(c-1)(c+6)(2c-3)(5c-9)}, \qquad g_{24}=\frac{176(c^2-54c-22)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},
\end{aligned}$$

$$
\begin{aligned}
g_{25} &= \frac{22(3c^3-180c^2+163c-6)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{26} &= -\frac{22(222c^4-205c^3-374c^2+351c-54)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{27} &= -\frac{44(109c^3+88c^2-59c-258)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)}, \qquad g_{28} = -\frac{22(2c^3+15c^2+12c-89)}{21(c-1)(c+1)(2c-3)(5c-9)},\\
g_{29} &= \frac{11(6c^4-147c^3+634c^2+745c-1098)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{30} &= -\frac{22(57c^4-142c^3+33c^2+44c-12)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{31} &= -\frac{22(111c^3+12c^2-345c-158)}{7(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{32} &= -\frac{22(4c^4-227c^3+468c^2+65c-370)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{33} &= \frac{1}{567d(c)}(c+18)(4c-9)(7c-15)(9c^7-3246c^6-91551c^5+242852c^4\\
&+ 399148c^3-1203616c^2+641568c-180864),\\
g_{34} &= \frac{8}{189d(c)}(c+18)(4c-9)(7c-15)(26112c^4+4477c^3-35377c^2-36338c+19776),\\
g_{35} &= \frac{4}{63d(c)}(c+18)(4c-9)(7c-15)(24896c^3+40675c^2-153502c+48816),\\
g_{36} &= \frac{8}{21d(c)}(c+18)(4c-9)(7c-15)(10823c^4-19437c^3-135958c^2+266168c-92576),\\
g_{37} &= \frac{1}{378d(c)}(c+18)(4c-9)(7c-15)(72927c^5-94098c^4\\
&+ 365507c^3-2601712c^2+4749420c-2325744),\\
g_{38} &= \frac{2}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times (45249c^5-147298c^4-67143c^3+578128c^2-465852c+7536),\\
g_{39} &= -\frac{4}{189d(c)}(c+18)(4c-9)(7c-15)(7542c^6+46245c^5-140660c^4\\
&- 183039c^3+363272c^2-28284c+67824),\\
g_{40} &= -\frac{2(c+18)}{63d(c)}(4c-9)(7c-15)\\
&\times (8691c^5-75270c^4-365597c^3+1751072c^2-1445108c+370512),\\
g_{41} &= \frac{1}{63d(c)}(c+18)(4c-9)(7c-15)(-5661c^6-12339c^5+287493c^4\\
&- 1117141c^3+1957332c^2-1307252c+340368),\\
g_{42} &= \frac{1}{378d(c)}(c+18)(4c-9)(7c-15)(-333c^6+114951c^5-560311c^4\\
&+ 645245c^3+20508c^2-133596c+158256),
\end{aligned}
$$

$$
\begin{aligned}
g_{43} &= \frac{1}{63d(c)}(c+18)(4c-9)(7c-15) \\
&\times (-3459c^5+33178c^4-33663c^3-1194712c^2+2002836c+103920), \\
g_{44} &= \frac{1}{126d(c)}(c+18)(4c-9)(7c-15)(-6585c^6-63517c^5-443c^4 \\
&+ 1004305c^3-504420c^2-2488748c+1479408), \\
g_{45} &= \frac{1}{126d(c)}(c+18)(4c-9)(7c-15)(-1971c^6+3729c^5+214035c^4 \\
&- 625425c^3-571004c^2+2710156c-1838640), \\
g_{46} &= \frac{2}{63d(c)}(c+18)(4c-9)(7c-15) \\
&\times (6891c^5+177570c^4-571981c^3-796064c^2+1673228c+718416), \\
g_{47} &= \frac{1}{63d(c)}(c+18)(4c-9)(7c-15)(5652c^6-26781c^5-111158c^4 \\
&+ 728295c^3-1513232c^2+644156c+808848), \\
g_{48} &= -\frac{2(5109c^3+5750c^2+17467c+9654)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)}, \\
g_{49} &= -\frac{8(6203c^2+6438c+5614)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)}, \\
g_{50} &= -\frac{2(2047c^3-11780c^2-1105c-1622)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)}, \\
g_{51} &= \frac{(c+18)}{42d(c)}(4c-9)(7c-15) \\
&\times (-16327c^5-128478c^4+335397c^3+708008c^2-1608956c+338416), \\
g_{52} &= \frac{1}{189d(c)}(c+18)(4c-9)(7c-15)(-9885c^6-64879c^5+243945c^4 \\
&+ 19251c^3-701636c^2+1310300c-1277616), \\
g_{53} &= -\frac{(15013c^4-38838c^3+47701c^2-119852c+148196)}{63(c-2)(c-1)(c+1)(c+6)(2c-3)(5c-9)}, \\
g_{54} &= \frac{(803c^4+947c^3-7125c^2+19437c-1982)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)}, \\
g_{55} &= \frac{1}{378d(c)}(c+18)(4c-9)(7c-15)(2391c^6+11061c^5+99553c^4 \\
&- 59901c^3-5463220c^2+10206588c-2254512), \\
g_{56} &= \frac{1}{378d(c)}(c+18)(4c-9)(7c-15)(471c^7-936c^6-85715c^5+223232c^4 \\
&+ 357536c^3-1118032c^2+382720c-28896), \\
g_{57} &= \frac{(15c^5-177c^4-341c^3-10307c^2+13410c+1920)}{126(c-1)(c+1)(c+6)(2c-3)(5c-9)}, \\
g_{58} &= \frac{1}{189d(c)}(c+18)(4c-9)(7c-15)(-63c^7-378c^6+3957c^5-2884c^4 \\
&- 9716c^3+44192c^2-34656c-1152),
\end{aligned}
$$

$$
\begin{aligned}
g_{59} &= \frac{8}{63d(c)}(c+18)(4c-9)(7c-15)(861c^4+8206c^3-1621c^2+5986c+1488),\\
g_{60} &= \frac{4}{21d(c)}(c+18)(4c-9)(7c-15)(848c^3+8095c^2-5686c+6768),\\
g_{61} &= \frac{8}{7d(c)}(c+18)(4c-9)(7c-15)(29c^4-1551c^3-11014c^2+16064c-4928),\\
g_{62} &= \frac{1}{126d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (2331c^5+22446c^4-5449c^3-180016c^2+300540c-98352),\\
g_{63} &= \frac{2}{21d(c)}(c+18)(4c-9)(7c-15)(57c^5-3574c^4+2061c^3+12544c^2-15276c+48),\\
g_{64} &= -\frac{4}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (6c^6-315c^5-2960c^4-10347c^3+8216c^2+5268c+432),\\
g_{65} &= \frac{2}{21d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (117c^5-5490c^4-78019c^3+173344c^2-96076c-4176),\\
g_{66} &= \frac{(c+18)}{21d(c)}(4c-9)(7c-15)\\
&\times\ (27c^6-1407c^5-10671c^4+123947c^3-208284c^2+102604c+3984),\\
g_{67} &= \frac{1}{126d(c)}(c+18)(4c-9)(7c-15)(2331c^6+23643c^5-80503c^4\\
&-\ 136735c^3+563964c^2-419148c+1008),\\
g_{68} &= \frac{1}{21d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (1113c^5+11074c^4-38259c^3-60376c^2+90948c-19920),\\
g_{69} &= \frac{1}{42d(c)}(c+18)(4c-9)(7c-15)(-105c^6-1321c^5-5699c^4\\
&-\ 22475c^3+178140c^2-209564c+45744),\\
g_{70} &= \frac{1}{42d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (-63c^6-363c^5+3255c^4-15645c^3-32492c^2+83548c-44400),\\
g_{71} &= -\frac{2}{21d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (57c^5-3090c^4-17687c^3+191552c^2-178844c-8208),\\
g_{72} &= \frac{(c+18)}{21d(c)}(4c-9)(7c-15)\\
&\times\ (36c^6-1953c^5-12134c^4+102075c^3-261296c^2+169868c+8784),\\
g_{73} &= \frac{2(1113c^3-230c^2+59c-402)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{74} &= \frac{8(796c^2-309c+248)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},
\end{aligned}
$$

$$
\begin{aligned}
g_{75} &= \frac{2(29c^3-1720c^2+1945c+86)}{7(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{76} &= \frac{1}{14d(c)}(c+18)(4c-9)(7c-15)(-331c^5-3534c^4+6441c^3+47624c^2-95468c+35248),\\
g_{77} &= \frac{1}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (-105c^6-1357c^5-4155c^4-1767c^3+37132c^2+17300c-90768),\\
g_{78} &= -\frac{(289c^4+1266c^3+1153c^2-11996c+14228)}{21(c-2)(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{79} &= -\frac{(121c^4-521c^3+285c^2+3729c-4414)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{80} &= \frac{1}{126d(c)}(c+18)(4c-9)(7c-15)(-237c^6-1527c^5+13069c^4\\
&-\ 51273c^3-10180c^2-422196c+459024),\\
g_{81} &= -\frac{5}{378d(c)}(c+18)(4c-9)(7c-15)(30c^7-40c^6-8007c^5+16870c^4\\
&+\ 57971c^3-154880c^2+73036c+336),\\
g_{82} &= -\frac{40}{21d(c)}(c+18)(4c-9)(7c-15)(632c^3-533c^2-3790c+48),\\
g_{83} &= -\frac{20}{21d(c)}(c+18)(4c-9)(7c-15)(1077c^4-627c^3-6128c^2+5356c-3024),\\
g_{84} &= -\frac{5}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (2673c^5-2826c^4-24367c^3+51008c^2-23964c-3024),\\
g_{85} &= \frac{10}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (225c^6+1510c^5-4129c^4-27426c^3+78172c^2-38904c-10080),\\
g_{86} &= \frac{10}{21d(c)}(c+12)(c+18)(4c-9)(7c-15)(231c^4-1002c^3+1319c^2-292c-116),\\
g_{87} &= \frac{5}{21d(c)}(3c-8)(c+18)(4c-9)(7c-15)(23c^5+42c^4-885c^3+1732c^2-836c-96),\\
g_{88} &= \frac{20}{63d(c)}(c+18)(4c-9)(7c-15)(393c^5+9236c^4-22673c^3+11096c^2-23940c+7632),\\
g_{89} &= \frac{40}{63d(c)}(c+18)(4c-9)(7c-15)(553c^4+12765c^3-21576c^2-18980c-9744),\\
g_{90} &= -\frac{40}{21d(c)}(c+18)(4c-9)(7c-15)(16c^5-1065c^4+9163c^3-20196c^2+10588c+1296),\\
g_{91} &= \frac{40}{21d(c)}(c+18)(4c-9)(7c-15)(91c^5+401c^4-3342c^3-2152c^2+10576c+3840),\\
g_{92} &= \frac{10}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (165c^6-259c^5-644c^4+3064c^3+3064c^2-21792c+4608),
\end{aligned}
$$

$$
\begin{aligned}
g_{93} &= \frac{40}{21d(c)}(c+18)(4c-9)(7c-15)(36c^5-73c^4+725c^3+2550c^2-10480c-1680),\\
g_{94} &= -\frac{10}{21d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (15c^6-34c^5-522c^4+295c^3+17664c^2-38292c+13584),\\
g_{95} &= -\frac{10}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (18c^6+151c^5+3384c^4-4921c^3-27816c^2+77244c-50160),\\
g_{96} &= \frac{20}{7d(c)}(c+18)(4c-9)(7c-15)(339c^4+2011c^3-3852c^2-20c-4528),\\
g_{97} &= \frac{10}{21d(c)}(c+18)(4c-9)(7c-15)(285c^5-1042c^4-651c^3+9816c^2-10428c-5136),\\
g_{98} &= \frac{5}{7d(c)}(c+18)(4c-9)(7c-15)(103c^5+498c^4-4353c^3+11528c^2-10868c-304),\\
g_{99} &= -\frac{10}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (50c^6+267c^5+928c^4+20651c^3-81944c^2+59372c+12624),\\
g_{100} &= \frac{10}{21d(c)}(c+18)(4c-9)(7c-15)(145c^5+3142c^4+3225c^3-36640c^2+22436c+19440),\\
g_{101} &= -\frac{5}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (45c^6-758c^5-11243c^4+56292c^3-72460c^2+10752c+13632),\\
g_{102} &= \frac{11}{3024d(c)}(c+18)(4c-9)(7c-15)(120c^7+580c^6-11035c^5+29766c^4\\
&-\ 106759c^3+125104c^2+7396c-40272),\\
g_{103} &= \frac{220}{7d(c)}(c+18)(4c-9)(7c-15)(64c^3+213c^2-402c+208),\\
g_{104} &= \frac{88}{21d(c)}(c+18)(4c-9)(7c-15)(327c^4+392c^3-3042c^2+3952c-1224),\\
g_{105} &= \frac{11}{126d(c)}(c+18)(4c-9)(7c-15)(2673c^5-2478c^4-21523c^3+36848c^2-2796c-11664),\\
g_{106} &= -\frac{11}{63d(c)}(c+12)(c+18)(4c-9)(7c-15)(225c^5-846c^4+1617c^3-1476c^2+244c+96),\\
g_{107} &= -\frac{22}{63d(c)}(c+18)(4c-9)(7c-15)(51c^5-5314c^4+6231c^3-6656c^2+14940c-11952),\\
g_{108} &= -\frac{176}{63d(c)}(c+18)(4c-9)(7c-15)(19c^4-1931c^3-1924c^2+6584c-4728),\\
g_{109} &= -\frac{22}{21d(c))}(c+18)(4c-9)(7c-15)(37c^5-2402c^4+15797c^3-24392c^2+4100c+7920),\\
g_{110} &= -\frac{22}{21d(c)}(c+18)(4c-9)(7c-15)(221c^5+2114c^4+1953c^3-22088c^2+21332c-5712),\\
g_{111} &= -\frac{11}{63d(c)}(c+18)(4c-9)(7c-15)
\end{aligned}
$$

$$
\begin{aligned}
&\times\ (165c^6+913c^5-2619c^4+5505c^3+1760c^2-20148c+18864),\\
g_{112} &= -\frac{22}{21d(c)}(c+18)(4c-9)(7c-15)(81c^5+560c^4+2669c^3+10636c^2-30492c+24576),\\
g_{113} &= \frac{11}{42d(c)}(c+12)(c+18)(4c-9)(7c-15)(109c^4+1062c^3-4223c^2+4900c-2508),\\
g_{114} &= \frac{11}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (6c^6+25c^5-1380c^4+17101c^3+4888c^2-65164c+52464),\\
g_{115} &= \frac{11}{21d(c)}(c+12)(c+18)(4c-9)(7c-15)(3c^4-178c^3-349c^2+1388c-644),\\
g_{116} &= -\frac{11}{42d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (69c^6-50c^5-3279c^4+8780c^3-4044c^2-5600c+4224),\\
g_{117} &= \frac{88}{7d(c)}(c+18)(4c-9)(7c-15)(8c^4-397c^3-553c^2+1978c+344),\\
g_{118} &= \frac{44}{21d(c)}(c+18)(4c-9)(7c-15)(15c^5-791c^4+1448c^3+1082c^2-1332c-1392),\\
g_{119} &= -\frac{11}{14d(c)}(c+18)(4c-9)(7c-15)(133c^5+394c^4-9279c^3+20024c^2-2412c-12880),\\
g_{120} &= -\frac{11}{63d(c)}(c+18)(4c-9)(7c-15)\\
&\times\ (10c^6-233c^5+780c^4+22963c^3-69768c^2+33356c+34512),\\
g_{121} &= -\frac{11}{21d(c)}(c+18)(4c-9)(7c-15)(201c^5+3038c^4-3943c^3-12992c^2-1244c+34800),\\
g_{122} &= -\frac{11}{126d(c)}(c+18)(4c-9)(7c-15)(15c^6-724c^5-8077c^4\\
&+\ 42482c^3-20772c^2-75624c+60000),\\
g_{123} &= \frac{1}{27216d(c)}(c+18)(4c-9)(270c^8+33930c^7-3440805c^6+10604631c^5+45769551c^4\\
&-\ 215694881c^3+168965116c^2+73731228c-114855600),\\
g_{124} &= \frac{1}{189d(c)}(c+18)(4c-9)(1534128c^4-420433c^3+2987923c^2-6448618c+7860240),\\
g_{125} &= \frac{16}{189d(c)}(c+18)(4c-9)(141040c^3+135667c^2-658666c+449864),\\
g_{126} &= \frac{8}{63d(c)}(c+18)(4c-9)(243776c^4-963011c^3-2649879c^2+7047194c-4592960),\\
g_{127} &= \frac{(c+18)}{189d(c)}(4c-9)(262953c^5-103656c^4\\
&+\ 1139981c^3-11673926c^2+24972848c-13112400),\\
g_{128} &= \frac{8}{63d(c)}(c+18)(4c-9)(82419c^5-472936c^4\\
&+\ 592296c^3+532459c^2-1667198c+691120),
\end{aligned}
$$

$$
\begin{aligned}
g_{129} &= \frac{4}{63d(c)}(c+18)(4c-9)(294069c^5-256143c^4\\
&- 5037032c^3+9147382c^2-5511476c+349600),\\
g_{130} &= \frac{1}{189d(c)}(c+18)(4c-9)(1251639c^6-5154105c^5-3627207c^4\\
&+ 45878577c^3-78136316c^2+41281732c-271440),\\
g_{131} &= \frac{1}{189d(c)}(c+18)(4c-9)(-216603c^6-882087c^5+1561151c^4\\
&+ 4247859c^3+45396484c^2-91851364c+58661840),\\
g_{132} &= \frac{1}{189d(c)}(c+18)(4c-9)(-174429c^6+1839363c^5-1101231c^4\\
&- 21457239c^3+38219868c^2+7048628c-26386000),\\
g_{133} &= \frac{1}{1134d(c)}(c+18)(4c-9)(-475245c^7+469812c^6+7397670c^5-17815704c^4\\
&+ 47920239c^3-243327056c^2+338526844c-169470960),\\
g_{134} &= -\frac{2}{189d(c)}(c+18)(4c-9)(74313c^6+110397c^5-3093819c^4\\
&+ 5586579c^3-14669262c^2+9934912c-4791440),\\
g_{135} &= \frac{1}{1134d(c)}(c+18)(4c-9)(-190152c^7+832755c^6+9239727c^5-67190247c^4\\
&+ 158826669c^3-175083092c^2+57252900c+4653680),\\
g_{136} &= \frac{1}{13608d(c)}(c+18)(4c-9)(54675c^6+6848379c^5-43308495c^4\\
&+ 113526145c^3-170739620c^2+157450836c-63193680),\\
g_{137} &= -\frac{1}{2268d(c)}(3c-8)(c+18)(4c-9)(585c^6-894591c^5+4652247c^4\\
&- 9340773c^3+13034992c^2-12846812c+4791120),\\
g_{138} &= \frac{1}{756d(c)}(c+18)(4c-9)(1023309c^6-3506835c^5+9746335c^4\\
&- 68041505c^3+209164956c^2-265302660c+110873040),\\
g_{139} &= \frac{2}{189d(c)}(c+18)(4c-9)(366429c^5-678193c^4\\
&- 174152c^3-12317548c^2+25111224c-15778320),\\
g_{140} &= \frac{1}{126d(c)}(c+18)(4c-9)(7c-15)(92769c^5-441878c^4\\
&+ 850917c^3-1068352c^2+703668c+18096),\\
g_{141} &= \frac{1}{756d(c)}(c+18)(4c-9)(-422505c^6+2359047c^5-24584763c^4\\
&- 19229307c^3+369783732c^2-559725484c+162900080),\\
g_{142} &= \frac{1}{4536d(c)}(c+18)(4c-9)(-4185c^7-526401c^6+3653373c^5+10280229c^4\\
&- 86800524c^3+114801940c^2+39099088c-115366080),
\end{aligned}
$$

$$
\begin{aligned}
g_{143} &= \frac{1}{378d(c)}(c+18)(4c-9)(-42579c^6+38943c^5+5072241c^4 \\
&- 17465121c^3-16467840c^2+86619556c-75520880), \\
g_{144} &= \frac{1}{504d(c)}(c+18)(4c-9)(7c-15)(-7911c^6-1080c^5+228897c^4 \\
&- 815234c^3+1501700c^2-3250904c+3327072), \\
g_{145} &= \frac{1}{1134d(c)}(c+18)(4c-9)(-27657c^7+84678c^6+2719818c^5-14454542c^4 \\
&+ 4424159c^3+99156580c^2-181929196c+101753840), \\
g_{146} &= -\frac{4}{63d(c)}(c+18)(4c-9)(300504c^5-1530069c^4 \\
&- 2079871c^3+22480376c^2-29629180c+10548320), \\
g_{147} &= -\frac{2}{189d(c)}(c+18)(4c-9)(625455c^6-3210129c^5-300153c^4 \\
&+ 27655623c^3-53627648c^2+32145412c-271440), \\
g_{148} &= \frac{1}{189d(c)}(c+18)(4c-9)(162459c^6+2933967c^5-32595351c^4 \\
&+ 75850941c^3-16839780c^2-67186556c+17845360), \\
g_{149} &= \frac{1}{1134d(c)}(c+18)(4c-9)(475110c^7-3251841c^6+9988227c^5+14280429c^4 \\
&- 145988349c^3+167392540c^2+72391324c-185757360), \\
g_{150} &= \frac{4}{189d(c)}(c+18)(4c-9)(23769c^6-254280c^5+1408404c^4 \\
&+ 2464431c^3-37531800c^2+69153716c-42505600), \\
g_{151} &= \frac{1}{1134d(c)}(c+18)(4c-9)(189990c^7-432285c^6-11776965c^5+53366073c^4 \\
&- 47183853c^3-146220332c^2+325480812c-203762800), \\
g_{152} &= \frac{2}{63d(c)}(c+18)(4c-9)(7c-15)(69837c^4+80102c^3-273197c^2-8398c-9264), \\
g_{153} &= \frac{5}{63d(c)}(c+18)(4c-9)(7c-15)(59920c^3+99239c^2-369542c+118512), \\
g_{154} &= \frac{4}{21d(c)}(c+18)(4c-9)(7c-15)(22483c^4-80817c^3-234518c^2+603208c-194656), \\
g_{155} &= \frac{1}{1512d(c)}(c+18)(4c-9)(7c-15)(292707c^5+774462c^4 \\
&- 3643553c^3-1591472c^2+8949660c-2864304), \\
g_{156} &= \frac{1}{1512d(c)}(c+18)(4c-9)(-562455c^6-5398647c^5+25184739c^4 \\
&- 35895549c^3+74930604c^2-108934132c+14813840), \\
g_{157} &= \frac{1}{21d(c)}(c+18)(4c-9)(-105463c^5-819822c^4 \\
&+ 3550777c^3+35728c^2-5642220c-104560),
\end{aligned}
$$

$$
\begin{aligned}
g_{158} &= \frac{1}{504d(c)}(c+18)(4c-9)(7c-15)(-45581c^5-75866c^4 \\
&+ 1615031c^3-1802776c^2-4285428c+5960400), \\
g_{159} &= \frac{1}{756d(c)}(c+18)(4c-9)(-138495c^7-520346c^6+606288c^5+26463330c^4 \\
&- 90266845c^3+99376456c^2-47040788c+30331600), \\
g_{160} &= \frac{1}{756d(c)}(c+18)(4c-9)(-373575c^6-2267971c^5+6491907c^4 \\
&- 31017c^3-6577068c^2+55992044c-116103920), \\
g_{161} &= -\frac{2}{189d(c)}(c+18)(4c-9)(199091c^5+1646137c^4 \\
&- 6103252c^3+10943272c^2-24441808c+33035440), \\
g_{162} &= \frac{1}{378d(c)}(c+18)(4c-9)(-178347c^6-21231c^5+15272175c^4 \\
&- 59486805c^3+84471732c^2-76464484c+65345360), \\
g_{163} &= \frac{1}{252d(c)}(c+18)(4c-9)(7c-15)(-75337c^5-554838c^4 \\
&+ 561551c^3+3297104c^2-2733092c-2489328), \\
g_{164} &= \frac{1}{2268d(c)}(c+18)(4c-9)(39990c^7+290601c^6-1768743c^5+7591803c^4 \\
&- 19564683c^3+28507012c^2-53076860c+66726960), \\
g_{165} &= \frac{1}{4536d(c)}(c+18)(4c-9)(-554085c^7-769497c^6+23913393c^5-60404875c^4 \\
&- 77152300c^3+539972532c^2-857056848c+457760640), \\
g_{166} &= \frac{}{378d(c)}(c+18)(4c-9)(-183939c^6-145125c^5+9357785c^4 \\
&- 32632385c^3+15566564c^2-1629780c+8217840), \\
g_{167} &= \frac{1}{4536d(c)}(c+18)(4c-9)(119835c^7+215001c^6-683421c^5-59477757c^4 \\
&+ 73321842c^3+452224012c^2-823406552c+236772000), \\
g_{168} &= \frac{1}{2268d(c)}(c+18)(4c-9)(23886c^7-138501c^6-1098825c^5+8561277c^4 \\
&- 70074753c^3+208979872c^2-197776524c+2931248), \\
g_{169} &= \frac{1}{45360d(c)}(c+18)(4c-9)(79170c^8-50580c^7-9407661c^6+63719587c^5-153782941c^4 \\
&+ 87595321c^3+185469740c^2-191366716c-5370960), \\
g_{170} &= \frac{1}{126d(c)}(c+18)(4c-9)(7c-15)(3c^7-48c^6-815c^5+1796c^4 \\
&- 20932c^3+62864c^2-50480c+1632), \\
g_{171} &= \frac{1}{4536d(c)}(c+18)(4c-9)(-1890c^8+90c^7+293955c^6-1336737c^5+3168903c^4 \\
&- 2937673c^3-2876452c^2+3876924c-682800),
\end{aligned}
$$

$$
\begin{aligned}
g_{172} &= -\frac{2}{63d(c)}(c+18)(4c-9)(131376c^4-202711c^3-302219c^2+294074c-101520),\\
g_{173} &= -\frac{128}{63d(c)}(c+18)(4c-9)(20c-13)(98c^2-129c-194),\\
g_{174} &= -\frac{16}{21d(c)}(c+18)(4c-9)(1652c^4-98177c^3+263487c^2-101002c-48320),\\
g_{175} &= -\frac{2}{63d(c)}(c+18)(4c-9)(45801c^5-47772c^4-440083c^3+910558c^2-363304c-152400),\\
g_{176} &= -\frac{16}{21d(c)}(c+18)(4c-9)(588c^5-36292c^4+161817c^3-243347c^2+127114c-6560),\\
g_{177} &= -\frac{8}{21d(c)}(c+18)(4c-9)(273c^5-14301c^4-6314c^3+108034c^2-27092c-60800),\\
g_{178} &= -\frac{2}{63d(c)}(c+18)(4c-9)(1953c^6-119295c^5+579231c^4\\
&- 1030281c^3+803548c^2-255716c+720),\\
g_{179} &= \frac{2(c+18)}{63d(c)}(4c-9)(861c^6-29391c^5-1133657c^4\\
&+ 4368507c^3-4375708c^2+974908c+362320),\\
g_{180} &= \frac{2(c+18)}{63d(c)}(4c-9)(1323c^6-72861c^5-243063c^4\\
&+ 1554153c^3-1902276c^2+898804c-203600),\\
g_{181} &= \frac{1}{189d(c)}(c+18)(4c-9)(315c^7-17724c^6-18570c^5+3771528c^4\\
&- 12915513c^3+12105392c^2-2283748c-1069680),\\
g_{182} &= \frac{4}{63d(c)}(c+18)(4c-9)(441c^6-23181c^5-168783c^4\\
&+ 698013c^3-631674c^2+484624c-328880),\\
g_{183} &= \frac{1}{189d(c)}(c+18)(4c-9)(504c^7-27885c^6-122169c^5+2445849c^4\\
&- 7192203c^3+7285004c^2-3313020c+793840),\\
g_{184} &= \frac{1}{2268d(c)}(c+18)(4c-9)(-382725c^6+175347c^5+9121545c^4\\
&- 29407735c^3+33144380c^2-11888652c-530640),\\
g_{185} &= \frac{1}{378d(c)}(3c-8)(c+18)(4c-9)(4095c^6+42183c^5-88431c^4\\
&- 298851c^3+690304c^2-294404c-42960),\\
g_{186} &= \frac{1}{126d(c)}(c+18)(4c-9)(16317c^6+108045c^5+496175c^4\\
&- 5061985c^3+10644348c^2-8247300c+1632720),\\
g_{187} &= \frac{4}{63d(c)}(c+18)(4c-9)(6027c^5+39571c^4+160094c^3-724244c^2+223632c+122640),\\
g_{188} &= \frac{1}{21d(c)}(c+18)(4c-9)(7c-15)(57c^5-3574c^4+2061c^3+12544c^2-15276c+48),
\end{aligned}
$$

$$
\begin{aligned}
g_{189} &= \frac{1}{126d(c)}(c+18)(4c-9)(46935c^6+344391c^5-1960539c^4 \\
&- 3602811c^3+19759956c^2-16297772c+918640), \\
g_{190} &= \frac{1}{756d(c)}(c+18)(4c-9)(29295c^7+2007c^6-1069131c^5+3951597c^4 \\
&- 3487692c^3-4812940c^2+7455824c-911040), \\
g_{191} &= \frac{(c+18)}{63d(c)}(4c-9)(6993c^6-1341c^5-224067c^4 \\
&+ 1719387c^3-4142880c^2+2882708c-40240), \\
g_{192} &= \frac{1}{84d(c)}(c+18)(4c-9)(7c-15)(-63c^6-360c^5+2841c^4 \\
&- 1042c^3-46940c^2+31208c+26976), \\
g_{193} &= \frac{1}{189d(c)}(c+18)(4c-9)(-441c^7-1386c^6+28674c^5-904366c^4 \\
&+ 3121207c^3-2904460c^2-116108c+945520), \\
g_{194} &= -\frac{8}{21d(c)}(c+18)(4c-9)(882c^5-48177c^4-167813c^3+941008c^2-853460c+160960), \\
g_{195} &= -\frac{4}{63d(c)}(c+18)(4c-9)(1575c^6-98457c^5+391671c^4 \\
&- 429801c^3-40864c^2+216356c-720), \\
g_{196} &= -\frac{2(c+18)}{63d(c)}(4c-9)(693c^6-46311c^5+336423c^4 \\
&+ 387867c^3-3181020c^2+2718748c-112880), \\
g_{197} &= \frac{1}{189d(c)}(c+18)(4c-9)(630c^7-30873c^6-379989c^5+4992837c^4 \\
&- 14666997c^3+15196220c^2-4653508c-1112880), \\
g_{198} &= -\frac{8}{63d(c)}(c+18)(4c-9)(63c^6-4890c^5+67728c^4 \\
&- 912513c^3+2593440c^2-2163148c+543200), \\
g_{199} &= \frac{1}{189d(c)}(c+18)(4c-9)(630c^7-35085c^6-162885c^5+1152489c^4 \\
&- 567069c^3-3787276c^2+5366316c-2322800), \\
g_{200} &= \frac{4}{21d(c)}(c+18)(4c-9)(7c-15)(861c^4+8206c^3-1621c^2+5986c+1488), \\
g_{201} &= \frac{10}{21d(c)}(c+18)(4c-9)(7c-15)(848c^3+8095c^2-5686c+6768), \\
g_{202} &= \frac{8}{7d(c)}(c+18)(4c-9)(7c-15)(29c^4-1551c^3-11014c^2+16064c-4928), \\
g_{203} &= \frac{}{252d(c)}(c+18)(4c-9)(7c-15)(2331c^5+22446c^4 \\
&- 5449c^3-180016c^2+300540c-98352), \\
g_{204} &= \frac{1}{252d(c)}(c+18)(4c-9)(56385c^6-11631c^5-2686773c^4
\end{aligned}
$$

$$
\begin{aligned}
&+ \quad 11981883c^3 - 18743028c^2 + 6918124c + 5071120),\\
g_{205} &= \frac{2}{7d(c)}(c+18)(4c-9)(5971c^5 + 25134c^4 - 229189c^3 + 390104c^2 - 140100c - 33680),\\
g_{206} &= \frac{1}{84d(c)}(c+18)(4c-9)(7c-15)(-373c^5 - 2218c^4\\
&+ \quad 23023c^3 + 53032c^2 - 256404c + 221520),\\
g_{207} &= \frac{1}{126d(c)}(c+18)(4c-9)(-735c^7 - 7378c^6 - 31896c^5 - 510630c^4\\
&+ \quad 3822475c^3 - 7366072c^2 + 4269836c + 146000),\\
g_{208} &= \frac{1}{126d(c)}(c+18)(4c-9)(27825c^6 + 365797c^5 - 1149429c^4\\
&- \quad 730641c^3 + 2394996c^2 + 1405132c - 1870960),\\
g_{209} &= \frac{4}{63d(c)}(c+18)(4c-9)(9947c^5 + 129379c^4 - 458014c^3 + 295024c^2 - 328216c + 644080),\\
g_{210} &= \frac{}{63d(c)}(c+18)(4c-9)(1029c^6 - 37503c^5 - 1446465c^4\\
&+ \quad 8032635c^3 - 13411404c^2 + 6475228c + 780880),\\
g_{211} &= \frac{1}{42d(c)}(c+18)(4c-9)(7c-15)(-641c^5 - 7494c^4 - 7817c^3 + 4432c^2 + 18044c - 62064),\\
g_{212} &= \frac{1}{378d(c)}(c+18)(4c-9)(-2730c^7 + 1233c^6 + 57681c^5 - 2034861c^4\\
&+ \quad 10003101c^3 - 16987804c^2 + 9551780c - 125520),\\
g_{213} &= \frac{1}{756d(c)}(c+18)(4c-9)(-2205c^7 + 8799c^6 + 198729c^5 + 816925c^4\\
&- \quad 8304140c^3 + 20430036c^2 - 23033424c + 10561920),\\
g_{214} &= \frac{1}{63d(c)}(c+18)(4c-9)(-1407c^6 - 1185c^5 + 89605c^4\\
&+ \quad 893675c^3 - 1742348c^2 - 2855460c + 3459120),\\
g_{215} &= \frac{1}{756d(c)}(c+18)(4c-9)(-7245c^7 + 47313c^6 + 1512987c^5 - 5063061c^4\\
&- \quad 17619294c^3 + 79973996c^2 - 86415256c + 26704800),\\
g_{216} &= \frac{1}{378d(c)}(c+18)(4c-9)(-882c^7 + 11187c^6 + 37095c^5 - 1265499c^4\\
&+ \quad 5601471c^3 - 11901904c^2 + 14259828c - 6980816),\\
g_{217} &= \frac{1}{189d(c)}(c+18)(4c-9)(-90c^8 - 90c^7 + 19455c^6 - 104869c^5 + 107515c^4\\
&+ \quad 308109c^3 - 634042c^2 + 291364c - 62640),\\
g_{218} &= -\frac{80}{21d(c)}(c+18)(4c-9)(6096c^3 - 2809c^2 - 17966c + 13808),\\
g_{219} &= -\frac{80}{63d(c)}(c+18)(4c-9)(13257c^4 - 27821c^3 - 7135c^2 + 53020c - 38640),\\
g_{220} &= -\frac{10}{63d(c)}(c+18)(4c-9)(19197c^5 - 72906c^4 + 75965c^3 - 31032c^2 + 80596c - 80400),
\end{aligned}
$$

$$
\begin{aligned}
g_{221} &= \frac{40}{63d(c)}(c+18)(4c-9)(228c^6-14949c^5+123220c^4 \\
&- 301133c^3+252994c^2-27140c-34320), \\
g_{222} &= -\frac{20}{21d(c)}(c+18)(4c-9)(3819c^5-13562c^4+15695c^3+35476c^2-110548c+69520), \\
g_{223} &= -\frac{10}{63d(c)}(c+18)(4c-9)(9477c^6-37995c^5+5173c^4 \\
&+ 153891c^3-205310c^2+44324c+31440), \\
g_{224} &= \frac{20}{63d(c)}(c+18)(4c-9)(1395c^6+27692c^5-110585c^4 \\
&- 21390c^3+272348c^2+24864c-191040), \\
g_{225} &= \frac{10}{21d(c)}(c+18)(4c-9)(1011c^6-6685c^5+12515c^4 \\
&- 28659c^3+106830c^2-148052c+43760), \\
g_{226} &= \frac{10}{63d(c)}(c+18)(4c-9)(477c^7-1746c^6-6298c^5+71104c^4 \\
&- 246755c^3+368286c^2-199708c+11280), \\
g_{227} &= \frac{10}{21d(c)}(c+18)(4c-9) \\
&\times (489c^6-1364c^5-18887c^4+67270c^3-49488c^2-40760c+45600), \\
g_{228} &= \frac{10}{189d(c)}(c+18)(4c-9)(486c^7-1419c^6-33744c^5+231697c^4 \\
&- 508856c^3+402488c^2-29272c-62880), \\
g_{229} &= -\frac{40}{63d(c)}(c+18)(4c-9)(7761c^5-58352c^4+23253c^3+121752c^2-45140c+10320), \\
g_{230} &= -\frac{80}{63d(c)}(c+18)(4c-9)(4882c^4-68019c^3+38490c^2+151372c-78720), \\
g_{231} &= -\frac{40}{21d(c)}(c+18)(4c-9)(343c^5-22056c^4+159035c^3-268298c^2+52988c+67120), \\
g_{232} &= -\frac{10}{189d(c)}(c+18)(4c-9)(18225c^6-46848c^5-332323c^4 \\
&+ 1476154c^3-1946332c^2+756984c+90720), \\
g_{233} &= \frac{20}{63d(c)}(c+12)(c+18)(4c-9)(1731c^5-8585c^4+20519c^3-33363c^2+20866c+10220), \\
g_{234} &= \frac{40}{21d(c)}(c+18)(4c-9)(2099c^5+32122c^4-110529c^3-19982c^2+199604c+2320), \\
g_{235} &= \frac{10}{21d(c)}(c+18)(4c-9)(763c^6-3594c^5-19489c^4 \\
&+ 134932c^3-213840c^2+30880c+96640), \\
g_{236} &= \frac{10}{63d(c)}(3c-8)(c+18)(4c-9)(195c^6-493c^5+8747c^4 \\
&- 40059c^3+68806c^2-49588c+11280),
\end{aligned}
$$

$$
\begin{aligned}
g_{237} &= \frac{10}{63d(c)}(c+18)(4c-9)(1866c^6+1757c^5+23458c^4 \\
&+ 119349c^3-499894c^2+398660c-53040), \\
g_{238} &= \frac{40}{21d(c)}(c+18)(4c-9)(443c^5+724c^4+23935c^3+17768c^2-173660c+134000), \\
g_{239} &= -\frac{20}{21d(c)}(c+18)(4c-9) \\
&\times (111c^6-7548c^5+72827c^4-223666c^3+301112c^2-178096c+29760), \\
g_{240} &= \frac{10}{21d(c)}(c+18)(4c-9)(984c^6-3659c^5+46656c^4 \\
&- 35279c^3-402294c^2+687268c-122800), \\
g_{241} &= -\frac{10}{63d(c)}(c+18)(4c-9)(120c^7-1287c^6+4254c^5+28319c^4 \\
&- 64680c^3-4418c^2-116352c+274080), \\
g_{242} &= \frac{10}{189d(c)}(c+18)(4c-9)(918c^7+1836c^6-50245c^5+143604c^4 \\
&+ 121361c^3-765994c^2+565460c+129360), \\
g_{243} &= \frac{20}{63d(c)}(c+18)(4c-9)(408c^6+1021c^5-30454c^4 \\
&+ 192145c^3-250296c^2-168204c+370160), \\
g_{244} &= -\frac{10}{63d(c)}(c+18)(4c-9)(78c^7-108c^6+2243c^5-16880c^4 \\
&+ 54353c^3-189246c^2+399540c-301680), \\
g_{245} &= -\frac{5}{189d(c)}(c+18)(4c-9)(150c^7+385c^6-23625c^5+143885c^4 \\
&- 769841c^3+2257442c^2-2765932c+902160), \\
g_{246} &= -\frac{80}{21d(c)}(c+18)(4c-9)(4195c^4-1047c^3-40025c^2+55008c+3760), \\
g_{247} &= -\frac{40}{21d(c)}(c+18)(4c-9)(3609c^5-1335c^4-49737c^3+104901c^2-72164c+32000), \\
g_{248} &= \frac{10}{7d(c)}(c+18)(4c-9)(2701c^5-5894c^4-31363c^3+99732c^2-70492c-5200), \\
g_{249} &= \frac{20}{21d(c)}(c+18)(4c-9)(2319c^5+9138c^4-31589c^3+13120c^2-113284c+214160), \\
g_{250} &= \frac{20}{63d(c)}(c+18)(4c-9)(1116c^6-13153c^5+44010c^4 \\
&- 9795c^3-142538c^2+126284c+42480), \\
g_{251} &= \frac{20}{63d(c)}(c+18)(4c-9)(1091c^6+10161c^5-27479c^4 \\
&- 377765c^3+1175300c^2-618356c-441840), \\
g_{252} &= \frac{20(50c^3-153c^2+315c-54)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},
\end{aligned}
$$

$$
\begin{aligned}
g_{253} &= -\frac{10}{189d(c)}(c+18)(4c-9)(285c^7-3522c^6-35938c^5+269676c^4 \\
&- 556887c^3+595950c^2-471660c+85200), \\
g_{254} &= \frac{10}{63d(c)}(c+18)(4c-9)(627c^6+5374c^5+44127c^4 \\
&- 383192c^3+475524c^2+433392c-689280), \\
g_{255} &= -\frac{5}{63d(c)}(c+18)(4c-9)(66c^7-2211c^6-5180c^5+96103c^4 \\
&- 224456c^3+58658c^2+239816c-146176), \\
g_{256} &= \frac{11}{3780d(c)}(c+18)(4c-9)(180c^8-180c^7-21765c^6+157788c^5-528517c^4 \\
&+ 460462c^3+821708c^2-1216416c+198720), \\
g_{257} &= -\frac{176}{21d(c)}(c+18)(4c-9)(80c^3-4329c^2+4962c-2608), \\
g_{258} &= -\frac{176}{63d(c)}(c+18)(4c-9)(171c^4-9956c^3+25436c^2-24506c+6360), \\
g_{259} &= -\frac{22}{63d(c)}(c+18)(4c-9)(243c^5-15138c^4+61983c^3-85808c^2+35980c+1680), \\
g_{260} &= \frac{88}{63d(c)}(c+18)(4c-9)(4479c^5+452c^4-43237c^3+109792c^2-112436c+38400), \\
g_{261} &= \frac{88}{63d(c)}(c+18)(4c-9)(6604c^4+11431c^3-38011c^2+40346c-21360), \\
g_{262} &= \frac{176}{21d(c)}(c+18)(4c-9)(28c^5-1577c^4-2573c^3+14678c^2-12966c+1880), \\
g_{263} &= \frac{11(c+18)}{189d(c)}(4c-9)(18225c^6-27165c^5-237457c^4 \\
&+ 752397c^3-644252c^2-43068c+174960), \\
g_{264} &= -\frac{88}{63d(c)}(c+18)(4c-9)(45c^6-4887c^5+22329c^4-12699c^3-41686c^2+49518c-7320), \\
g_{265} &= \frac{44}{63d(c)}(c+18)(4c-9)(249c^6-16059c^5+101543c^4 \\
&- 253253c^3+227044c^2+22196c-88080), \\
g_{266} &= \frac{22}{63d(c)}(c+12)(c+18)(4c-9)(177c^5-457c^4+4119c^3-13923c^2+11424c-260), \\
g_{267} &= -\frac{176}{21d(c)}(c+18)(4c-9)(23c^5-4919c^4+6774c^3+24481c^2-45744c+27280), \\
g_{268} &= -\frac{11}{21d(c)}(c+18)(4c-9)(931c^6-335c^5-18139c^4 \\
&+ 38639c^3+88420c^2-402836c+375440), \\
g_{269} &= -\frac{11}{126d(c)}(c+18)(4c-9)(1170c^7+2985c^6-28259c^5+141419c^4 \\
&- 560379c^3+883164c^2-433140c-42480),
\end{aligned}
$$

$$
\begin{aligned}
g_{270} &= -\frac{22}{63d(c)}(c+18)(4c-9)(222c^6-4807c^5+46014c^4 \\
&- 161769c^3+440212c^2-576072c+258720), \\
g_{271} &= -\frac{88}{63d(c))}(c+18)(4c-9)(165c^5-3333c^4+25253c^3+31402c^2-80902c+36600), \\
g_{272} &= -\frac{88}{21d(c)}(c+18)(4c-9)(33c^6-2232c^5+19960c^4 \\
&- 62545c^3+70802c^2-12248c-15360), \\
g_{273} &= -\frac{22}{21d(c)}(c+18)(4c-9)(576c^6+2159c^5+18482c^4 \\
&- 70077c^3-28984c^2+184884c-155280), \\
g_{274} &= -\frac{11}{126d(c)}(c+18)(4c-9)(30c^7-2199c^6-14551c^5+52307c^4 \\
&- 75747c^3+228476c^2-336076c+55920), \\
g_{275} &= -\frac{11}{189d(c)}(c+18)(4c-9)(918c^7-21c^6-33223c^5+150105c^4 \\
&- 171483c^3-412484c^2+973548c-526320), \\
g_{276} &= -\frac{44}{63d(c)}(c+18)(4c-9)(225c^6+236c^5+1897c^4 \\
&+ 30008c^3-247068c^2+388012c-208240), \\
g_{277} &= \frac{11(c+18)}{63d(c)}(4c-9)(6c^7+609c^6+887c^5+31567c^4 \\
&- 189813c^3+449308c^2-659124c+413840), \\
g_{278} &= \frac{11}{756d(c)}(c+18)(4c-9)(120c^7-1760c^6-75337c^5+455562c^4 \\
&+ 57343c^3-3932888c^2+6392420c-3266640), \\
g_{279} &= \frac{44}{21d(c)}(c+18)(4c-9)(2319c^5-3956c^4-23059c^3+62404c^2-53148c+14800), \\
g_{280} &= \frac{11}{63d(c)}(c+18)(4c-9)(9477c^6-36411c^5-18185c^4 \\
&+ 216495c^3-225252c^2-37004c+86640), \\
g_{281} &= \frac{11}{21d(c)}(c+18)(4c-9)(213c^6-11855c^5+52943c^4 \\
&- 98693c^3+140940c^2-169548c+91120), \\
g_{282} &= -\frac{11}{63d(c)}(c+18)(4c-9)(477c^7-1230c^6-7150c^5+32158c^4 \\
&- 21915c^3-45632c^2+34732c+24720), \\
g_{283} &= \frac{22}{21d(c)}(c+18)(4c-9)(3c^6-202c^5+503c^4-11528c^3+57580c^2-79976c+28320), \\
g_{284} &= -\frac{22}{189d(c)}(c+18)(4c-9) \\
&\times (243c^7-795c^6-10749c^5+49307c^4-45450c^3-58048c^2+110932c-45840),
\end{aligned}
$$

$$
\begin{aligned}
g_{285} &= \frac{176}{21d(c)}(c+18)(4c-9)(3389c^4+2916c^3-47276c^2+61726c-23240),\\
g_{286} &= \frac{44}{21d(c)}(c+18)(4c-9)(4617c^5-5848c^4-53777c^3+154292c^2-139344c+29440),\\
g_{287} &= \frac{22}{7d(c)}(c+18)(4c-9)(213c^5-11306c^4+26581c^3+21664c^2-61892c+4880),\\
g_{288} &= \frac{44}{21d(c)}(c+18)(4c-9)(169c^5-9148c^4+5303c^3+65592c^2-69716c-27760),\\
g_{289} &= \frac{11}{63d(c)}(c+18)(4c-9)(657c^6-37867c^5+147795c^4\\
&- 115425c^3-124292c^2+46412c+130320),\\
g_{290} &= -\frac{44}{63d(c)}(c+18)(4c-9)(703c^6+8125c^5+13077c^4\\
&- 177397c^3+257304c^2+5908c-109200),\\
g_{291} &= -\frac{11(133c^3-888c^2+745c+270)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{292} &= -\frac{11(c+12)}{189d(c)}(c+18)(4c-9)(75c^6-3450c^5+24846c^4\\
&- 61394c^3+51555c^2+29628c-52380),\\
g_{293} &= -\frac{22}{63d(c)}(c+18)(4c-9)(471c^6-94c^5-14965c^4\\
&+ 58500c^3-168796c^2+430464c-392640),\\
g_{294} &= -\frac{11}{63d(c)}(c+18)(4c-9)(12c^7-717c^6-440c^5+20163c^4\\
&- 12750c^3-166852c^2+334948c-174544),\\
g_{295} &= -\frac{11}{6804d(c)}(2700c^9+19890c^8+982473c^7-2869278c^6-38080623c^5+225907902c^4\\
&- 435221980c^3+281645120c^2+49821936c-82434240),\\
g_{296} &= -\frac{440}{189d(c)}(75072c^5-22400c^4-949713c^3+1594868c^2-1242708c+182304),\\
g_{297} &= -\frac{1760}{189d(c)}(17920c^4+18322c^3-367777c^2+584066c-272880),\\
g_{298} &= -\frac{880}{63d(c)}(50048c^5-87950c^4-1615395c^3+6639000c^2-7876228c+3215520),\\
g_{299} &= -\frac{440}{567d(c)}(78516c^6-128676c^5-272257c^4\\
&- 2046118c^3+10495212c^2-14684472c+5922720),\\
g_{300} &= -\frac{880}{63d(c)}(34896c^6-109310c^5-720956c^4\\
&+ 4384211c^3-8814282c^2+7933696c-2580480),\\
g_{301} &= -\frac{55}{1701d(c)}(218700c^7-654759c^6+1552032c^5-24397223c^4
\end{aligned}
$$

$$
\begin{aligned}
&+ \quad 119501698c^3 - 247092684c^2 + 236806776c - 87726240),\\
g_{302} &= -\frac{110}{189d(c)}(145800c^7 - 659337c^6 - 1084556c^5 + 11396927c^4\\
&- \quad 24532882c^3 + 20544604c^2 - 4304856c - 1317600),\\
g_{303} &= \frac{1760}{189d(c)}(9636c^6 - 30138c^5 - 798891c^4 + 3871226c^3 - 6086812c^2 + 1337064c + 2168640),\\
g_{304} &= \frac{220}{189d(c)}(26352c^7 - 142275c^6 - 2066646c^5 + 13702985c^4\\
&- \quad 26614412c^3 + 11039360c^2 + 14381736c - 9223200),\\
g_{305} &= \frac{220}{189d(c)}(11664c^8 + 114705c^7 - 1146123c^6 + 2204193c^5 + 2296855c^4\\
&- \quad 10585714c^3 + 7644412c^2 + 2585208c - 2570400),\\
g_{306} &= \frac{440}{567d(c))}(22464c^8 + 256896c^7 - 1522029c^6 - 2278006c^5 + 29552061c^4\\
&- \quad 79406486c^3 + 98880444c^2 - 51900984c + 4263840),\\
g_{307} &= \frac{880}{189d(c)}(10674c^7 + 133065c^6 - 193007c^5 - 1867691c^4\\
&+ \quad 921587c^3 + 11754034c^2 - 12898912c + 2498400),\\
g_{308} &= -\frac{440}{189d(c)}(c+18)(4c-9)(252c^6 + 831c^5 - 7178c^4 + 1761c^3 + 6158c^2 - 54924c + 60240),\\
g_{309} &= \frac{220}{189d(c)}(66600c^7 + 864357c^6 - 5671110c^5 - 14850519c^4\\
&+ \quad 113717484c^3 - 194772256c^2 + 124433864c - 14677920),\\
g_{310} &= -\frac{55}{567d(c)}(6480c^9 + 26406c^8 - 702807c^7 + 7542303c^6 - 43143369c^5 + 137338479c^4\\
&- \quad 270293228c^3 + 311793112c^2 - 110789736c - 26598240),\\
g_{311} &= \frac{440}{189d(c)}(11736c^7 + 99789c^6 - 800994c^5 + 3414513c^4\\
&- \quad 12036999c^3 + 21724034c^2 - 3972424c - 10565280),\\
g_{312} &= \frac{110}{189d(c)}(16920c^8 + 121245c^7 - 1925880c^6 + 7768803c^5 - 11118178c^4\\
&- \quad 8040462c^3 + 43138372c^2 - 42244320c + 10670400),\\
g_{313} &= -\frac{110}{567d(c)}(9576c^8 + 321936c^7 + 983931c^6 - 8031738c^5 + 35068203c^4\\
&- \quad 247077040c^3 + 685259288c^2 - 626900136c + 177547680),\\
g_{314} &= -\frac{110}{189d(c)}(2592c^8 + 39573c^7 + 244185c^6 - 588723c^5 - 25366917c^4\\
&+ \quad 121262562c^3 - 208758820c^2 + 154418408c - 33521760),\\
g_{315} &= -\frac{110}{1701d(c)}(6912c^9 + 70704c^8 - 913830c^7 + 2463801c^6 + 6707100c^5 - 76191867c^4\\
&+ \quad 303245488c^3 - 562399784c^2 + 397912296c - 78153120),
\end{aligned}
$$

$$
\begin{aligned}
g_{316} &= -\frac{220}{567d(c)}(2304c^8 + 47226c^7 - 327027c^6 - 2111052c^5 + 15011133c^4 \\
&- 38563088c^3 + 48602704c^2 - 4415880c - 16247520), \\
g_{317} &= -\frac{55}{2268d(c)}(5760c^9 + 68664c^8 - 1149888c^7 - 2753637c^6 + 54526944c^5 - 170726221c^4 \\
&+ 188145570c^3 - 13709740c^2 - 121599512c + 53350560), \\
g_{318} &= \frac{110}{189d(c)}(9324c^7 - 78771c^6 + 141400c^5 + 6246773c^4 \\
&- 39604982c^3 + 95449044c^2 - 104485128c + 40249440), \\
g_{319} &= \frac{440}{189d(c)}(6888c^6 + 20750c^5 - 294623c^4 \\
&+ 3691028c^3 - 12970656c^2 + 15344808c - 7447680), \\
g_{320} &= \frac{220}{63d(c)}(c+18)(4c-9)(1533c^5 - 10840c^4 + 27621c^3 - 34274c^2 + 9820c + 5680), \\
g_{321} &= -\frac{55}{567d(c)}(182250c^7 - 1340337c^6 + 2778044c^5 - 177025c^4 \\
&- 280080c^3 - 17509728c^2 + 32278536c - 15564960), \\
g_{322} &= \frac{110}{567d(c)}(7020c^8 + 83745c^7 - 512802c^6 + 521697c^5 + 665592c^4 \\
&- 901952c^3 - 6257576c^2 + 22610976c - 17712000), \\
g_{323} &= -\frac{220}{189d(c)}(11664c^8 + 102477c^7 - 1295826c^6 + 3360573c^5 + 316212c^4 \\
&- 10271768c^3 + 8582392c^2 + 1976736c - 2453760), \\
g_{324} &= \frac{110}{189d(c)}(9324c^8 + 146139c^7 - 202511c^6 - 4250207c^5 + 10925659c^4 \\
&+ 13144068c^3 - 70183216c^2 + 76275624c - 23410080), \\
g_{325} &= \frac{110}{189d(c)}(53532c^7 + 767685c^6 - 2193444c^5 - 10896171c^4 \\
&+ 9742374c^3 + 98626204c^2 - 180480680c + 88161120), \\
g_{326} &= -\frac{55}{63d(c)}(840c^8 + 9860c^7 + 48679c^6 + 1019934c^5 - 6951781c^4 \\
&+ 3898456c^3 + 38360160c^2 - 74863128c + 39506400), \\
g_{327} &= \frac{55}{189d(c)}(4464c^8 - 7341c^7 - 558519c^6 + 4947737c^5 - 18320529c^4 \\
&+ 34654036c^3 - 33672936c^2 + 14996088c - 2008800), \\
g_{328} &= \frac{55}{567d(c)}(16740c^8 + 28035c^7 - 2868195c^6 + 14771073c^5 - 28031037c^4 \\
&+ 34901672c^3 - 69359032c^2 + 93286344c - 42487200), \\
g_{329} &= \frac{220}{189d(c)}(3996c^7 + 12855c^6 - 689520c^5 + 2504119c^4 \\
&+ 1801300c^3 - 18685216c^2 + 23304536c - 8197920),
\end{aligned}
$$

$$
\begin{aligned}
g_{330} &= \frac{220}{63d(c)}(1800c^8 + 231c^7 - 226962c^6 + 1842287c^5 - 6541848c^4 \\
&+ 11783392c^3 - 10109556c^2 + 2626296c + 704160), \\
g_{331} &= -\frac{55}{63d(c)}(c+18)(4c-9)(189c^6 - 63c^5 - 12315c^4 \\
&+ 52871c^3 - 23558c^2 - 57564c + 54160), \\
g_{332} &= -\frac{55}{189d(c)}(756c^9 + 7755c^8 - 65685c^7 + 47744c^6 - 848063c^5 + 9440203c^4 \\
&- 28907678c^3 + 30662324c^2 + 209304c - 12972960), \\
g_{333} &= \frac{55}{1701d(c)}(18756c^8 + 659607c^7 - 2818998c^6 - 4991441c^5 + 43101944c^4 \\
&- 94625792c^3 + 123669768c^2 - 115595424c + 58164480), \\
g_{334} &= -\frac{110}{567d(c)}(504c^8 - 3432c^7 - 456099c^6 - 159398c^5 + 14022357c^4 \\
&- 33026844c^3 - 1201720c^2 + 58928632c - 47512800), \\
g_{335} &= -\frac{55}{567d(c)}(1008c^9 + 13908c^8 - 75549c^7 + 165818c^6 - 152501c^5 - 7415864c^4 \\
&+ 45003360c^3 - 112579544c^2 + 138976224c - 66389760), \\
g_{336} &= -\frac{55}{6804d(c)}(2160c^9 + 13860c^8 - 586974c^7 - 1430121c^6 + 29833068c^5 - 16564081c^4 \\
&- 467615860c^3 + 1447219200c^2 - 1517889672c + 551279520), \\
g_{337} &= -\frac{1760}{189d(c)}(7584c^6 + 256845c^5 - 824244c^4 \\
&- 5117351c^3 + 22590322c^2 - 26351376c + 11050560), \\
g_{338} &= -\frac{220}{189d(c)}(20520c^7 + 669645c^6 - 3174690c^5 - 4390427c^4 \\
&+ 43436732c^3 - 82034432c^2 + 61874472c - 13093920), \\
g_{339} &= -\frac{220}{189d(c)}(67608c^7 + 602169c^6 - 8845074c^5 + 17484441c^4 \\
&+ 81590556c^3 - 320183248c^2 + 332866088c - 94770720), \\
g_{340} &= -\frac{440}{189d(c)}(12240c^7 + 18663c^6 - 390342c^5 + 2451513c^4 \\
&- 22030368c^3 + 75267800c^2 - 94835896c + 47020320), \\
g_{341} &= -\frac{110}{189d(c)}(16920c^8 - 7179c^7 - 1144119c^6 + 6051443c^5 - 11704793c^4 \\
&+ 7385432c^3 - 413664c^2 + 9106200c - 10095840), \\
g_{342} &= \frac{220}{567d(c)}(4032c^8 - 59421c^7 - 467307c^6 + 8919069c^5 - 50115093c^4 \\
&+ 131158472c^3 - 146937904c^2 - 5764488c + 69927840), \\
g_{343} &= \frac{110}{189d(c)}(1944c^8 + 13365c^7 - 789843c^6 + 533307c^5 + 30900147c^4 \\
&- 164552136c^3 + 337871824c^2 - 282108968c + 74034720),
\end{aligned}
$$

$$
\begin{aligned}
g_{344} &= \frac{220}{1701d(c)}(3456c^9+45972c^8-347322c^7+643431c^6+6279756c^5-50971293c^4\\
&+ 132957668c^3-122144272c^2-19673256c+63171360),\\
g_{345} &= \frac{440}{567d(c)}(612c^8-1212c^7+171213c^6+126246c^5-7296891c^4\\
&+ 24212776c^3-26589932c^2+697008c+8484480),\\
g_{346} &= \frac{55}{567d(c)}(1440c^9+7422c^8-577035c^7+1083753c^6+13870939c^5-61672407c^4\\
&+ 67529760c^3+56787992c^2-142427144c+63113760),\\
g_{347} &= \frac{880}{189d(c)}(c+18)(4c-9)(4305c^4+1609c^3-913c^2-10322c+15120),\\
g_{348} &= \frac{440}{63d(c)}(c+18)(4c-9)(5936c^3+5849c^2-27890c+19024),\\
g_{349} &= \frac{880}{21d(c)}(c+18)(4c-9)(1148c^4-6356c^3-9777c^2+34004c-21440),\\
g_{350} &= \frac{55}{189d(c)}(c+18)(4c-9)\\
&\times (6993c^5+10086c^4-42523c^3-138836c^2+425780c-221520),\\
g_{351} &= \frac{440}{63d(c)}(c+18)(4c-9)(777c^5-5747c^4+9969c^3+515c^2-12784c+3920),\\
g_{352} &= \frac{55}{189d(c)}(139068c^7+1823397c^6-6898464c^5-17405571c^4\\
&+ 96004698c^3-144865388c^2+119329720c-61120800),\\
g_{353} &= \frac{440}{63d(c)}(22972c^6+311824c^5-1170463c^4\\
&- 3006342c^3+15376220c^2-17709176c+5450400),\\
g_{354} &= \frac{110}{21d(c)}(7064c^7+9079c^6-1085304c^5+4623711c^4\\
&- 2173070c^3-17521628c^2+30388328c-14116320),\\
g_{355} &= -\frac{55(c+18)(4c-9)}{63d(c)}(2359c^5+11914c^4-82357c^3+20228c^2+232572c-193200),\\
g_{356} &= \frac{110}{189d(c)}(42612c^7+636959c^6-3010552c^5+1866583c^4\\
&- 892930c^3+19975644c^2-33472216c+12201120),\\
g_{357} &= \frac{440}{189d(c)}(20920c^6+347936c^5-1426883c^4\\
&- 349602c^3+4745732c^2-2378728c-2568960),\\
g_{358} &= \frac{220}{189d(c)}(31908c^7+441945c^6-5567610c^5+13472361c^4\\
&+ 7973136c^3-54016184c^2+38621704c+6444000),\\
g_{359} &= -\frac{440}{189d(c)}(480c^8+6009c^7-178962c^6+244423c^5+3951962c^4
\end{aligned}
$$

$$
\begin{aligned}
&- 16359516c^3 + 23025464c^2 - 11163840c + 449280),\\
g_{360} &= \frac{55}{567d(c)}(27972c^8 + 368259c^7 - 1520038c^6 - 5892689c^5 + 36035712c^4\\
&- 64733828c^3 + 61012632c^2 - 51558480c + 31700160),\\
g_{361} &= -\frac{110}{189d(c))}(1680c^8 + 18604c^7 - 148821c^6 + 2494884c^5 - 9644493c^4\\
&+ 4505594c^3 + 22334308c^2 - 16509656c - 11950560),\\
g_{362} &= \frac{220}{189d(c)}(1140c^8 + 24789c^7 + 137025c^6 - 3014987c^5 + 10097159c^4\\
&- 6796098c^3 - 10457476c^2 + 3581688c + 12048480),\\
g_{363} &= -\frac{110}{189d(c)}(c+18)(4c-9)(525c^6 + 3799c^5 - 17013c^4\\
&+ 35349c^3 - 72648c^2 + 31940c + 84720),\\
g_{364} &= -\frac{110}{63d(c)}(c+18)(4c-9)(2149c^5 + 15422c^4 - 45335c^3 + 26084c^2 - 72140c + 185840),\\
g_{365} &= -\frac{55}{63d(c)}(3388c^8 + 44693c^7 - 303824c^6 - 542215c^5 + 6922578c^4\\
&- 14228704c^3 - 790240c^2 + 30490624c - 24491520),\\
g_{366} &= -\frac{110}{567d(c)}(8004c^8 + 169263c^7 + 395325c^6 - 3165477c^5 - 12906741c^4\\
&+ 70703614c^3 - 85379492c^2 - 3641736c + 40802400),\\
g_{367} &= -\frac{55}{1701d(c)}(7560c^9 + 124812c^8 - 315657c^7 - 2082843c^6 - 2104887c^5 + 54569691c^4\\
&- 142143196c^3 + 197622056c^2 - 255923016c + 183716640),\\
g_{368} &= -\frac{55}{567d(c)}(6300c^8 + 101037c^7 + 517305c^6 - 4463881c^5 - 15442625c^4\\
&+ 152773328c^3 - 419060760c^2 + 542904936c - 279776160),\\
g_{369} &= -\frac{220}{567d(c)}(6132c^7 + 98787c^6 + 240098c^5 - 3258161c^4\\
&- 11117866c^3 + 59336412c^2 - 44413752c - 2743200),\\
g_{370} &= -\frac{220}{189d(c)}(c+18)(4c-9)(105c^6 - 1731c^5 + 3031c^4\\
&+ 6573c^3 - 27982c^2 + 69168c - 72480),\\
g_{371} &= -\frac{55}{567d(c)}(24228c^8 + 338607c^7 - 2454189c^6 - 8206011c^5 + 67040301c^4\\
&+ 11941624c^3 - 471344152c^2 + 633509752c - 222351840),\\
g_{372} &= \frac{55}{567d(c)}(420c^9 + 6339c^8 - 24317c^7 - 43908c^6 - 3206283c^5 + 13399955c^4\\
&+ 2587018c^3 - 63802028c^2 + 66375544c - 4753440),\\
g_{373} &= -\frac{55}{3402d(c)}(7560c^9 + 74718c^8 - 1829385c^7 - 751944c^6 + 62307729c^5 - 196513344c^4\\
&+ 77768554c^3 + 516936580c^2 - 821150832c + 363021696),
\end{aligned}
$$

$$
\begin{aligned}
g_{374} &= -\frac{110}{567d(c)}(2304c^8+16596c^7-526905c^6+265554c^5+18027105c^4\\
&- 73760894c^3+123819628c^2-105616440c+39566880),\\
g_{375} &= \frac{55}{378d(c)}(168c^9+1458c^8-35047c^7-279404c^6-4601c^5+7937884c^4\\
&- 9851418c^3-42288452c^2+100462416c-57763584),\\
g_{376} &= \frac{11}{2268d(c)}(1680c^9+23940c^8-271626c^7+1785817c^6+27001532c^5-241942423c^4\\
&+ 626558564c^3-567683360c^2+19348296c+185436000),\\
g_{377} &= \frac{11}{20412d(c)}(2160c^{10}+21060c^9-521748c^8-4464708c^7+46409487c^6-85550322c^5\\
&- 227188973c^4+1081582664c^3-1401210248c^2+356920248c+275888160),\\
g_{378} &= \frac{(c+18)(4c-9)}{7560d(c)}(210c^8-2340c^7-17013c^6+357851c^5-2719733c^4\\
&+ 4848833c^3+1172620c^2-4953308c+847920),\\
g_{379} &= -\frac{c}{21}, \qquad g_{380}=\frac{62}{21}, \qquad g_{381}=\frac{2}{7}, \qquad g_{382}=-\frac{20}{7}, \qquad g_{383}=\frac{22}{7},\\
g_{384} &= \frac{5(3c+25)}{126(c-1)},\\
g_{385} &= \frac{10}{3(c-1)}, \qquad g_{386}=\frac{125}{42}, \qquad g_{387}=-\frac{(21c-1)}{21(c-1)}, \qquad g_{388}=-\frac{20}{7(c-1)},\\
g_{389} &= -\frac{40(c-2)}{21(c-1)},\\
g_{390} &= -\frac{40}{7(c-1)}, \qquad g_{391}=\frac{44}{21}, \qquad g_{392}=0, \qquad g_{393}=\frac{2(3c^3-505c^2+1656c-564)}{63(c-1)(c+6)(2c-3)},\\
g_{394} &= -\frac{4(327c^2-272c+1260)}{63(c-1)(c+6)(2c-3)}, \qquad g_{395}=-\frac{8(467c+358)}{63(c-1)(c+6)(2c-3)},\\
g_{396} &= \frac{4(377c^2-981c+94)}{21(c-1)(c+6)(2c-3)}, \qquad g_{397}=\frac{100}{21(c-1)},\\
g_{398} &= \frac{4(47c^3-24c^2-144c+376)}{63(c-1)(c+6)(2c-3)},\\
g_{399} &= \frac{1}{7}, \qquad g_{400}=-\frac{(21c^3+95c^2-288c+12)}{21(c-1)(c+6)(2c-3)}, \qquad g_{401}=-\frac{2(3c+5)(7c+18)}{21(c-1)(c+6)(2c-3)},\\
g_{402} &= -\frac{4(31c+134)}{21(c-1)(c+6)(2c-3)}, \qquad g_{403}=\frac{2(c^2-63c+2)}{7(c-1)(c+6)(2c-3)}, \qquad g_{404}=-\frac{20}{7(c-1)},\\
g_{405} &= -\frac{10(c^3-7c^2+24c-12)}{7(c-1)(c+6)(2c-3)}, \qquad g_{406}=\frac{40(9c+2)}{7(c-1)(c+6)(2c-3)},\\
g_{407} &= \frac{10(5c-6)(9c+2)}{21(c-1)(c+6)(2c-3)}, \qquad g_{408}=-\frac{20(7c^2+124c-132)}{21(c-1)(c+6)(2c-3)},\\
g_{409} &= -\frac{10(5c^2-34c+32)}{7(c-1)(c+6)(2c-3)}, \qquad g_{410}=\frac{11(6c^3-3c^2+85c+42)}{42(c-1)(c+6)(2c-3)},
\end{aligned}
$$

$$
\begin{aligned}
g_{411} &= -\frac{44(11c+14)}{7(c-1)(c+6)(2c-3)}, \qquad g_{412} = -\frac{11(45c^2-41c+6)}{21(c-1)(c+6)(2c-3)},\\
g_{413} &= \frac{22(c^2-97c+6)}{21(c-1)(c+6)(2c-3)}, \qquad g_{414} = -\frac{11(c^2-53c+62)}{7(c-1)(c+6)(2c-3)},\\
g_{415} &= \frac{(27c^5+645c^4-7467c^3+14615c^2+8064c+9036)}{252(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{416} &= -\frac{(7077c^3+2290c^2+36671c+29622)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{417} &= -\frac{2(10084c^2+10239c+9032)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{418} &= -\frac{2(3941c^3-15760c^2-5735c-9706)}{21(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{419} &= -\frac{(15096c^4-44349c^3-7572c^2+23683c-4518)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{420} &= -\frac{(999c^4+27978c^3-80293c^2+91140c+9036)}{756(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{421} &= -\frac{(6555c^4-10426c^3+8075c^2-29436c-125508)}{126(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{422} &= \frac{(15069c^4-58578c^3+23841c^2+112124c-9036)}{63(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{423} &= -\frac{(2631c^2+2539c-1170)}{126(c-1)(c+6)(2c-3)}, \qquad g_{424} = -\frac{(2501c+1954)}{21(c-1)(c+6)(2c-3)},\\
g_{425} &= \frac{(1309c^4+4692c^3-30535c^2+30466c-6632)}{84(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{426} &= \frac{(2591c^4+1856c^3+5895c^2-22506c+89224)}{126(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{427} &= \frac{(3765c^5-18027c^4+4169c^3+26543c^2+55350c+196800)}{756(c-1)(c+1)(c+6)(2c-3)(5c-9)},\\
g_{428} &= \frac{2(c^3+3c^2+18c+8)}{21(c-1)(c+6)(2c-3)}.
\end{aligned}
\tag{G.10}
$$

We introduce the c-dependent coefficient $d(c)$ in Appendix (G.10) as follows:

$$
d(c) \equiv (c-2)(c-1)(c+1)(c+6)(c+12)(c+18)(2c-3)(4c-9)(5c-9)(7c-15). \tag{G.11}
$$

One can also analyze the $\frac{1}{c}, \cdots, \frac{1}{c^6}$-terms in the large c limit.

Finally, the OPE between the fourth higher spin $\mathcal{N}=2$ multiplet and itself in (3.3) can be summarized as

$$
\begin{aligned}
&\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2) = C^{(\frac{7}{2})-}_{(\frac{7}{2})(\frac{7}{2})}\left(\frac{\theta_{12}}{z_{12}^4}\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2) + \frac{\theta_{12}\,\bar{\theta}_{12}}{z_{12}^4}\,f_2\,\overline{D}\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2) + + \frac{1}{z_{12}^3}\,f_3\,\overline{D}\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)\right.\\
&\left. + \frac{\theta_{12}}{z_{12}^3}\left[f_4\,[D,\overline{D}]\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}} + f_5\,\mathbf{T}\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}} + f_6\,\partial\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}\right](Z_2)\right.
\end{aligned}
$$

$$
\begin{aligned}
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^3}\,\left[f_7\,\partial\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_8\,\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_9\,\overline{D}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right](Z_2)\\
&+\frac{1}{z_{12}^2}\,\left[f_{10}\,\partial\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{11}\,\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{12}\,\overline{D}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right](Z_2)+\frac{\bar\theta_{12}}{z_{12}^2}\,f_{13}\,\overline{D}\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}(Z_2)\\
&+\frac{\theta_{12}}{z_{12}^2}\,\left[f_{14}\,\partial[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{15}\,\mathbf{T}[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{16}\,\mathbf{T}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{17}\,\mathbf{T}\partial\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{18}\,D\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right.\\
&\left.+f_{19}\,[D,\overline{D}]\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{20}\,\overline{D}\mathbf{T}D\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{21}\,\partial\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{22}\,\partial^2\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}^2}\,\left[f_{23}\,\partial^2\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{24}\,\mathbf{T}\partial\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{25}\,\mathbf{T}\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{26}\,[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right.\\
&\left.+f_{27}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{28}\,\overline{D}\mathbf{T}\partial\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{29}\,\partial\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{30}\,\partial\overline{D}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{31}\,\mathbf{T}\overline{D}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right](Z_2)\\
&+\frac{1}{z_{12}}\,\left[f_{32}\,\partial^2\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{33}\,\mathbf{T}\partial\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{34}\,\mathbf{T}\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{35}\,\mathbf{T}\overline{D}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{36}\,[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right.\\
&\left.+f_{37}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{38}\,\overline{D}\mathbf{T}\partial\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{39}\,\partial\overline{D}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{40}\,\partial\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right](Z_2)\\
&+\frac{\bar\theta_{12}}{z_{12}}\,\left[f_{41}\,\mathbf{T}\overline{D}\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{42}\,\overline{D}\mathbf{T}\partial\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{43}\,\partial\overline{D}\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right](Z_2)\\
&+\frac{\theta_{12}}{z_{12}}\,\left[f_{44}\,\overline{D}\mathbf{T}D\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{45}\,\partial^2[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{46}\,\mathbf{T}\partial[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{47}\,\mathbf{T}\mathbf{T}[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right.\\
&+f_{48}\,\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{49}\,\mathbf{T}\mathbf{T}\partial\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{50}\,\mathbf{T}D\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{51}\,\mathbf{T}[D,\overline{D}]\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{52}\,\mathbf{T}\overline{D}\mathbf{T}D\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\\
&+f_{53}\,\mathbf{T}\partial^2\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{54}\,D\mathbf{T}\partial\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{55}\,\partial D\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{56}\,[D,\overline{D}]\mathbf{T}[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\\
&+f_{57}\,[D,\overline{D}]\mathbf{T}\partial\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{58}\,\partial[D,\overline{D}]\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{59}\,\overline{D}\mathbf{T}\partial D\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{60}\,\partial\overline{D}\mathbf{T}D\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\\
&\left.+f_{61}\,\partial\mathbf{T}[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{62}\,\partial\mathbf{T}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{63}\,\partial\mathbf{T}\partial\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{64}\,\partial^2\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{65}\,\partial^3\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right](Z_2)\\
&+\frac{\theta_{12}\,\bar\theta_{12}}{z_{12}}\,\left[f_{66}\,\partial^3\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{67}\,\mathbf{T}\partial^2\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{68}\,\mathbf{T}\mathbf{T}\partial\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{69}\,\mathbf{T}\mathbf{T}\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right.\\
&+f_{70}\,\mathbf{T}[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{71}\,\mathbf{T}\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{72}\,\mathbf{T}\overline{D}\mathbf{T}\partial\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{73}\,\overline{D}\mathbf{T}D\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\\
&+f_{74}\,[D,\overline{D}]\mathbf{T}\partial\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{75}\,\partial[D,\overline{D}]\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{76}\,\overline{D}\mathbf{T}\partial[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{77}\,\overline{D}\mathbf{T}\partial^2\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\\
&+f_{78}\,\partial\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{79}\,\partial\overline{D}\mathbf{T}\partial\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{80}\,\partial\mathbf{T}\partial\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{81}\,\partial\mathbf{T}\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\\
&+f_{82}\,\partial^2\mathbf{T}\overline{D}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{83}\,\partial^2\overline{D}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{84}\,\partial\mathbf{T}\overline{D}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{85}\,\partial\overline{D}\mathbf{T}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\\
&\left.\left.+f_{86}\,\overline{D}\mathbf{T}[D,\overline{D}]\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}+f_{87}\,\mathbf{T}\mathbf{T}\overline{D}\mathbf{T}\mathbf{W}_{\frac{1}{3}}^{(\frac{7}{2})}\right](Z_2)\right)+\cdots,
\end{aligned}
\tag{G.12}
$$

where the coefficients in Appendix (G.12) can be written in terms of previous ones in Appendix (G.8)

$$
\begin{aligned}
f_2 &= -e_2, \qquad f_3=e_3, \qquad f_4=-e_4, \qquad f_5=0, \qquad f_6=e_6, \qquad f_7=-e_7,\\
f_8 &= e_8, \qquad f_9=e_9, \qquad f_{10}=e_{10}, \qquad f_{11}=0, \qquad f_{12}=0, \qquad f_{13}=-e_{13},
\end{aligned}
$$

$$
\begin{aligned}
f_{14} &= -e_{14}, \quad f_{15} = e_{15}, \quad f_{16} = e_{16}, \quad f_{17} = -e_{17}, \quad f_{18} = -e_{18}, \quad f_{19} = e_{19}, \\
f_{20} &= -e_{20}, \quad f_{21} = -e_{21}, \quad f_{22} = e_{22}, \quad f_{23} = -e_{23}, \quad f_{24} = e_{24}, \quad f_{25} = -e_{25}, \\
f_{26} &= -e_{26}, \quad f_{27} = -e_{27}, \quad f_{28} = e_{28}, \quad f_{29} = e_{29}, \quad f_{30} = e_{30}, \quad f_{31} = -e_{31}, \\
f_{32} &= e_{32}, \quad f_{33} = -e_{33}, \quad f_{34} = e_{34}, \quad f_{35} = e_{35}, \quad f_{36} = e_{36}, \quad f_{37} = e_{37}, \\
f_{38} &= -e_{38}, \quad f_{39} = -e_{39}, \quad f_{40} = -e_{40}, \quad f_{41} = e_{41}, \quad f_{42} = -e_{42}, \quad f_{43} = -e_{43}, \\
f_{44} &= -e_{44}, \quad f_{45} = -e_{45}, \quad f_{46} = e_{46}, \quad f_{47} = -e_{47}, \quad f_{48} = 0, \quad f_{49} = e_{49}, \\
f_{50} &= e_{50}, \quad f_{51} = -e_{51}, \quad f_{52} = e_{52}, \quad f_{53} = -e_{53}, \quad f_{54} = -e_{54}, \quad f_{55} = -e_{55}, \\
f_{56} &= -e_{56}, \quad f_{57} = e_{57}, \quad f_{59} = -e_{59}, \quad f_{60} = -e_{60}, \quad f_{61} = e_{61}, \\
f_{62} &= e_{62}, \quad f_{63} = -e_{63}, \quad f_{64} = -e_{64}, \quad f_{65} = e_{65}, \quad f_{66} = -e_{66}, \quad f_{67} = e_{67}, \\
f_{68} &= -e_{68}, \quad f_{69} = e_{69}, \quad f_{70} = e_{70}, \quad f_{71} = e_{71}, \quad f_{72} = -e_{72}, \quad f_{73} = e_{73}, \\
f_{74} &= -e_{74}, \quad f_{76} = -e_{76}, \quad f_{77} = e_{77}, \quad f_{78} = -e_{78}, \quad f_{79} = e_{79}, \quad f_{80} = e_{80}, \\
f_{81} &= -e_{81}, \quad f_{82} = e_{82}, \quad f_{84} = -e_{84}, \quad f_{85} = -e_{85}, \quad f_{86} = e_{86}, \quad f_{87} = e_{87}, \\
f_{58} &= -\frac{(1053c^4 + 10224c^3 - 64623c^2 + 104326c - 18120)}{2(c+9)(3c+4)(27c-46)(3c^2+90c-265)}, \\
f_{75} &= -\frac{10(972c^5 - 6237c^4 + 18396c^3 + 93411c^2 - 498058c + 493656)}{11(c+9)(3c-2)(3c+4)(27c-46)(3c^2+90c-265)}, \\
f_{83} &= \frac{5(810c^5 + 12861c^4 - 132981c^3 + 207708c^2 + 319344c - 392216)}{2(c+9)(3c-2)(3c+4)(27c-46)(3c^2+90c-265)}.
\end{aligned} \tag{G.13}
$$

In this case, the last three coefficients in Appendix (G.13) are different from the ones in Appendix (G.8). One can also analyze the $\frac{1}{c}, \cdots, \frac{1}{c^3}$-terms in the large c limit.

H The component OPEs in the OPE $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z_2)$

Although the complete OPEs between the higher spin currents in $\mathcal{N} = 2$ superspace are determined in Appendix G, sometimes one should reexpress them in terms of its component results. In this Appendix and Appendices I and J, we will present them [44].

H.1 The component OPEs in the OPE $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_2)$

The ten component OPEs corresponding to (7.1) can be summarized by

$$
\begin{aligned}
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}}\, W^{(2)}_{\frac{2}{3}}(z)\, W^{(2)}_{\frac{2}{3}}(w) &= +\cdots, \\
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}}\, W^{(2)}_{\frac{2}{3}}(z)\, W^{(\frac{5}{2})}_{\frac{5}{3}}(w) &= +\cdots,
\end{aligned}
$$

[44] Although the $\mathcal{N} = 2$ results in $\mathcal{N} = 2$ superspace in section 7 provides the component results automatically using the command `N2OPEToComponents` in [31], for convenience, we would like to present them explicitly.

$$
\begin{aligned}
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}} W^{(2)}_{\frac{2}{3}}(z)\, W^{(\frac{5}{2})}_{-\frac{1}{3}}(w) &= -\frac{1}{(z-w)}\, W^{(\frac{7}{2})}_{\frac{1}{3}}(w) + \cdots, \\
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}} W^{(2)}_{\frac{2}{3}}(z)\, W^{(3)}_{\frac{2}{3}}(w) &= \frac{1}{(z-w)}\, \frac{1}{2}\, W^{(4)}_{\frac{4}{3}}(w) + \cdots, \\
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}} W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\, W^{(\frac{5}{2})}_{\frac{5}{3}}(w) &= +\cdots, \\
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}} W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\, W^{(\frac{5}{2})}_{-\frac{1}{3}}(w) &= -\frac{1}{(z-w)}\, \frac{1}{2}\, W^{(4)}_{\frac{4}{3}}(w) + \cdots, \\
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}} W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\, W^{(3)}_{\frac{2}{3}}(w) &= +\cdots, \\
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}} W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\, W^{(\frac{5}{2})}_{-\frac{1}{3}}(w) &= -\frac{1}{(z-w)}\, W^{(4)}_{-\frac{2}{3}}(w) + \cdots, \\
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}} W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\, W^{(3)}_{\frac{2}{3}}(w) &= \frac{1}{(z-w)^2}\, \frac{1}{2}\, W^{(\frac{7}{2})}_{\frac{1}{3}}(w) + \frac{1}{(z-w)} \left[\frac{1}{2} W^{(\frac{9}{2})}_{\frac{1}{3}} + + \frac{1}{4}\, \partial W^{(\frac{7}{2})}_{\frac{1}{3}}\right](w) + \cdots, \\
\frac{1}{C^{(\frac{7}{2})+}_{(2)(2)}} W^{(3)}_{\frac{2}{3}}(z)\, W^{(3)}_{\frac{2}{3}}(w) &= -\frac{1}{(z-w)^2}\, \frac{1}{2} W^{(4)}_{\frac{4}{3}}(w) - \frac{1}{(z-w)}\, \frac{1}{4}\, \partial W^{(4)}_{\frac{4}{3}}(w) + \cdots. \qquad \text{(H.1)}
\end{aligned}
$$

Intentionally, we put the overall structure constant in the left hand side. For convenience, we also presented the trivial OPEs which can be checked by $U(1)$ charge counting. For example, the first equation of Appendix (H.1) implies that the left hand side contains the $U(1)$ charge $\frac{4}{3}$. Then the right hand side of this OPE should preserve this $U(1)$ charge. The possible spin contents in the right hand side are given by $1, 2$ or 3. Then there are no composite fields having an $U(1)$ charge $\frac{4}{3}$ for given spins. Note that $W^{(\frac{9}{2})}_{\frac{1}{3}}(w)$ is not a primary field. The coefficient $-\frac{1}{4} = -\frac{1}{2} \times \frac{1}{2}$ appearing in the last OPE in Appendix (H.1) is an expected expression from the spin counting of the left hand side and right hand side.

H.2 The component OPEs in the OPE $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\, \mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)$

The sixteen component OPEs corresponding to (7.2) can be written as

$$
\begin{aligned}
& W^{(2)}_{\frac{2}{3}}(z)\, W^{(2)}_{-\frac{2}{3}}(w) = \frac{1}{(z-w)^4}\, \frac{c}{2} + \frac{1}{(z-w)^3}\, J(w) \\
& + \frac{1}{(z-w)^2} \left[-\frac{2}{(c-1)}\, JJ + \frac{2(3c-1)}{3(c-1)} T + \frac{1}{2}\, \partial J\right](w) \\
& + \frac{1}{(z-w)}\, \frac{1}{(c-1)(c+6)(2c-3)} \left[-(c^2 - 36c + 8)\, G^- G^+ + \frac{1}{3}\, (3c+8)(8c+9)\, JT \right. \\
& -2(c+6)(2c-3)\, \partial JJ - \frac{1}{3}\, (32c+127)\, JJJ + \frac{1}{6}\, (c+2)(2c^2+2c+5)\, \partial^2 J \\
& \left. + \frac{1}{6}\, (12c^3 + 53c^2 - 234c + 60)\, \partial T\right](w) + \cdots,
\end{aligned}
$$

$$W^{(2)}_{\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{\frac{1}{3}}(w) = \frac{1}{(z-w)^3}\,\frac{7}{2}G^+(w) + \frac{1}{(z-w)^2}\,\left[\frac{7}{2(c-1)}\,JG^+ + \frac{7(c-2)}{6(c-1)}\,\partial G^+\right](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\left[\frac{7}{6}\,(27c^2-32c+6)\,TG^+ + \frac{7}{6}\,(c^2+64c-42)\,G^+\partial J\right.$$
$$\left.+\frac{7}{4}(3c^2-22c+20)\,\partial JG^+ - \frac{7}{2}\,(12c+7)JJG^+ + \frac{7}{12}\,(c^3-17c^2+54c-18)\,\partial^2 G^+\right](w) + \cdots,$$
$$W^{(2)}_{\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(w) = -\frac{1}{(z-w)^3}\,\frac{5}{2}\,G^-(w) + \frac{1}{(z-w)^2}\,\left[-\frac{15}{2(c-1)}\,JG^- - \frac{5(c+2)}{6(c-1)}\,\partial G^-\right](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\left[-\frac{5}{6}\,(27c^2-38c-30)\,G^-T - \frac{5}{4}\,(5c^2+56c-104)\,\partial JG^-\right.$$
$$\left.-\frac{5}{6}\,(7c^2-10c+78)\,\partial G^-J + \frac{5}{2}\,(4c-41)\,JJG^- - \frac{5}{24}\,(2c^3-11c^2+34c-138)\,\partial^2 G^-\right](w) + \cdots,$$
$$W^{(2)}_{\frac{2}{3}}(z)\,W^{(3)}_{-\frac{2}{3}}(w) = -\frac{1}{(z-w)^5}\,\frac{c}{6} + \frac{1}{(z-w)^4}\,\frac{8}{3}\,J(w)$$
$$+\frac{1}{(z-w)^3}\,\left[\frac{37}{6(c-1)}\,JJ - \frac{(3c+34)}{9(c-1)}T - \frac{1}{6}\,\partial J\right](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\left[-\frac{1}{3}\,(131c^2-306c+208)\,G^-G^+ + \frac{1}{9}\,(204c^2-469c-18)\,JT\right.$$
$$+\frac{41}{12}\,(c+6)(2c-3)\,\partial JJ - \frac{2}{9}\,(101c-239)\,JJJ - \frac{1}{36}\,(18c^3-641c^2+1962c-1824)\,\partial T$$
$$\left.-\frac{1}{18}\,(2c^3+138c^2-333c+226)\,\partial^2 J\right](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\left[-\frac{1}{18}(c+1)(5c-9)(12c^2+973c-1224)\,\partial JT\right.$$
$$-\frac{35}{3}\,(40c^3-131c^2+23c-26)\,JG^-G^+ + \frac{70}{9}\,(30c^3-23c^2+59c+57)\,JJT$$
$$-\frac{35}{54}(264c^3-827c^2+759c+90)\,TT + \frac{1}{18}\,(1305c^4-6759c^3+6510c^2+13562c-8712)\,\partial G^+G^-$$
$$-\frac{1}{18}\,(1305c^4-1089c^3-2520c^2-6458c+1368)\,\partial G^-G^+$$
$$+\frac{1}{18}\,(990c^4+3268c^3-18755c^2+5331c+3264)\,\partial TJ$$
$$+\frac{1}{36}\,(410c^4-1423c^3+7011c^2-12444c+17212)\,\partial^2 JJ$$
$$+\frac{1}{24}\,(40c^4+288c^3-4321c^2+10429c-8102)\,\partial J\partial J$$
$$-\frac{1}{6}\,(c+1)(5c-9)(124c-361)\,\partial JJJ - \frac{175}{18}\,(2c-1)(16c+5)\,JJJJ$$
$$-\frac{1}{36}\,(30c^5+171c^4-3759c^3+7607c^2+1125c-2682)\,\partial^2 T$$
$$\left.+\,\frac{1}{108}\,(30c^5+3366c^4+2069c^3-35110c^2+14727c+2370)\,\partial^3 J\right](w) + \cdots,$$
$$W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\,W^{(2)}_{-\frac{2}{3}}(w) = -\frac{1}{(z-w)^3}\,\frac{5}{2}\,G^+(w) + \frac{1}{(z-w)^2}\,\left[-\frac{15}{2(c-1)}\,JG^+ - \frac{5(2c-5)}{6(c-1)}\,\partial G^+\right](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\left[-\frac{5}{6}\,(27c^2-38c-30)\,TG^+ - \frac{5}{4}\,(7c^2-2c-4)\,\partial JG^+\right.$$

$$-\frac{5}{6}\left(11c^2+91c-240\right)\partial G^+J+\frac{5}{2}\left(4c-41\right)JJG^+-\frac{5}{4}\left(c^3-2c^2+12c-30\right)\partial^2G^+\Big](w)+\cdots,$$

$$W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\,W^{(\frac{5}{2})}_{\frac{1}{3}}(w)=-\frac{1}{(z-w)}\,\frac{35}{6(c-1)}\,\partial G^+G^+(w)+\cdots,$$

$$W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(w)=\frac{1}{(z-w)^5}\,\frac{5c}{6}+\frac{1}{(z-w)^4}\,\frac{25}{6}\,J(w)$$
$$+\frac{1}{(z-w)^3}\,\Big[\frac{25}{6(c-1)}\,JJ+\frac{25(3c-5)}{18(c-1)}\,T+\frac{25}{12}\,\partial J\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[\frac{25}{9}\left(15c^2+11c-45\right)JT-\frac{25}{6}\left(c-5\right)(7c-10)\,G^-G^+$$
$$+\frac{25}{6}\left(c+6\right)(2c-3)\,\partial JJ-\frac{25}{18}\left(20c-23\right)JJJ+\frac{25}{18}\left(c^3+9c-16\right)\partial^2J$$
$$+\frac{25}{18}\left(3c-8\right)(c^2+9c-15)\,\partial T\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\Big[\frac{25}{18}\left(c+1\right)(5c-9)(15c^2+11c-45)\,\partial JT$$
$$+\frac{25}{18}\left(3c-8\right)(24c^3-168c^2+5c+225)\,\partial G^+G^--\frac{25}{3}\left(68c^3-316c^2+109c+185\right)JG^-G^+$$
$$+\frac{25}{18}\left(3c-8\right)(25c^3+133c^2-96c-120)\,\partial TJ+\frac{25}{54}\left(3c-8\right)(81c^3-86c^2+12c-45)\,TT$$
$$+\frac{25}{18}\left(132c^3+269c^2+100c-345\right)JJT-\frac{25}{18}\left(33c^4-63c^3-258c^2-20c+450\right)\partial G^-G^+$$
$$+\frac{25}{36}\left(23c^4-157c^3+708c^2-618c+34\right)\partial^2JJ+\frac{25}{24}\left(7c^4+132c^3-508c^2+373c+82\right)\partial J\partial J$$
$$-\frac{25}{12}\left(c+1\right)(5c-9)(20c-23)\,\partial JJJ-\frac{175}{18}\left(2c-1\right)(16c+5)\,JJJJ$$
$$+\frac{25}{36}\left(3c-8\right)(3c^4-6c^3+46c^2-18c-45)\,\partial^2T$$
$$+\frac{25}{216}\left(15c^5-162c^4-290c^3+2356c^2-867c-1488\right)\partial^3J\Big](w)+\cdots,$$

$$W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\,W^{(3)}_{-\frac{2}{3}}(w)=\frac{1}{(z-w)^4}\,\frac{95}{12}\,G^+(w)+\frac{1}{(z-w)^3}\,\Big[\frac{95}{6(c-1)}\,JG^++\frac{5(21c-59)}{36(c-1)}\,\partial G^+\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[\frac{5}{36}\left(591c^2-1244c+510\right)TG^+$$
$$+\frac{5}{24}\left(167c^2-114c-196\right)\partial JG^+-\frac{5}{36}\left(3c^2-1276c+1986\right)\partial G^+J-\frac{5}{12}\left(212c-353\right)JJG^+$$
$$+\frac{5}{72}\left(23c^3-406c^2+1395c-1296\right)\partial^2G^+\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\Big[\frac{175}{9}(16c+5)\left(3c^2-7c+6\right)JTG^+$$
$$+\frac{5}{72}\left(c+6\right)(825c^3-2776c^2+2543c-16)\,\partial G^+\partial J-\frac{5}{6}\left(220c^3-58c^2-601c+1217\right)\partial JJG^+$$
$$-\frac{5}{36}\left(2340c^3-17009c^2+2852c+6801\right)\partial G^+JJ$$
$$+\frac{5}{36}(1485c^4-3614c^3+2137c^2-1274c+3810)\,\partial TG^+$$

$$+\frac{5}{108}\left(3195c^4-18612c^3+11171c^2+24948c-32670\right)\partial G^+T$$
$$+\frac{5}{72}\left(875c^4-2542c^3+3825c^2-6074c+5164\right)\partial^2 JG^+$$
$$-\frac{5}{36}\left(95c^4+2047c^3-13570c^2+8539c-579\right)\partial^2 G^+J-\frac{350}{9}\left(2c-1\right)(16c+5)\,JJJG^+$$
$$+\frac{5}{216}(75c^5-723c^4-1539c^3+9977c^2-4176c-2574)\,\partial^3 G^+\Big](w)+\cdots,$$
$$W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(2)}_{-\frac{2}{3}}(w)=\frac{1}{(z-w)^3}\,\frac{7}{2}G^-(w)+\frac{1}{(z-w)^2}\left[\frac{7}{2(c-1)}\,JG^-+\frac{7(2c-1)}{6(c-1)}\,\partial G^-\right](w)+$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+6)(2c-3)}\left[\frac{7}{6}\left(27c^2-32c+6\right)G^-T+\frac{7}{6}\left(5c^2-37c-12\right)\partial G^-J\right.$$
$$\left.+\frac{7}{4}\left(c^2+40c-56\right)\partial JG^--\frac{7}{2}\left(12c+7\right)JJG^-+\frac{7}{24}\left(6c^3+3c^2+4c+42\right)\partial^2G^-\right](w)+\cdots,$$
$$W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(\frac{5}{2})}_{\frac{1}{3}}(w)=\frac{1}{(z-w)^5}\,\frac{7c}{6}-\frac{1}{(z-w)^4}\,\frac{7}{6}\,J(w)$$
$$+\frac{1}{(z-w)^3}\left[-\frac{49}{6(c-1)}\,JJ+\frac{7(15c-1)}{18(c-1)}\,T-\frac{7}{12}\,\partial J\right](w)+$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c-1)(c+6)(2c-3)}\left[-\frac{7}{9}\left(15c^2-127c+63\right)JT+\frac{7}{6}(c-1)(43c-2)\,G^-G^+\right.$$
$$-\frac{49}{6}\left(c+6\right)(2c-3)\,\partial JJ+\frac{7}{18}\left(44c-191\right)JJJ-\frac{7}{18}\left(c-1\right)(c^2-17c-8)\,\partial^2J$$
$$\left.+\frac{7}{18}\left(15c^3+2c^2-72c+6\right)\partial T\right](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\left[-\frac{7}{18}\left(c+1\right)(5c-9)(15c^2-127c+63)\,\partial JT\right.$$
$$+\frac{7}{3}\left(20c^3-616c^2+523c+59\right)JG^-G^+-\frac{7}{18}\left(1140c^3-577c^2-44c+573\right)JJT$$
$$+\frac{7}{18}\left(450c^4-1410c^3+129c^2+853c-36\right)\partial G^-G^+$$
$$-\frac{7}{18}\left(195c^4+219c^3-720c^2+338c-18\right)\partial G^+G^-$$
$$-\frac{35}{18}(15c^4-127c^3-232c^2+492c-78)\,\partial TJ+\frac{7}{54}\left(1215c^4-1092c^3-4900c^2+6171c-36\right)TT$$
$$-\frac{7}{36}\left(125c^4+935c^3-1164c^2-3048c+4426\right)\partial^2JJ$$
$$-\frac{7}{24}\left(85c^4-198c^3-628c^2+1813c-1142\right)\partial J\partial J$$
$$+\frac{7}{12}\left(c+1\right)(5c-9)(44c-191)\,\partial JJJ+\frac{175}{18}\left(2c-1\right)(16c+5)\,JJJJ$$
$$+\frac{7}{36}\left(45c^5-156c^4+48c^3+728c^2-657c-36\right)\partial^2T$$
$$\left.-\frac{7}{216}\left(15c^5-432c^4+1594c^3+2818c^2-5259c+564\right)\partial^3J\right](w)+\cdots,$$
$$W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(w)=-\frac{1}{(z-w)}\,\frac{35}{6(c-1)}\,\partial G^-G^-(w)+\cdots,$$

$$
W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(3)}_{-\frac{2}{3}}(w) = \frac{1}{(z-w)^4}\,\frac{77}{12}\,G^-(w) + \frac{1}{(z-w)^3}\,\left[\frac{119}{6(c-1)}\,JG^- + \frac{7(9c+25)}{36(c-1)}\,\partial G^-\right](w)
$$
$$
+\frac{1}{(z-w)^2}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\left[\frac{7}{36}\,(399c^2-874c+282)\,G^-T\right.
$$
$$
+\frac{7}{36}\,(147c^2-170c+318)\,\partial G^-J
$$
$$
-\frac{7}{24}\,(15c^2-516c+784)\,\partial JG^- - \frac{7}{12}\,(124c-361)\,JJG^-
$$
$$
\left.+\,\frac{7}{144}\,(14c^3-305c^2+800c-1086)\,\partial^2G^-\right](w)
$$
$$
+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\left[\frac{175}{9}\,(16c+5)(3c^2-7c+6)\,JG^-T\right.
$$
$$
-\frac{7}{72}\,(c+6)(45c^3+274c^2-1997c+2174)\,\partial G^-\partial J - \frac{7}{6}\,420c^3-1786c^2+483c+1589)\,\partial JJG^-
$$
$$
-\frac{7}{36}\,(60c^3+6667c^2-1876c+2517)\,\partial G^-JJ
$$
$$
+\frac{7}{36}\,(945c^4-1636c^3-4015c^2+6388c-978)\,\partial TG^-
$$
$$
+\frac{7}{108}\,(1935c^4-6018c^3+10475c^2+234c-594)\,\partial G^-T
$$
$$
+\frac{7}{36}\,(275c^4-975c^3+6513c^2-3394c+2043)\,\partial^2G^-J
$$
$$
-\frac{7}{72}\,(95c^4-3196c^3+4929c^2+7996c-13424)\,\partial^2JG^- - \frac{350}{9}(2c-1)(16c+5)\,JJJG^-
$$
$$
\left.+\,\frac{7}{216}\,(c+1)(15c^4-852c^3+4131c^2-10370c+6402)\,\partial^3G^-\right](w)+\cdots,
$$
$$
W^{(3)}_{\frac{2}{3}}(z)\,W^{(2)}_{-\frac{2}{3}}(w) = -\frac{1}{(z-w)^5}\,\frac{c}{6} + \frac{1}{(z-w)^4}\,\frac{8}{3}\,J(w)
$$
$$
+\frac{1}{(z-w)^3}\,\left[\frac{37}{6(c-1)}\,JJ - \frac{(3c+34)}{9(c-1)}\,T + \frac{17}{6}\,\partial J\right](w)
$$
$$
+\frac{1}{(z-w)^2}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\left[-\frac{1}{3}\,(131c^2-306c+208)\,G^-G^+ + \frac{1}{9}\,(204c^2-469c-18)\,JT\right.
$$
$$
+\frac{107}{12}\,(c+6)(2c-3)\,\partial JJ - \frac{2}{9}\,(101c-239)\,JJJ
$$
$$
\left.-\,\frac{1}{36}\,(6c^3-551c^2+2718c-3120)\,\partial T + \frac{1}{18}\,(52c^3+51c^2-396c+260)\,\partial^2J\right](w)
$$
$$
+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\left[\frac{35}{18}\,(c+1)(5c-9)(12c^2+c-36)\,\partial JT\right.
$$
$$
-\frac{35}{18}\,(75c^4-159c^3-58c-72)\,\partial G^-G^+ - \frac{35}{3}\,(40c^3-131c^2+23c-26)\,JG^+G^-
$$
$$
+\frac{70}{9}\,(30c^3-23c^2+59c+57)\,JJT - \frac{35}{54}\,(264c^3-827c^2+759c+90)\,TT
$$
$$
+\frac{35}{24}\,(c-2)(20c^3+118c^2-159c-37)\,\partial J\partial J + \frac{35}{18}\,(75c^4-321c^3+258c^2+514c-360)\,\partial G^+G^-
$$
$$
\left.+\,\frac{35}{18}\,(30c^4-34c^3-253c^2+231c-240)\,\partial TJ + \frac{35}{36}\,(40c^4+64c^3-207c^2-381c+950)\,\partial^2JJ\right.
$$

$$-\frac{35}{6}\,(c+1)(5c-9)(8c-17)\,\partial JJJ-\frac{175}{18}\,(2c-1)(16c+5)\,JJJJ$$
$$-\frac{35}{36}\,(12c^4-57c^3+70c^2+9c+90)\,\partial^2 T$$
$$+\frac{35}{216}\,(30c^5-54c^4-235c^3+782c^2-177c+210)\,\partial^3 J\Big](w)+\cdots,$$
$$W^{(3)}_{\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{\frac{1}{3}}(w)=\frac{1}{(z-w)^4}\,\frac{77}{12}\,G^+(w)+\frac{1}{(z-w)^3}\,\Big[\frac{119}{6(c-1)}\,JG^+\!+\frac{7(12c-29)}{18(c-1)}\,\partial G^+\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[\frac{7}{36}\,(399c^2-874c+282)\,TG^+$$
$$+\frac{7}{36}\,(57c^2+1088c-2154)\,G^+\partial J$$
$$+\frac{7}{24}\,(151c^2+96c-440)\,\partial JG^+-\frac{7}{12}\,(124c-361)\,JJG^+$$
$$+\frac{7}{72}\,(37c^3-179c^2+738c-1026)\,\partial^2 G^+\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\Big[\frac{175}{9}\,(16c+5)(3c^2-7c+6)\,JTG^+$$
$$+\frac{35}{36}\,(c+6)(75c^3-254c^2+187c+76)\,\partial G^+\partial J-\frac{35}{6}\,(40c^3-103c^2-31c+332)\,\partial JJG^+$$
$$-\frac{35}{18}\,(180c^3-1357c^2+286c+723)\,\partial G^+JJ+\frac{35}{18}\,(105c^4-433c^3+533c^2+35c-156)\,\partial TG^+$$
$$+\frac{35}{54}\,(405c^4-1188c^3-653c^2+1998c-702)\,\partial G^+T$$
$$+\frac{35}{18}\,(5c^4-71c^3+755c^2-662c+267)\,\partial^2 G^+J$$
$$+\frac{35}{36}\,(115c^4-95c^3-207c^2-439c+878)\,\partial^2 JG^+-\frac{350}{9}\,(2c-1)(16c+5)\,JJJG^+$$
$$+\frac{35}{108}\,(15c^5-24c^4-117c^3+406c^2-198c+198)\,\partial^3 G^+\Big](w)+\cdots,$$
$$W^{(3)}_{\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(w)=\frac{1}{(z-w)^4}\,\frac{95}{12}\,G^-(w)+\frac{1}{(z-w)^3}\,\Big[\frac{95}{6(c-1)}\,JG^-+\frac{5(18c+1)}{18(c-1)}\,\partial G^-\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[\frac{5}{36}\,(591c^2-1244c+510)\,G^-T$$
$$+\frac{5}{36}\,(231c^2-250c-66)\,\partial G^-J$$
$$-\frac{5}{24}\,(15c^2-798c+1172)\,\partial JG^--\frac{5}{12}\,(212c-353)\,JJG^-$$
$$+\frac{5}{144}\,(106c^3-163c^2+52c-174)\,\partial^2 G^-\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\Big[\frac{175}{9}\,(16c+5)(3c^2-7c+6)\,JG^-T$$
$$-\frac{175}{6}\,(3c-8)(8c^2-3c-7)\,\partial JJG^-+\frac{175}{18}\,(3c-8)(7c^3-5c^2-13c+15)\,\partial TG^-$$
$$+\frac{175}{36}\,(c+6)(9c^3-32c^2+37c-10)\,\partial G^-\partial J-\frac{175}{18}\,(12c^3+131c^2-62c+39)\,\partial G^-JJ$$

$$+\frac{175}{54}\left(81c^4-102c^3-65c^2+36c+270\right)\partial G^-T+\frac{175}{36}\left(14c^4-42c^3+261c^2-139c+72\right)\partial^2G^-J$$
$$-\frac{175}{36}\left(7c^4-77c^3+93c^2+179c-262\right)\partial^2JG^--\frac{350}{9}\left(2c-1\right)(16c+5)\,JJJG^-$$
$$+\frac{175}{108}\left(c+1\right)(3c^4-21c^3+54c^2-121c+60)\,\partial^3G^-\Big](w)+\cdots,$$
$$W^{(3)}_{\frac{2}{3}}(z)\,W^{(3)}_{-\frac{2}{3}}(w)=\frac{1}{(z-w)^6}\,\frac{5c}{2}+\frac{1}{(z-w)^5}\,3J(w)$$
$$+\frac{1}{(z-w)^4}\,\Big[-\frac{3}{(c-1)}\,JJ+\frac{2(22c-19)}{3(c-1)}\,T+\frac{3}{2}\,\partial J\Big](w)$$
$$+\frac{1}{(z-w)^3}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[\frac{1}{6}\left(277c^2+1368c-2544\right)G^-G^+$$
$$+\frac{1}{6}\left(304c^2+1351c-2448\right)JT$$
$$-3\left(c+6\right)(2c-3)\partial JJ-\frac{1}{6}\left(32c+127\right)JJJ$$
$$+\frac{1}{12}\left(176c^3+363c^2-3636c+3912\right)\partial T+\frac{1}{36}\left(24c^3+361c^2+1044c-2328\right)\partial^2J\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[\frac{1}{36}\left(2301c^2-3596c+2448\right)\partial G^-G^+$$
$$+\frac{1}{36}\left(639c^2-11804c+17712\right)\partial G^+G^-+\frac{1}{12}\left(304c^2+2471c-4828\right)\partial TJ$$
$$+\frac{1}{12}\left(304c^2+1351c-2448\right)\partial JT+\frac{35}{18}\left(48c^2-97c+30\right)TT+\frac{1}{18}\left(87c^2-1376c+2262\right)\partial^2JJ$$
$$-\frac{1}{24}\left(304c^2-1047c+974\right)\partial J\partial J-\frac{70}{3}\left(8c-17\right)JG^-G^+-\frac{35}{3}\left(8c-17\right)JJT$$
$$-\frac{1}{4}\left(32c+127\right)\partial JJJ$$
$$+\frac{1}{36}\left(158c^3-870c^2+2331c-2466\right)\partial^2T+\frac{1}{144}\left(12c^3-289c^2-3736c+7220\right)\partial^3J\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\Big[-\frac{350}{9}\left(2c-1\right)(16c+5)\,JJJT$$
$$+\frac{175}{9}(16c+5)(3c^2-7c+6)\,JTT+\frac{35}{27}\left(45c^4-60c^3+676c^2+627c-594\right)\partial G^-\partial G^+$$
$$+\frac{35}{36}\left(145c^4-489c^3+1698c^2-822c+366\right)\partial^2G^-G^+$$
$$+\frac{35}{18}\left(240c^4-917c^3+591c^2+448c-420\right)\partial TT$$
$$+\frac{35}{12}\left(40c^3-437c^2+56c+203\right)\partial TJJ+\frac{35}{18}\left(480c^3-3107c^2+641c+1368\right)\partial G^+JG^-$$
$$+\frac{35}{36}\left(65c^4-59c^3-1645c^2+1907c-972\right)\partial^2G^+G^--\frac{35}{3}(c+1)(5c-9)(8c-17)\,\partial JJT$$
$$+\frac{35}{18}\left(30c^3-503c^2+149c+132\right)\partial^2JJJ+\frac{35}{36}\left(15c^4-77c^3-570c^2+201c+19\right)\partial^3JJ$$
$$-\frac{35}{3}(c+1)(5c-9)(8c-17)\,\partial JG^-G^+-\frac{35}{72}\left(c+1\right)(5c-9)(18c^2-25c-18)\,\partial^2J\partial J$$

$$
\begin{aligned}
&-\frac{350}{3}(2c-1)(16c+5)\,JJG^-G^+-\frac{35}{12}\,(40c^3-131c^2+23c-26)\,\partial J\partial JJ\\
&+\frac{175}{9}\,(16c+5)(3c^2-7c+6)\,G^-TG^+-\frac{455}{18}\,(131c^2-53c+36)\,\partial G^-JG^+\\
&+\frac{35}{18}\,(20c^4-148c^3+825c^2-581c+186)\,\partial^2TJ\\
&+\frac{35}{34}\,(60c^4+552c^3-2415c^2+1529c+696)\,\partial T\partial J\\
&+\frac{35}{54}\,(60c^4+387c^3-422c^2-1455c+2154)\,\partial^2JT\\
&-\frac{35}{432}\,(66c^4-162c^3+131c^2-153c+588)\,\partial^4J\\
&+\frac{35}{648}\,(90c^5-657c^4+264c^3-71c^2-4362c+2880)\,\partial^3T\Big](w)+\cdots. \qquad \text{(H.2)}
\end{aligned}
$$

In the large c limit, all the nonlinear terms in Appendix (H.2) disappear. One can also analyze the subleading $\frac{1}{c},\cdots,\frac{1}{c^3}$-terms. The OPE in the expression of $W_q^{(h)}(z)\,W_{-q}^{(h)}(w)$ contains the first four singular terms similar to the one in (6.2).

H.3 The component OPEs in the OPE $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_2)$

The ten component OPEs corresponding to (7.3) can be summarized by

$$
\begin{aligned}
\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}}\,W^{(2)}_{-\frac{2}{3}}(z)\,W^{(2)}_{-\frac{2}{3}}(w) &= +\cdots,\\
\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}}\,W^{(2)}_{-\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{\frac{1}{3}}(w) &= -\frac{1}{(z-w)}\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)+\cdots,\\
\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}}\,W^{(2)}_{-\frac{2}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(w) &= +\cdots,\\
\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}}\,W^{(2)}_{-\frac{2}{3}}(z)\,W^{(3)}_{-\frac{2}{3}}(w) &= -\frac{1}{(z-w)}\,\frac{1}{2}\,W^{(4)}_{-\frac{4}{3}}(w)+\cdots,\\
\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{5}{2})}_{\frac{1}{3}}(w) &= -\frac{1}{(z-w)}\,W^{(4)}_{\frac{2}{3}}(w)+\cdots,\\
\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(w) &= -\frac{1}{(z-w)}\,\frac{1}{2}\,W^{(4)}_{-\frac{4}{3}}(w)+\cdots,\\
\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(3)}_{-\frac{2}{3}}(w) &= -\frac{1}{(z-w)^2}\,\frac{1}{2}\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)+\frac{1}{(z-w)}\,\Big[-\frac{1}{2}\,W^{(\frac{9}{2})}_{-\frac{1}{3}}-\frac{1}{4}\,\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}\Big](w)+\cdots,\\
\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}}\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(z)\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(w) &= +\cdots,\\
\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}}\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(z)\,W^{(3)}_{-\frac{2}{3}}(w) &= +\cdots,
\end{aligned}
$$

$$\frac{1}{C^{(\frac{7}{2})-}_{(2)(2)}} W^{(3)}_{-\frac{2}{3}}(z)\, W^{(3)}_{-\frac{2}{3}}(w) \;\; = \;\; -\frac{1}{(z-w)^2}\,\frac{1}{2}\,W^{(4)}_{-\frac{4}{3}}(w) - \frac{1}{(z-w)}\,\frac{1}{4}\partial W^{(4)}_{-\frac{4}{3}}(w) + \cdots . \tag{H.3}$$

As observed in section 7, these OPEs in Appendix (H.3) are very similar to the previous ones in Appendix (H.1).

I The component OPEs in the OPE $\mathbf{W}^{(2)}_{\pm\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_2)$

As in previous Appendix H, we continue to describe the component OPEs corresponding to the $\mathcal{N}=2$ version in Appendix G.

I.1 The component OPEs in the OPE $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$

The 16 component OPEs corresponding to Appendix (G.1) can be summarized by

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}} W^{(2)}_{\frac{2}{3}}(z)\, W^{(\frac{7}{2})}_{\frac{1}{3}}(w) = -\frac{1}{(z-w)}\,\frac{1}{4}\,W^{(\frac{9}{2})}_{1}(w) + \cdots ,$$

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}} W^{(2)}_{\frac{2}{3}}(z)\, W^{(4)}_{\frac{4}{3}}(w) = + \cdots ,$$

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}} W^{(2)}_{\frac{2}{3}}(z)\, W^{(4)}_{-\frac{2}{3}}(w) = -\frac{1}{(z-w)^2}\,W^{(4)}_{0}(w) + \frac{1}{(z-w)}\left[-\frac{1}{6}\,W^{(5)}_{0} - \frac{1}{4}\,\partial W^{(4)}_{0}\right](w) + \cdots ,$$

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}} W^{(2)}_{\frac{2}{3}}(z)\, W^{(\frac{9}{2})}_{\frac{1}{3}}(w) = \frac{1}{(z-w)^2}\,\frac{17}{24}\,W^{(\frac{9}{2})}_{1}(w)$$

$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\left[\frac{20}{3}\,G^{+}W^{(4)}_{0} - \frac{5}{3}\,JW^{(\frac{9}{2})}_{1} + \frac{(11c+219)}{72}\,\partial W^{(\frac{9}{2})}_{1}\right](w) + \cdots ,$$

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}} W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\, W^{(\frac{7}{2})}_{\frac{1}{3}}(w) = + \cdots ,$$

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}} W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\, W^{(4)}_{\frac{4}{3}}(w) = + \cdots ,$$

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}} W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\, W^{(4)}_{-\frac{2}{3}}(w) = -\frac{1}{(z-w)^2}\,\frac{5}{12}\,W^{(\frac{9}{2})}_{1}(w)$$

$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\left[\frac{20}{3}\,G^{+}W^{(4)}_{0} - \frac{5}{3}\,JW^{(\frac{9}{2})}_{1} - \frac{5(c-3)}{36}\,\partial W^{(\frac{9}{2})}_{1}\right](w) + \cdots ,$$

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}} W^{(\frac{5}{2})}_{\frac{5}{3}}(z)\, W^{(\frac{9}{2})}_{\frac{1}{3}}(w) = -\frac{1}{(z-w)}\,\frac{25}{3(c+9)}\,G^{+}W^{(\frac{9}{2})}_{1}(w) + \cdots ,$$

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}} W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\, W^{(\frac{7}{2})}_{\frac{1}{3}}(w) = \frac{1}{(z-w)^2}\,W^{(4)}_{0}(w) + \frac{1}{(z-w)}\left[-\frac{1}{12}\,W^{(5)}_{0} + \frac{3}{8}\partial W^{(4)}_{0}\right](w) + \cdots ,$$

$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(4)}_{\frac{4}{3}}(w) = -\frac{1}{(z-w)^2}\,\frac{5}{6}\,W^{(\frac{9}{2})}_{1}(w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\,\left[\frac{5}{3}\,JW^{(\frac{9}{2})}_{1} - \frac{20}{3}\,G^{+}W^{(4)}_{0} - \frac{5(c+15)}{18}\,\partial W^{(\frac{9}{2})}_{1}\right](w) + \cdots,$$
$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(4)}_{-\frac{2}{3}}(w) = -\frac{1}{(z-w)^2}\,W^{(\frac{9}{2})}_{-1}(w) - \frac{1}{(z-w)}\,\frac{1}{3}\,\partial W^{(\frac{9}{2})}_{-1}(w) + \cdots,$$
$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{-\frac{1}{3}}(z)\,W^{(\frac{9}{2})}_{\frac{1}{3}}(w) = \frac{1}{(z-w)^3}\,W^{(4)}_{0}(w) + \frac{1}{(z-w)^2}\,\left[\frac{13}{48}\,\partial W^{(4)}_{0} + \frac{19}{24}\,W^{(5)}_{0}\right](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\,\left[-\frac{5}{3}\,G^{-}W^{(\frac{9}{2})}_{1} - \frac{20}{3}\,G^{+}W^{(\frac{9}{2})}_{-1} - \frac{5}{3}\,JW^{(5)}_{0}\right.$$
$$\left.+\frac{20}{3}\,TW^{(4)}_{0} - \frac{10}{3}\partial JW^{(4)}_{0} + \frac{5}{6}\,J\partial W^{(4)}_{0} + \frac{(17c+273)}{72}\,\partial W^{(5)}_{0} + \frac{(7c-57)}{144}\,\partial^2 W^{(4)}_{0}\right](w) + \cdots,$$
$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}}\,W^{(3)}_{\frac{2}{3}}(z)\,W^{(\frac{7}{2})}_{\frac{1}{3}}(w) = -\frac{1}{(z-w)^2}\,\frac{7}{24}\,W^{(\frac{9}{2})}_{1}(w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\,\left[\frac{20}{3}\,G^{+}W^{(4)}_{0} - \frac{5}{3}\,JW^{(\frac{9}{2})}_{1} - \frac{5(c-3)}{36}\partial W^{(\frac{9}{2})}_{1}\right](w) + \cdots,$$
$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}}\,W^{(3)}_{\frac{2}{3}}(z)\,W^{(4)}_{\frac{4}{3}}(w) = -\frac{1}{(z-w)}\,\frac{25}{3(c+9)}G^{+}W^{(\frac{9}{2})}_{1}(w) + \cdots,$$
$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}}\,W^{(3)}_{\frac{2}{3}}(z)\,W^{(4)}_{-\frac{2}{3}}(w) = \frac{1}{(z-w)^3}\,W^{(4)}_{0}(w) + \frac{1}{(z-w)^2}\,\left[-\frac{1}{3}\,W^{(5)}_{0} + \frac{1}{3}\partial W^{(4)}_{0}\right](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\,\left[-\frac{5}{3}\,G^{-}W^{(\frac{9}{2})}_{1} - \frac{20}{3}\,G^{+}W^{(\frac{9}{2})}_{-1} - \frac{5}{3}\,JW^{(5)}_{0}\right.$$
$$\left.+\frac{20}{3}\,TW^{(4)}_{0} - \frac{10}{3}\,\partial JW^{(4)}_{0} + \frac{5}{6}\,J\partial W^{(4)}_{0} - \frac{5(c-3)}{36}\,\partial W^{(5)}_{0} + \frac{5(c-3)}{72}\,\partial^2 W^{(4)}_{0}\right](w) + \cdots,$$
$$\frac{1}{C^{(4)+}_{(2)(\frac{7}{2})}}\,W^{(3)}_{\frac{2}{3}}(z)\,W^{(\frac{9}{2})}_{\frac{1}{3}}(w) = -\frac{1}{(z-w)^3}\,\frac{9}{8}\,W^{(\frac{9}{2})}_{1}(w) - \frac{1}{(z-w)^2}\,\frac{17}{48}\,\partial W^{(\frac{9}{2})}_{1}(w) +$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\,\left[-\frac{25}{3}\,TW^{(\frac{9}{2})}_{1} + \frac{25}{3}\,G^{+}W^{(5)}_{0} + \frac{10}{3}\,\partial G^{+}W^{(4)}_{0}\right.$$
$$\left.+\frac{10}{3}\,\partial JW^{(\frac{9}{2})}_{1} - \frac{5}{6}\,J\partial W^{(\frac{9}{2})}_{1} - \frac{5}{6}\,G^{+}\partial W^{(4)}_{0} - \frac{5(c-3)}{72}\,\partial^2 W^{(\frac{9}{2})}_{1}\right](w) + \cdots. \tag{I.1}$$

In this case, the overall structure constant appearing in the above OPEs is written in the left hand side for simplicity. In the large c limit, all the nonlinear terms in Appendix (I.1) disappear. One can also analyze the $\frac{1}{c}$-term. Note that the higher spin current $W^{(5)}_{0}(w)$ is not a primary field. For the trivial OPEs in Appendix (I.1), one can check them by taking the $U(1)$ charges for given spins.

I.2 The component OPEs in the OPE $\mathbf{W}^{(2)}_{\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)$

The 4 component OPEs corresponding to Appendix (G.2) can be summarized by

$$
\begin{aligned}
&\frac{1}{C^{(2)+}_{(2)(\frac{7}{2})}}\,W^{(2)}_{\frac{2}{3}}(z)\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)=-\frac{1}{(z-w)^3}\,\frac{3}{7}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(w)\\
&+\frac{1}{(z-w)^2}\,\frac{1}{(c+6)}\,\left[\frac{9}{5}\,G^+W^{(2)}_{-\frac{2}{3}}-\frac{27}{35}\,JW^{(\frac{5}{2})}_{\frac{1}{3}}-\frac{3(c-3)}{35}\,\partial W^{(\frac{5}{2})}_{\frac{1}{3}}\right](w)\\
&+\frac{1}{(z-w)}\,\frac{1}{(c+6)(3c+2)(9c-11)(3c^2+54c-169)}\,[\\
&\frac{54}{35}\,(132c^3+1258c^2-995c+2279)\,JJW^{(\frac{5}{2})}_{\frac{1}{3}}\\
&+\frac{18}{5}\,(63c^3+237c^2+3075c-1499)\,JG^+W^{(2)}_{-\frac{2}{3}}\\
&-\frac{15}{7}\,(81c^4+810c^3-1836c^2-3428c+2217)\,TW^{(\frac{5}{2})}_{\frac{1}{3}}\\
&-\frac{9}{35}\,(54c^4-3591c^3+6033c^2+19605c-1073)\,G^+W^{(3)}_{-\frac{2}{3}}\\
&+\frac{9}{5}\,(36c^4+167c^3-3893c^2+4967c+2391)\,\partial G^+W^{(2)}_{-\frac{2}{3}}\\
&-\frac{9}{70}\,(261c^4+3852c^3+8902c^2-41898c-75809)\,\partial JW^{(\frac{5}{2})}_{\frac{1}{3}}\\
&+\frac{9}{70}\,(180c^4+8589c^3+1245c^2-53167c+4597)\,G^+\partial W^{(2)}_{-\frac{2}{3}}\\
&-\frac{9}{35}\,(45c^4+678c^3-8628c^2-8020c+29841)\,J\partial W^{(\frac{5}{2})}_{\frac{1}{3}}\\
&-\frac{3}{70}\,(27c^5-747c^4-15963c^3+26637c^2+60860c-38166)\,\partial^2W^{(\frac{5}{2})}_{\frac{1}{3}}\Big](w)+\cdots,\\
&\frac{1}{C^{(2)+}_{(2)(\frac{7}{2})}}\,W^{(2)}_{\frac{2}{3}}(z)\,W^{(4)}_{\frac{2}{3}}(w)=-\frac{1}{(z-w)^2}\,\frac{33}{7(c+6)}\,G^+W^{(\frac{5}{2})}_{\frac{1}{3}}(w)\\
&+\frac{1}{(z-w)}\,\frac{1}{(c+6)(3c+2)}\,[\\
&-\frac{33(5c+8)}{35}\,\partial G^+W^{(\frac{5}{2})}_{\frac{1}{3}}-\frac{33(3c-4)}{35}\,G^+\partial W^{(\frac{5}{2})}_{\frac{1}{3}}-\frac{396}{35}\,JG^+W^{(\frac{5}{2})}_{\frac{1}{3}}\Big](w)+\cdots,\\
&\frac{1}{C^{(2)+}_{(2)(\frac{7}{2})}}\,W^{(2)}_{\frac{2}{3}}(z)\,W^{(4)}_{-\frac{4}{3}}(w)=-\frac{1}{(z-w)^4}\,W^{(2)}_{-\frac{2}{3}}(w)+\frac{1}{(z-w)^3}\,\left[-\frac{12}{35}\,W^{(3)}_{-\frac{2}{3}}-\frac{1}{35}\partial W^{(2)}_{-\frac{2}{3}}\right](w)\\
&+\frac{1}{(z-w)^2}\,\frac{1}{(c+6)(9c-11)(3c^2+54c-169)}\,\Big[\frac{9}{5}\,(c+1)(6c^2+27c+271)\,JW^{(3)}_{-\frac{2}{3}}\\
&-(9c-11)(4c-3)(3c+25)\,TW^{(2)}_{-\frac{2}{3}}+234\,(c+1)(c+6)\,JJW^{(2)}_{-\frac{2}{3}}\\
&+\frac{18}{7}\,30c^3+214c^2-467c-1751)\,G^-W^{(\frac{5}{2})}_{\frac{1}{3}}-6\,(9c^3-84c^2-300c+893)\,G^+W^{(\frac{5}{2})}_{-\frac{5}{3}}\\
&-3\,(6c^3+203c^2+738c-3859)\,\partial JW^{(2)}_{-\frac{2}{3}}+\frac{3}{5}\,(12c^3+621c^2+2606c-9003)\,J\partial W^{(2)}_{-\frac{2}{3}}
\end{aligned}
$$

$$
-\frac{6}{35}\left(9c^4+264c^3+2328c^2-1750c-14823\right)\partial W^{(3)}_{-\frac{2}{3}}
$$

$$
-\frac{1}{70}\left(9c^4-2991c^3-13737c^2+58135c-19128\right)\partial^2 W^{(2)}_{-\frac{2}{3}}\Big](w)
$$

$$
+\frac{1}{(z-w)}\,\frac{1}{(c+6)(3c+2)(9c-11)(2c^2+9c-40)(3c^2+54c-169)}
$$

$$
\times\Big[-\frac{6}{245}\left(54c^7-243c^6-14235c^5-199026c^4\right.
$$

$$
\left.+1010729c^3+2743737c^2-16277128c+16901952\right)\partial^2 W^{(3)}_{-\frac{2}{3}}
$$

$$
-\frac{18}{245}(324c^6+2160c^5+54399c^4-61158c^3-1714933c^2+8852748c-12723040)\,J\partial W^{(3)}_{-\frac{2}{3}}
$$

$$
+\frac{36}{7}\,(c+6)(24c^3-1413c^2+7051c-312)\,JJW^{(2)}_{-\frac{2}{3}}
$$

$$
+\frac{18}{245}\left(2202c^5-4103c^4-39374c^3+1597111c^2-2139828c-3847008\right)JJ\partial W^{(2)}_{-\frac{2}{3}}
$$

$$
+\frac{36}{49}\left(1656c^5+22749c^4-56517c^3-247578c^2+957196c-1544736\right)JG^-W^{(\frac{5}{2})}_{\frac{1}{3}}
$$

$$
+\frac{3}{245}\left(468c^6+51000c^5+341403c^4-609536c^3-6943491c^2+14475796c+806880\right)J\partial^2 W^{(2)}_{-\frac{2}{3}}
$$

$$
+\frac{18}{49}\left(288c^6-768c^5-46948c^4+225537c^3+295633c^2-2939824c+3711872\right)G^-\partial W^{(\frac{5}{2})}_{\frac{1}{3}}
$$

$$
+\frac{6}{49}\left(1080c^6+27720c^5+97212c^4-967463c^3-267499c^2+7778204c-10494432\right)\partial G^-W^{(\frac{5}{2})}_{\frac{1}{3}}
$$

$$
-\frac{4}{245}\left(1458c^6-160065c^5-1269567c^4+5688544c^3+15358599c^2-59269229c+27494760\right)
$$

$$
\times T\partial W^{(2)}_{-\frac{2}{3}}
$$

$$
-\frac{2}{7}\left(1134c^6+19116c^5+3177c^4-268730c^3+2187c^2+442416c+415104\right)\partial TW^{(2)}_{-\frac{2}{3}}
$$

$$
-\frac{36}{245}\left(396c^6+10050c^5+57494c^4-96296c^3-519387c^2-1345359c+4766392\right)\partial JW^{(3)}_{-\frac{2}{3}}
$$

$$
+\frac{18}{7}\left(438c^5+7309c^4+14842c^3-162049c^2+113692c+151712\right)\partial JJW^{(2)}_{-\frac{2}{3}}
$$

$$
+\frac{3}{245}\left(864c^6-24330c^5-155879c^4+999856c^3-94513c^2+4617474c-18643472\right)\partial J\partial W^{(2)}_{-\frac{2}{3}}
$$

$$
-\frac{12}{245}\,(c+6)(9c-11)(648c^4+4374c^3-4193c^2-109749c+199240)\,TW^{(3)}_{-\frac{2}{3}}
$$

$$
+\frac{12}{7}\left(216c^5+3429c^4-8106c^3+91185c^2-415616c+218880\right)JTW^{(2)}_{-\frac{2}{3}}
$$

$$
-\frac{36}{7}\left(90c^5+48c^4-567c^3+60931c^2-268420c+214624\right)JG^+W^{(\frac{5}{2})}_{-\frac{5}{3}}
$$

$$
-\frac{12}{7}\left(999c^5+19143c^4-99057c^3-200733c^2+1202212c-874656\right)G^-G^+W^{(2)}_{-\frac{2}{3}}
$$

$$
-\frac{6}{7}\left(162c^6-1371c^5-30618c^4-10062c^3+679299c^2-1107376c+101248\right)\partial G^+W^{(\frac{5}{2})}_{-\frac{5}{3}}
$$

$$
-\frac{1}{7}\left(324c^6+10134c^5+88809c^4-326400c^3-1590463c^2+4706064c-684672\right)\partial^2 JW^{(2)}_{-\frac{2}{3}}
$$

$$
-\frac{6}{35}\,(3c-8)(90c^5+2013c^4+36738c^3-6574c^2-579885c+493004)\,G^+\partial W^{(\frac{5}{2})}_{-\frac{5}{3}}
$$
$$
+\frac{108}{245}\,(624c^5+13424c^4+48617c^3-441123c^2+492804c-724256)\,JJW^{(3)}_{-\frac{2}{3}}
$$
$$
-\frac{1}{1470}\,(162c^7-59949c^6+134535c^5+5339307c^4
$$
$$
-16284313c^3-52881834c^2+212816996c-151818144)\partial^3 W^{(2)}_{-\frac{2}{3}}\Big]\,(w)+\cdots,
$$
$$
\frac{1}{C^{(2)+}_{(2)(\frac{7}{2})}}\,W^{(2)}_{\frac{2}{3}}(z)\,W^{(\frac{9}{2})}_{-\frac{1}{3}}(w)=\frac{1}{(z-w)^4}\,\frac{13}{14}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(w)
$$
$$
+\frac{1}{(z-w)^3}\,\frac{1}{(c+6)}\,\Big[\frac{31}{5}\,G^+W^{(2)}_{-\frac{2}{3}}-\frac{93}{35}\,JW^{(\frac{5}{2})}_{\frac{1}{3}}+\frac{(c+192)}{70}\partial W^{(\frac{5}{2})}_{\frac{1}{3}}\Big]\,(w)
$$
$$
+\frac{1}{(z-w)^2}\,\frac{1}{(c+6)(3c+2)(9c-11)(3c^2+54c-169)}\,[
$$
$$
-\frac{9}{5}(528c^3+6262c^2-15995c+17871)\,JJW^{(\frac{5}{2})}_{\frac{1}{3}}
$$
$$
-\frac{9}{5}(3c^3-5143c^2+50495c-36759)\,JG^+W^{(2)}_{-\frac{2}{3}}
$$
$$
-\frac{1}{14}(4131c^4+20718c^3+164556c^2-850228c+456003)TW^{(\frac{5}{2})}_{\frac{1}{3}}
$$
$$
-\frac{3}{70}(8154c^4+52551c^3-423801c^2+770211c+61409)G^+W^{(3)}_{-\frac{2}{3}}
$$
$$
+\frac{1}{10}(1647c^4+57780c^3+20028c^2-438746c+224359)\partial G^+W^{(2)}_{-\frac{2}{3}}
$$
$$
+\frac{3}{140}(3501c^4+32310c^3+7924c^2+389472c-2570643)\partial JW^{(\frac{5}{2})}_{\frac{1}{3}}
$$
$$
+\frac{1}{140}(3510c^4-288567c^3-1653351c^2+6330489c-2329237)G^+\partial W^{(2)}_{-\frac{2}{3}}
$$
$$
-\frac{3}{70}(1656c^4+20229c^3-184065c^2+1031677c-1187885)J\partial W^{(\frac{5}{2})}_{\frac{1}{3}}
$$
$$
+\frac{1}{140}(27c^5-10521c^4-80097c^3-676605c^2+3011162c-1639782)\partial^2 W^{(\frac{5}{2})}_{\frac{1}{3}}\Big]\,(w)
$$
$$
+\frac{1}{(z-w)}\,\frac{1}{(c+6)(3c+2)(6c-5)(9c-11)(2c^2+9c-40)(3c^2+54c-169)}
$$
$$
\times\Big[\frac{1}{2940}(972c^8-355968c^7-9455877c^6-11669739c^5+104947449c^4
$$
$$
+660636269c^3-2683044612c^2+2930835770c-1299814800)\,\partial^3 W^{(\frac{5}{2})}_{\frac{1}{3}}
$$
$$
+\frac{396}{7}(288c^5+282c^4-8208c^3+31325c^2-92433c+70440)\,JJJW^{(\frac{5}{2})}_{\frac{1}{3}}
$$
$$
+\frac{132}{49}(5508c^6+19170c^5-231174c^4+22842c^3+2275051c^2-4668767c+2971960)\,JTW^{(\frac{5}{2})}_{\frac{1}{3}}
$$
$$
+\frac{132}{49}(12636c^6+63801c^5-637848c^4+651405c^3+1738728c^2-2363090c+457200)
$$
$$
\times G^-G^+W^{(\frac{5}{2})}_{\frac{1}{3}}
$$

$$+\frac{1}{980}(50544c^7-15976548c^6-35411724c^5+375345195c^4$$
$$-211554213c^3-755063573c^2+169169907c+262216840)\,G^+\partial^2 W^{(2)}_{-\frac{2}{3}}$$
$$+\frac{3}{35}(11124c^6+699264c^5-2134113c^4-9013287c^3+76849931c^2-128290435c+54481400)$$
$$\times\partial G^+ JW^{(2)}_{-\frac{2}{3}}$$
$$+\frac{1}{980}(89424c^7+793044c^6+39963276c^5+16855641c^4$$
$$-309096607c^3-1011629119c^2+3369520433c-1963795240)\,\partial G^+\partial W^{(2)}_{-\frac{2}{3}}$$
$$+\frac{1}{35}(17172c^7+332064c^6+3929988c^5-17644845c^4$$
$$-61522118c^3+359006763c^2-470122960c+173809600)\,\partial^2 G^+ W^{(2)}_{-\frac{2}{3}}$$
$$+\frac{3}{980}(4212c^7-96300c^6-2349771c^5+42056368c^4$$
$$-259031186c^3+40739182c^2+1557580395c-1349009400)\,\partial J\partial W^{(\frac{5}{2})}_{\frac{1}{3}}$$
$$+\frac{3}{35}(5184c^6+742824c^5+267627c^4-47562127c^3+150357871c^2-112833015c+11915800)$$
$$\times\partial J G^+ W^{(2)}_{-\frac{2}{3}}$$
$$+\frac{1}{980}(294516c^7+10366164c^6+67363461c^5-393530124c^4$$
$$-713824950c^3+3665027882c^2-2110555905c-112805400)\,\partial^2 JW^{(\frac{5}{2})}_{\frac{1}{3}}$$
$$-\frac{176}{7}(9c-11)(243c^5-891c^4-3948c^3+28517c^2-47169c+14120)\,TG^+W^{(2)}_{-\frac{2}{3}}$$
$$-\frac{396}{7}(720c^5-1920c^4-19891c^3+159458c^2-289411c+167480)\,JJG^+W^{(2)}_{-\frac{2}{3}}$$
$$+\frac{1}{98}(4860c^7-114156c^6-5195385c^5+35319918c^4$$
$$-57149944c^3-9492552c^2+5296559c+87151080)\,T\partial W^{(\frac{5}{2})}_{\frac{1}{3}}$$
$$+\frac{1}{98}(175932c^7+1565676c^6-2193705c^5-11977530c^4$$
$$-85711576c^3+417373800c^2-461057505c+123498600)\,\partial T W^{(\frac{5}{2})}_{\frac{1}{3}}$$
$$-\frac{9}{245}(41184c^6+834024c^5-5042768c^4$$
$$-10987322c^3+175445691c^2-422961195c+269190200)\,JJ\partial W^{(\frac{5}{2})}_{\frac{1}{3}}$$
$$+\frac{396}{245}(2376c^6+43416c^5-154857c^4-137112c^3+1486276c^2-2517689c+1637320)$$
$$\times JG^+W^{(3)}_{-\frac{2}{3}}$$
$$-\frac{3}{245}(62316c^6+781416c^5+21115533c^4$$

$$
\begin{aligned}
&+42457581c^3-472604633c^2+707153499c-363267320)\,JG^+\partial W^{(2)}_{-\frac{2}{3}}\\
&-\frac{72}{245}(26631c^6+517386c^5+826228c^4-14619433c^3+19570384c^2+16405915c-23010800)\\
&\times\partial JJW^{(\frac{5}{2})}_{\frac{1}{3}}\\
&-\frac{3}{490}(23220c^7-192276c^6-3405531c^5+33286542c^4\\
&+91434148c^3-878231224c^2+1606271605c-894785800)\,J\partial^2W^{(\frac{5}{2})}_{\frac{1}{3}}\\
&+\frac{3}{490}(114696c^7+2601396c^6+6301530c^5-92272437c^4\\
&+140771499c^3+130747355c^2-331422531c+95701880)\,G^+\partial W^{(3)}_{-\frac{2}{3}}\\
&+\frac{3}{490}(228744c^7+2956212c^6-19184502c^5-100604277c^4\\
&+684144571c^3-1212716261c^2+690576381c-48505480)\,\partial G^+W^{(3)}_{-\frac{2}{3}}\Big](w)+\cdots. \qquad \text{(I.2)}
\end{aligned}
$$

Because the $\mathcal{N}=2$ version in Appendix G is known, the remaining 12 OPEs can be presented similarly. However, due to the space of the paper, we do not present them in this paper completely. In the large c limit, all the nonlinear terms in Appendix (I.2) disappear. One can also analyze the $\frac{1}{c},\cdots,\frac{1}{c^3}$-terms.

I.3 The component OPEs in the OPE $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$

The 4 component OPEs corresponding to Appendix (G.4) can be summarized by

$$
\begin{aligned}
&\frac{1}{C^{(2)-}_{(2)(\frac{7}{2})}}\,W^{(2)}_{-\frac{2}{3}}(z)\,W^{(\frac{7}{2})}_{\frac{1}{3}}(w)=-\frac{1}{(z-w)^3}\,\frac{3}{7}\,W^{(\frac{5}{2})}_{-\frac{1}{3}}(w)\\
&+\frac{1}{(z-w)^2}\,\frac{1}{(c+6)}\,\Big[\frac{27}{35}\,JW^{(\frac{5}{2})}_{-\frac{1}{3}}-\frac{9}{5}\,G^-W^{(2)}_{\frac{2}{3}}-\frac{3}{35}\,(c-3)\,\partial W^{(\frac{5}{2})}_{-\frac{1}{3}}\Big](w)\\
&+\frac{1}{(z-w)}\,\frac{1}{(c+6)(3c+2)(9c-11)(3c^2+54c-169)}\,[\\
&\frac{54}{35}(132c^3+1258c^2-995c+2279)\,JJW^{(\frac{5}{2})}_{-\frac{1}{3}}\\
&+\frac{18}{5}(63c^3+237c^2+3075c-1499)JG^-W^{(2)}_{\frac{2}{3}}\\
&-\frac{9}{35}(54c^4-3591c^3+6033c^2+19605c-1073)G^-W^{(3)}_{\frac{2}{3}}\\
&-\frac{15}{7}(81c^4+810c^3-1836c^2-3428c+2217)TW^{(\frac{5}{2})}_{-\frac{1}{3}}\\
&+\frac{9}{70}(261c^4+3852c^3+8902c^2-41898c-75809)\partial JW^{(\frac{5}{2})}_{-\frac{1}{3}}\\
&-\frac{9}{5}(36c^4+167c^3-3893c^2+4967c+2391)\partial G^-W^{(2)}_{\frac{2}{3}}
\end{aligned}
$$

$$+\frac{9}{35}(45c^4+678c^3-8628c^2-8020c+29841)J\partial W^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$-\frac{9}{70}(180c^4+8589c^3+1245c^2-53167c+4597)G^-\partial W^{(2)}_{\frac{2}{3}}$$
$$-\frac{3}{70}(27c^5-747c^4-15963c^3+26637c^2+60860c-38166)\partial^2 W^{(\frac{5}{2})}_{-\frac{1}{3}}\Big](w)+\cdots,$$
$$\frac{1}{C^{(2)-}_{(2)(\frac{7}{2})}}W^{(2)}_{-\frac{2}{3}}(z)\,W^{(4)}_{\frac{4}{3}}(w)=-\frac{1}{(z-w)^4}\,W^{(2)}_{\frac{2}{3}}(w)+\frac{1}{(z-w)^3}\,\Big[\frac{12}{35}\,W^{(3)}_{\frac{2}{3}}-\frac{1}{35}\partial W^{(2)}_{\frac{2}{3}}\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c+6)(9c-11)(3c^2+54c-169)}\,\Big[\frac{9}{5}(c+1)(6c^2+27c+271)JW^{(3)}_{\frac{2}{3}}$$
$$-2(2c-3)(3c+25)(9c-11)TW^{(2)}_{\frac{2}{3}}+234(c+1)(c+6)JJW^{(2)}_{\frac{2}{3}}$$
$$+6(9c^3-84c^2-300c+893)G^-W^{(\frac{5}{2})}_{\frac{5}{3}}-\frac{18}{7}(30c^3+214c^2-467c-1751)G^+W^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+3(6c^3+203c^2+738c-3859)\partial JW^{(2)}_{\frac{2}{3}}-\frac{3}{5}(12c^3+621c^2+2606c-9003)J\partial W^{(2)}_{\frac{2}{3}}$$
$$+\frac{6}{35}(9c^4+264c^3+2328c^2-1750c-14823)\partial W^{(3)}_{\frac{2}{3}}$$
$$-\frac{1}{70}(9c^4-2991c^3-13737c^2+58135c-19128)\partial^2 W^{(2)}_{\frac{2}{3}}\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+6)(3c+2)(9c-11)(2c^2+9c-40)(3c^2+54c-169)}$$
$$\times\Big[-\frac{18}{245}(324c^6+2160c^5+54399c^4-61158c^3-1714933c^2+8852748c-12723040)J\partial W^{(3)}_{\frac{2}{3}}$$
$$-\frac{108}{245}(624c^5+13424c^4+48617c^3-441123c^2+492804c-724256)JJW^{(3)}_{\frac{2}{3}}$$
$$+\frac{18}{245}(2202c^5-4103c^4-39374c^3+1597111c^2-2139828c-3847008)JJ\partial W^{(2)}_{\frac{2}{3}}$$
$$-\frac{12}{7}(216c^5+3429c^4-8106c^3+91185c^2-415616c+218880)JTW^{(2)}_{\frac{2}{3}}$$
$$+\frac{36}{49}(1656c^5+22749c^4-56517c^3-247578c^2+957196c-1544736)JG^+W^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+\frac{6(3c-8)}{35}(90c^5+2013c^4+36738c^3-6574c^2-579885c+493004)G^-\partial W^{(\frac{5}{2})}_{\frac{5}{3}}$$
$$+\frac{12}{7}(999c^5+19143c^4-99057c^3-200733c^2+1202212c-874656)G^-G^+W^{(2)}_{\frac{2}{3}}$$
$$+\frac{6}{7}(162c^6-1371c^5-30618c^4-10062c^3+679299c^2-1107376c+101248)\partial G^-W^{(\frac{5}{2})}_{\frac{5}{3}}$$
$$+\frac{12}{245}(c+6)(9c-11)(648c^4+4374c^3-4193c^2-109749c+199240)TW^{(3)}_{\frac{2}{3}}$$
$$+\frac{2}{245}(1458c^6-160065c^5-1269567c^4+5688544c^3+15358599c^2-59269229c+27494760)$$
$$\times T\partial W^{(2)}_{\frac{2}{3}}$$
$$+\frac{1}{7}(1134c^6+25110c^5+118035c^4-863072c^3-1202211c^2+7655688c-4832832)\partial TW^{(2)}_{\frac{2}{3}}$$

$$-\frac{36}{245}(396c^6+10050c^5+57494c^4-96296c^3-519387c^2-1345359c+4766392)\partial JW^{(3)}_{\frac{2}{3}}$$
$$+\frac{18}{7}(438c^5+7309c^4+14842c^3-162049c^2+113692c+151712)\partial JJW^{(2)}_{\frac{2}{3}}$$
$$+\frac{1}{7}(324c^6+10134c^5+88809c^4-326400c^3-1590463c^2+4706064c-684672)\partial^2 JW^{(2)}_{\frac{2}{3}}$$
$$-\frac{36}{7}(c+6)(24c^3-1413c^2+7051c-312)JJJW^{(2)}_{\frac{2}{3}}$$
$$-\frac{36}{7}(90c^5+48c^4-567c^3+60931c^2-268420c+214624)JG^-W^{(\frac{5}{2})}_{\frac{5}{3}}$$
$$-\frac{18}{49}(288c^6-768c^5-46948c^4+225537c^3+295633c^2-2939824c+3711872)G^+\partial W^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$-\frac{6}{49}(1080c^6+27720c^5+97212c^4-967463c^3-267499c^2+7778204c-10494432)\partial G^+W^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+\frac{6}{245}(54c^7-243c^6-14235c^5-199026c^4+1010729c^3+2743737c^2-16277128c+16901952)$$
$$\times\partial^2 W^{(3)}_{\frac{2}{3}}$$
$$-\frac{3}{245}(468c^6+51000c^5+341403c^4-609536c^3-6943491c^2+14475796c+806880)J\partial^2W^{(2)}_{\frac{2}{3}}$$
$$-\frac{3}{245}(864c^6-24330c^5-155879c^4+999856c^3-94513c^2+4617474c-18643472)\partial J\partial W^{(2)}_{\frac{2}{3}}$$
$$-\frac{1}{1470}(162c^7-59949c^6+134535c^5+5339307c^4$$
$$-16284313c^3-52881834c^2+212816996c-151818144)\partial^3W^{(2)}_{\frac{2}{3}}\Big](w)+\cdots,$$
$$\frac{1}{C^{(2)-}_{(2)(\frac{7}{2})}}W^{(2)}_{-\frac{2}{3}}(z)\,W^{(4)}_{-\frac{2}{3}}(w)=\frac{1}{(z-w)^2}\,\frac{33}{7(c+6)}\,G^-W^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+6)(3c+2)}\,\Big[\frac{33}{35}(5c+8)\partial G^-W^{(\frac{5}{2})}_{-\frac{1}{3}}+\frac{33}{35}(3c-4)\,G^-\partial W^{(\frac{5}{2})}_{-\frac{1}{3}}-\frac{396}{35}JG^-W^{(\frac{5}{2})}_{-\frac{1}{3}}\Big](w)$$
$$+\cdots,$$
$$\frac{1}{C^{(2)-}_{(2)(\frac{7}{2})}}W^{(2)}_{-\frac{2}{3}}(z)\,W^{(\frac{9}{2})}_{\frac{1}{3}}(w)=-\frac{1}{(z-w)^4}\,\frac{13}{14}\,W^{(\frac{5}{2})}_{-\frac{1}{3}}(w)$$
$$+\frac{1}{(z-w)^3}\,\frac{1}{(c+6)}\,\Big[\frac{31}{5}G^-W^{(2)}_{\frac{2}{3}}-\frac{93}{35}JW^{(\frac{5}{2})}_{-\frac{1}{3}}-\frac{1}{70}(c+192)\partial W^{(\frac{5}{2})}_{-\frac{1}{3}}\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c+6)(3c+2)(9c-11)(3c^2+54c-169)}\,[$$
$$\frac{9}{5}(528c^3+6262c^2-15995c+17871)JJW^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+\frac{9}{5}(3c^3-5143c^2+50495c-36759)JG^-W^{(2)}_{\frac{2}{3}}$$
$$-\frac{3}{70}(8154c^4+52551c^3-423801c^2+770211c+61409)G^-W^{(3)}_{\frac{2}{3}}$$
$$+\frac{1}{28}(4131c^4+20718c^3+164556c^2-850228c+456003)TW^{(\frac{5}{2})}_{-\frac{1}{3}}$$

$$+\frac{1}{10}(1647c^4+57780c^3+20028c^2-438746c+224359)\partial G^-W^{(2)}_{\frac{2}{3}}$$
$$+\frac{3}{140}(3501c^4+32310c^3+7924c^2+389472c-2570643)\partial JW^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+\frac{1}{140}(3510c^4-288567c^3-1653351c^2+6330489c-2329237)G^-\partial W^{(2)}_{\frac{2}{3}}$$
$$-\frac{3}{170}(1656c^4+20229c^3-184065c^2+1031677c-1187885)J\partial W^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$-\frac{1}{140}(27c^5-10521c^4-80097c^3-676605c^2+3011162c-1639782)\partial^2W^{(\frac{5}{2})}_{-\frac{1}{3}}\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+6)(3c+2)(6c-5)(9c-11)(2c^2+9c-40)(3c^2+54c-169)}$$
$$\times\Big[\frac{9}{245}(41184c^6+834024c^5-5042768c^4$$
$$-10987322c^3+175445691c^2-422961195c+269190200)JJ\partial W^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+\frac{396}{7}(288c^5+282c^4-8208c^3+31325c^2-92433c+70440)JJJW^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+\frac{3}{245}(62316c^6+781416c^5+21115533c^4$$
$$+42457581c^3-472604633c^2+707153499c-363267320)JG^-\partial W^{(2)}_{\frac{2}{3}}$$
$$+\frac{264}{49}(5508c^6+19170c^5-231174c^4+22842c^3+2275051c^2-4668767c+2971960)JTW^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+\frac{3}{980}(114696c^7+2601396c^6+6301530c^5-92272437c^4$$
$$+140771499c^3+130747355c^2-331422531c+95701880)G^-\partial W^{(3)}_{\frac{2}{3}}$$
$$+\frac{132}{49}(12636c^6+63801c^5-637848c^4+651405c^3+1738728c^2-2363090c+457200)G^-G^+W^{(\frac{5}{2})}_{-\frac{1}{3}}$$
$$+\frac{1}{980}(50544c^7-15976548c^6-35411724c^5+375345195c^4$$
$$-211554213c^3-755063573c^2+169169907c+262216840)G^-\partial^2W^{(2)}_{\frac{2}{3}}$$
$$-\frac{3}{490}(228744c^7+2956212c^6-19184502c^5-100604277c^4$$
$$+684144571c^3-1212716261c^2+690576381c-48505480)\partial G^-W^{(3)}_{\frac{2}{3}}$$
$$+\frac{1}{980}(89424c^7+793044c^6+39963276c^5+16855641c^4$$
$$-309096607c^3-1011629119c^2+3369520433c-1963795240)\partial G^-\partial W^{(2)}_{\frac{2}{3}}$$
$$+\frac{1}{35}(17172c^7+572634c^6+2753868c^5-20475255c^4$$
$$-28513208c^3+277803883c^2-399069670c+156724400)\partial^2G^-W^{(2)}_{\frac{2}{3}}$$
$$+\frac{1}{196}(4860c^7-114156c^6-5195385c^5+35319918c^4$$

$$
\begin{aligned}
&-57149944c^3-9492552c^2+5296559c+87151080)T\partial W^{(\frac{5}{2})}_{-\frac{1}{3}}\\
&+\frac{1}{196}(175932c^7+4901580c^6+14649759c^5-180369402c^4\\
&+86259344c^3+876397992c^2-1084913265c+244199400)\partial TW^{(\frac{5}{2})}_{-\frac{1}{3}}\\
&+\frac{3}{980}(4212c^7-96300c^6-2349771c^5+42056368c^4\\
&-259031186c^3+40739182c^2+1557580395c-1349009400)\partial J\partial W^{(\frac{5}{2})}_{-\frac{1}{3}}\\
&+\frac{72}{245}(26631c^6+517386c^5+826228c^4-14619433c^3+19570384c^2+16405915c-23010800)\\
&\times\partial JJW^{(\frac{5}{2})}_{-\frac{1}{3}}\\
&+\frac{1}{980}(294516c^7+10366164c^6+67363461c^5-393530124c^4\\
&-713824950c^3+3665027882c^2-2110555905c-112805400)\partial^2JW^{(\frac{5}{2})}_{-\frac{1}{3}}\\
&-\frac{44}{7}(9c-11)(243c^5-891c^4-3948c^3+28517c^2-47169c+14120)G^-TW^{(2)}_{\frac{2}{3}}\\
&-\frac{396}{7}(720c^5-1920c^4-19891c^3+159458c^2-289411c+167480)JJG^-W^{(2)}_{\frac{2}{3}}\\
&-\frac{3}{35}(11124c^6+699264c^5-2134113c^4-9013287c^3+76849931c^2-128290435c+54481400)\\
&\times\partial G^-JW^{(2)}_{\frac{2}{3}}\\
&-\frac{3}{35}(5184c^6+742824c^5+267627c^4-47562127c^3+150357871c^2-112833015c+11915800)\\
&\times\partial JG^-W^{(2)}_{\frac{2}{3}}\\
&+\frac{396}{245}(2376c^6+43416c^5-154857c^4-137112c^3+1486276c^2-2517689c+1637320)\\
&\times JG^-W^{(3)}_{\frac{2}{3}}\\
&-\frac{3}{490}(23220c^7-192276c^6-3405531c^5+33286542c^4\\
&+91434148c^3-878231224c^2+1606271605c-894785800)J\partial^2W^{(\frac{5}{2})}_{-\frac{1}{3}}\\
&-\frac{1}{2940}(972c^8-355968c^7-9455877c^6-11669739c^5+104947449c^4\\
&+660636269c^3-2683044612c^2+2930835770c-1299814800)\partial^3W^{(\frac{5}{2})}_{-\frac{1}{3}}\Big](w)+\cdots. \qquad \text{(I.3)}
\end{aligned}
$$

The remaining twelve OPEs are abbreviated in this paper. In the large c limit, all the nonlinear terms in Appendix (I.3) disappear. One can also analyze the $\frac{1}{c},\cdots,\frac{1}{c^3}$-terms.

I.4 The component OPEs in the OPE $\mathbf{W}^{(2)}_{-\frac{2}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)$

The 16 component OPEs corresponding to Appendix (G.6) can be summarized by

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(2)}_{-\frac{2}{3}}(z)\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)=-\frac{1}{(z-w)}\,\frac{1}{4}\,W^{(\frac{9}{2})}_{-1}(w)+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(2)}_{-\frac{2}{3}}(z)\,W^{(4)}_{\frac{2}{3}}(w)=-\frac{1}{(z-w)^2}\,W^{(4)}_{0}(w)+\frac{1}{(z-w)}\,\left[\frac{1}{6}W^{(5)}_{0}-\frac{1}{4}\partial W^{(4)}_{0}\right](w)+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(2)}_{-\frac{2}{3}}(z)\,W^{(4)}_{-\frac{4}{3}}(w)=+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(2)}_{-\frac{2}{3}}(z)\,W^{(\frac{9}{2})}_{-\frac{1}{3}}(w)=-\frac{1}{(z-w)^2}\,\frac{17}{24}\,W^{(\frac{9}{2})}_{-1}(w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\,\left[\frac{20}{3}\,G^{-}W^{(4)}_{0}-\frac{5}{3}\,JW^{(\frac{9}{2})}_{-1}-\frac{(11c+219)}{72}\,\partial W^{(\frac{9}{2})}_{-1}\right](w)+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)=\frac{1}{(z-w)^2}\,W^{(4)}_{0}(w)+\frac{1}{(z-w)}\,\left[\frac{3}{8}\partial W^{(4)}_{0}+\frac{1}{12}W^{(5)}_{0}\right](w)+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(4)}_{\frac{2}{3}}(w)=-\frac{1}{(z-w)^2}\,W^{(\frac{9}{2})}_{1}(w)-\frac{1}{(z-w)}\,\frac{1}{3}\,\partial W^{(\frac{9}{2})}_{1}(w)+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(4)}_{-\frac{4}{3}}(w)=-\frac{1}{(z-w)^2}\,\frac{5}{6}W^{(\frac{9}{2})}_{-1}(w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\,\left[\frac{20}{3}\,G^{-}W^{(4)}_{0}-\frac{5}{3}\,JW^{(\frac{9}{2})}_{-1}-\frac{5(c+15)}{18}\,\partial W^{(\frac{9}{2})}_{-1}\right](w)+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{9}{2})}_{-\frac{1}{3}}(w)=-\frac{1}{(z-w)^3}\,W^{(4)}_{0}(w)+\frac{1}{(z-w)^2}\,\left[\frac{19}{24}W^{(5)}_{0}-\frac{13}{48}\partial W^{(4)}_{0}\right](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\,\left[-\frac{20}{3}\,G^{-}W^{(\frac{9}{2})}_{1}-\frac{5}{3}\,G^{+}W^{(\frac{9}{2})}_{-1}+\frac{10}{3}\,TW^{(4)}_{0}\right.$$
$$\left.+\frac{5}{3}\,JW^{(5)}_{0}-\frac{10}{3}\,\partial JW^{(4)}_{0}+\frac{5}{6}\,J\partial W^{(4)}_{0}-\frac{(17c+273)}{144}\,\partial W^{(5)}_{0}-\frac{(7c-57)}{144}\,\partial^2 W^{(4)}_{0}\right](w)+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(z)\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)=+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(z)\,W^{(4)}_{\frac{2}{3}}(w)=-\frac{1}{(z-w)^2}\,\frac{5}{12}\,W^{(\frac{9}{2})}_{-1}(w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)}\,\left[\frac{5}{3}\,JW^{(\frac{9}{2})}_{-1}-\frac{20}{3}\,G^{-}W^{(4)}_{0}-\frac{5(c-3)}{36}\,\partial W^{(\frac{9}{2})}_{-1}\right](w)+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}}\,W^{(\frac{5}{2})}_{-\frac{5}{3}}(z)\,W^{(4)}_{-\frac{4}{3}}(w)=+\cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}} W^{(\frac{5}{2})}_{-\frac{5}{3}}(z)\, W^{(\frac{9}{2})}_{-\frac{1}{3}}(w) = -\frac{1}{(z-w)}\, \frac{25}{3(c+9)}\, G^- W^{(\frac{9}{2})}_{-1}(w) + \cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}} W^{(3)}_{-\frac{2}{3}}(z)\, W^{(\frac{7}{2})}_{-\frac{1}{3}}(w) = \frac{1}{(z-w)^2}\, \frac{7}{24}\, W^{(\frac{9}{2})}_{-1}(w)$$

$$+\frac{1}{(z-w)}\, \frac{1}{(c+9)}\, \left[\frac{20}{3}\, G^- W^{(4)}_0 - \frac{5}{3}\, J W^{(\frac{9}{2})}_{-1} + \frac{5(c-3)}{36}\, \partial W^{(\frac{9}{2})}_{-1}\right](w) + \cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}} W^{(3)}_{-\frac{2}{3}}(z)\, W^{(4)}_{\frac{2}{3}}(w) = -\frac{1}{(z-w)^3} W^{(4)}_0(w) + \frac{1}{(z-w)^2}\, \left[-\frac{1}{3} W^{(5)}_0 - \frac{1}{3}\partial W^{(4)}_0\right](w)$$

$$+\frac{1}{(z-w)}\, \frac{1}{(c+9)}\, \left[-\frac{20}{3}\, G^- W^{(\frac{9}{2})}_1 - \frac{5}{3}\, G^+ W^{(\frac{9}{2})}_{-1} - \frac{20}{3}\, T W^{(4)}_0 - \frac{5}{6}\, J W^{(5)}_0 - \frac{10}{3}\, \partial J W^{(4)}_0\right.$$

$$\left. + \frac{5}{6}\, J\partial W^{(4)}_0 - \frac{5(c-3)}{36}\, \partial W^{(5)}_0 - \frac{5(c-3)}{72}\partial^2 W^{(4)}_0\right](w) + \cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}} W^{(3)}_{-\frac{2}{3}}(z)\, W^{(4)}_{-\frac{4}{3}}(w) = -\frac{1}{(z-w)}\, \frac{25}{3(c+9)}\, G^- W^{(\frac{9}{2})}_{-1}(w) + \cdots,$$

$$\frac{1}{C^{(4)-}_{(2)(\frac{7}{2})}} W^{(3)}_{-\frac{2}{3}}(z)\, W^{(\frac{9}{2})}_{-\frac{1}{3}}(w) = -\frac{1}{(z-w)^3}\, \frac{9}{8}\, W^{(\frac{9}{2})}_{-1}(w) - \frac{1}{(z-w)^2}\, \frac{17}{48}\, \partial W^{(\frac{9}{2})}_{-1}(w) +$$

$$+\frac{1}{(z-w)}\, \frac{1}{(c+9)}\, \left[-\frac{25}{3}\, T W^{(\frac{9}{2})}_{-1} + \frac{25}{3}\, G^- W^{(5)}_0 - \frac{10}{3}\, \partial G^- W^{(4)}_0\right.$$

$$\left. -\frac{10}{3}\, \partial J W^{(\frac{9}{2})}_{-1} + \frac{5}{6}\, J\partial W^{(\frac{9}{2})}_{-1} + \frac{5}{6}\, G^- \partial W^{(4)}_0 - \frac{5(c-3)}{72}\, \partial^2 W^{(\frac{9}{2})}_{-1}\right](w) + \cdots. \tag{I.4}$$

The structure of the OPE looks like as the one in Appendix (I.1). In the large c limit, all the nonlinear terms in Appendix (I.4) disappear. One can also analyze the $\frac{1}{c}$-term.

J The component OPEs in the OPE $\mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_1)\, \mathbf{W}^{(\frac{7}{2})}_{\pm\frac{1}{3}}(Z_2)$

In this final Appendix, we present the component OPEs corresponding to the $\mathcal{N}=2$ description in Appendix (G.2).

J.1 The component OPEs in the OPE $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)\, \mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_2)$

The 4 component OPEs corresponding to Appendix (G.7) can be summarized by

$$\frac{1}{C^{(\frac{7}{2})+}_{(\frac{7}{2})(\frac{7}{2})}} W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\, W^{(\frac{7}{2})}_{\frac{1}{3}}(w) = -\frac{1}{(z-w)^3}\, \frac{3}{11}\, W^{(4)}_{\frac{2}{3}}(w) + \frac{1}{(z-w)^2}\, \frac{3}{22}\, \partial W^{(4)}_{\frac{2}{3}}(w)$$

$$+\frac{1}{(z-w)}\, \frac{1}{(c+9)(3c+4)(27c-46)(3c^2+90c-265)}\, [$$

$$\frac{216}{11}(42c^3+614c^2-1651c+1385)\, J J W^{(4)}_{\frac{2}{3}}$$

$$+36(9c^3-372c^2+3333c-4030)\,JG^+W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$-\frac{3}{11}(2025c^4+27756c^3-38283c^2-269878c+353640)\,TW^{(4)}_{\frac{2}{3}}$$
$$-\frac{18}{11}(27c^4-1575c^3+507c^2+16059c-10778)\,G^+W^{(\frac{9}{2})}_{-\frac{1}{3}}$$
$$+\frac{9}{2}(9c^4-884c^3-7131c^2+26506c-11080)\,\partial G^+W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$-\frac{18}{11}(9c^4-390c^3+4957c^2+17064c-78580)\,\partial JW^{(4)}_{\frac{2}{3}}$$
$$+\frac{9}{22}(9c^4-528c^3-8139c^2+103598c-178320)\,J\partial W^{(4)}_{\frac{2}{3}}$$
$$-\frac{9}{22}(45c^4-4242c^3-36687c^2+154420c-87036)\,G^+\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$-\frac{3}{44}(3c-1)(45c^4+1302c^3+1407c^2-42794c+75240)\,\partial^2W^{(4)}_{\frac{2}{3}}\Big](w)+\cdots,$$
$$\frac{1}{C^{(\frac{7}{2})+}_{(\frac{7}{2})(\frac{7}{2})}}W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\,W^{(4)}_{\frac{4}{3}}(w)=-\frac{1}{(z-w)^2}\,\frac{30}{11(c+9)}\,G^+W^{(4)}_{\frac{2}{3}}(w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)(3c+4)}\,\Big[\frac{90}{11}\,JG^+W^{(4)}_{\frac{2}{3}}-\frac{15}{11}\,(3c+7)\,G^+\partial W^{(4)}_{\frac{2}{3}}-\frac{30}{11}\,(c-1)\,\partial G^+W^{(4)}_{\frac{2}{3}}\Big](w)$$
$$+\cdots,$$
$$\frac{1}{C^{(\frac{7}{2})+}_{(\frac{7}{2})(\frac{7}{2})}}W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\,W^{(4)}_{-\frac{2}{3}}(w)=-\frac{1}{(z-w)^4}\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)+\frac{1}{(z-w)^3}\,\Big[-\frac{3}{22}\,W^{(\frac{9}{2})}_{-\frac{1}{3}}-\frac{19}{44}\,\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c+9)(27c-46)(3c^2+90c-265)}\,\Big[-\frac{1}{2}(27c-46)(51c^2+614c-1725)\,TW^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+36(c+9)(31c-35)\,JJW^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+\frac{9}{22}(687c^3+7144c^2-25501c-6790)\,G^-W^{(4)}_{\frac{2}{3}}-\frac{3}{2}(45c^3-2904c^2+4281c+5998)\,G^+W^{(4)}_{-\frac{4}{3}}$$
$$-\frac{9}{22}(39c^3-984c^2+18923c-22118)\,JW^{(\frac{9}{2})}_{-\frac{1}{3}}+\frac{3}{4}(3c^3-1544c^2-35529c+108050)\,\partial JW^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$-\frac{3}{44}(15c^3-6552c^2-121229c+352266)\,J\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+\frac{3}{44}(36c^4+1695c^3+15900c^2-65125c+27114)\,\partial W^{(\frac{9}{2})}_{-\frac{1}{3}}$$
$$-\frac{1}{44}(387c^4+7818c^3-9849c^2-116948c+200412)\,\partial^2W^{(\frac{7}{2})}_{-\frac{1}{3}}\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)(3c+4)(27c-46)(3c^2+90c-265)}\,[$$
$$-\frac{3}{22}(c+9)(27c-46)(81c^2+87c-698)\,TW^{(\frac{9}{2})}_{-\frac{1}{3}}$$
$$-\frac{3}{22}(27c^5+1233c^4+17949c^3-40569c^2-15268c-74292)\,\partial^2W^{(\frac{9}{2})}_{-\frac{1}{3}}$$
$$-\frac{9}{11}27c^4-567c^3+15243c^2-23565c+22462)\,J\partial W^{(\frac{9}{2})}_{-\frac{1}{3}}$$

$$+\frac{18}{11}(897c^3+7574c^2+5294c-18015)\,JJ\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+\frac{216}{11}(42c^3+614c^2-1651c+1385)\,JG^-W^{(4)}_{\frac{2}{3}}$$
$$+\frac{9}{22}(1035c^4+11826c^3-28033c^2-9388c-102740)\,G^-\partial W^{(4)}_{\frac{2}{3}}$$
$$+18(9c^3-372c^2+3333c-4030)\,G^-G^+W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+\frac{3}{22}(2025c^4+27756c^3-38283c^2-269878c+353640)\,\partial G^-W^{(4)}_{\frac{2}{3}}$$
$$-\frac{1}{44}(39771c^4+408798c^3-2058153c^2+1525928c+1647156)\,T\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$-\frac{5}{2}(405c^4+5616c^3-10335c^2-29978c+41712)\,\partial TW^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$-\frac{9}{44}(99c^4-1206c^3+71647c^2+45476c-381236)\,\partial JW^{(\frac{9}{2})}_{-\frac{1}{3}}$$
$$+9(363c^3+3796c^2-3209c-1010)\,\partial JJW^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+\frac{3}{55}(297c^4-48630c^3-901075c^2+2098520c+2141068)\,\partial J\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+18(9c^3-372c^2+3333c-4030)\,JTW^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$-18(9c^3-372c^2+3333c-4030)\,JG^+W^{(4)}_{-\frac{4}{3}}$$
$$-3(27c^4-1629c^3+2739c^2-3939c+13402)\,G^+\partial W^{(4)}_{-\frac{4}{3}}$$
$$-\frac{3}{2}(81c^4-5592c^3-10083c^2+57318c-4624)\,\partial G^+W^{(4)}_{-\frac{4}{3}}$$
$$-\frac{3}{4}(9c^4+984c^3+45685c^2-51258c-232720)\,\partial^2JW^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+\frac{108}{11}(42c^3+614c^2-1651c+1385)\,JJW^{(\frac{9}{2})}_{-\frac{1}{3}}$$
$$-\frac{3}{22}(18c^4-5295c^3-103578c^2+220669c+218526)\,J\partial^2W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$-\frac{1}{66}(324c^5-846c^4-67125c^3+228810c^2-155309c-27234)\,\partial^3W^{(\frac{7}{2})}_{-\frac{1}{3}}\Big](w)+\cdots,$$
$$\frac{1}{C^{(\frac{7}{2})+}_{(\frac{7}{2})(\frac{7}{2})}}\,W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{9}{2})}_{\frac{1}{3}}(w)=\frac{1}{(z-w)^4}\,\frac{1}{2}\,W^{(4)}_{\frac{2}{3}}$$
$$+\frac{1}{(z-w)^3}\,\frac{1}{(c+9)}\,\Big[10\,G^+W^{(\frac{7}{2})}_{-\frac{1}{3}}-\frac{30}{11}\,JW^{(4)}_{\frac{2}{3}}+\frac{2}{11}\,(c+24)\,\partial W^{(4)}_{\frac{2}{3}}\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c+9)(27c-46)(3c^2+90c-265)}\,\Big[-18(c+9)(31c-35)\,JJW^{(4)}_{\frac{2}{3}}$$
$$-36(c+9)(31c-35)\,JG^+W^{(\frac{7}{2})}_{-\frac{1}{3}}$$
$$+\frac{6}{11}(279c^3+1368c^2-15255c+30428)\,G^+W^{(\frac{9}{2})}_{-\frac{1}{3}}$$

$$
\begin{aligned}
&+\frac{1}{22}(8235c^3+41664c^2-187409c+40170)\,TW^{(4)}_{\frac{2}{3}}\\
&+\frac{1}{4}(927c^3+43272c^2-117629c+19370)\,\partial G^+W^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&+\frac{3}{11}(51c^3-928c^2+67527c-181590)\,\partial JW^{(4)}_{\frac{2}{3}}\\
&+\frac{1}{44}(16155c^3+377736c^2-2257257c+2943466)\,G^+\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&-\frac{3}{44}(1671c^3+47640c^2-136901c+34490)\,J\partial W^{(4)}_{\frac{2}{3}}\\
&+\frac{1}{88}(279c^4+12453c^3+217491c^2-1276973c+1581870)\,\partial^2W^{(4)}_{\frac{2}{3}}\Big]\,(w)\\
&+\frac{1}{(z-w)}\,\frac{1}{(c+9)(3c-2)(3c+4)(27c-46)(3c^2+90c-265)}\,[\\
&\frac{1}{264}(1215c^6+33723c^5+474705c^4\\
&-5268615c^3+5682720c^2+18658892c-21364560)\,\partial^3W^{(4)}_{\frac{2}{3}}\\
&+\frac{1080}{11}(252c^3+141c^2-3017c+3694)\,JJJW^{(4)}_{\frac{2}{3}}\\
&-\frac{30}{11}(6075c^4-11664c^3+56673c^2-338112c+406316)\,JTW^{(4)}_{\frac{2}{3}}\\
&-\frac{90}{11}(108c^4-1809c^3-23475c^2+85134c-71288)\,JG^+W^{(\frac{9}{2})}_{-\frac{1}{3}}\\
&+\frac{90}{11}(3456c^4-6345c^3-29889c^2+71576c-55076)\,G^-G^+W^{(4)}_{\frac{2}{3}}\\
&+\frac{1}{44}(37665c^5+192834c^4-4184127c^3+7278324c^2+7100772c-9611168)\,G^+\partial^2W^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&+\frac{1}{22}(21384c^5+791397c^4+367884c^3-6884313c^2+812852c+4057516)\,\partial G^+\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&+\frac{1}{4}(1863c^5+15642c^4-364209c^3+973728c^2+907396c-2389120)\,\partial^2G^+W^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&+\frac{3}{44}(567c^5-180c^4+367575c^3-1038530c^2+86068c-2907960)\,\partial J\partial W^{(4)}_{\frac{2}{3}}\\
&+\frac{3}{11}(189c^5+9099c^4+367767c^3-801239c^2-1350036c+1509340)\,\partial^2JW^{(4)}_{\frac{2}{3}}\\
&-5(3c+4)(27c-46)(81c^2-183c-44)\,TG^+W^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&-18(99c^4+2487c^3+1256c^2-28072c+35600)\,JJ\partial W^{(4)}_{\frac{2}{3}}\\
&-360(252c^3+141c^2-3017c+3694)\,JJG^+W^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&-6(594c^4+4707c^3-17979c^2-95292c+154940)\,\partial G^+JW^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&-3(1053c^4-1791c^3-17208c^2+150256c+17000)\,\partial JG^+W^{(\frac{7}{2})}_{-\frac{1}{3}}\\
&-\frac{3}{11}(17388c^4+124749c^3-15033c^2+942306c-2281720)\,JG^+\partial W^{(\frac{7}{2})}_{-\frac{1}{3}}
\end{aligned}
$$

$$
\begin{aligned}
&-\frac{9}{11}(6381c^4+49758c^3-108251c^2+554592c-920020)\,\partial JJW^{(4)}_{\frac{2}{3}} \\
&+\frac{3}{11}(2187c^5+39042c^4-104463c^3-321174c^2+1301856c-1029808)\,G^+\partial W^{(\frac{9}{2})}_{-\frac{1}{3}} \\
&+\frac{3}{11}(1782c^5+927c^4-264858c^3+764781c^2-869644c+694052)\,\partial G^+W^{(\frac{9}{2})}_{-\frac{1}{3}} \\
&-\frac{3}{44}(4239c^5+86526c^4-127797c^3-633936c^2+3066788c-4363360)\,J\partial^2W^{(4)}_{\frac{2}{3}} \\
&-\frac{1}{44}(27945c^5+465156c^4-1091367c^3+47394c^2-6488788c+9919800)\,T\partial W^{(4)}_{\frac{2}{3}} \\
&-\frac{1}{44}(35235c^5+51786c^4-1096317c^3+547344c^2+8778932c-10153920)\,\partial TW^{(4)}_{\frac{2}{3}}\Big](w)+\cdots.
\end{aligned}
\tag{J.1}
$$

In the large c limit, all the nonlinear terms in Appendix (J.1) disappear. One can also analyze the $\frac{1}{c},\cdots,\frac{1}{c^3}$-terms. One can easily observe that from the above four OPEs, the remaining ten OPEs in the component approach by $\mathcal{N}=2$ supersymmetry can be determined even if one does not know the $\mathcal{N}=2$ superspace results in section 7. That is, one can have the $\mathcal{N}=2$ superspace generalization with fixed coefficients from the above four OPEs along the line of [55].

J.2 The component OPEs in the OPE $\mathbf{W}^{(\frac{7}{2})}_{\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)$

The 4 component OPEs corresponding to Appendix (G.9) can be summarized by

$$
\begin{aligned}
&W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)=\frac{1}{(z-w)^7}\,\frac{2c}{7}+\frac{1}{(z-w)^6}\,\frac{2}{7}\,J(w) \\
&+\frac{1}{(z-w)^5}\,\Big[-\frac{20}{7(c-1)}\,JJ+\frac{2(21c-1)}{21(c-1)}\,T+\frac{1}{7}\,\partial J\Big](w) \\
&+\frac{1}{(z-w)^4}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[-\frac{2}{7}(c^2-63c+2)\,G^-G^+ \\
&+\frac{4}{21}(3c+5)(7c+18)\,JT-\frac{20}{7}(c+6)(2c-3)\,\partial JJ-\frac{4}{21}(31c+134)\,JJJ \\
&+\frac{2}{21}(21c^3+95c^2-288c+12)\,\partial T+\frac{2}{21}(c^3+3c^2+18c+8)\,\partial^2J\Big](w) \\
&+\frac{1}{(z-w)^3}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\Big[\frac{4}{21}(796c^2-309c+248)\,JJJJ \\
&+\frac{4}{7}(29c^3-1720c^2+1945c+86)\,JG^-G^+-\frac{4}{21}(1113c^3-230c^2+59c-402)\,JJT \\
&+\frac{2}{21}(24c^4-1401c^3+1692c^2-473c+18)\,\partial G^-G^+ \\
&+\frac{2}{21}(39c^4-2358c^3+2451c^2+1204c-36)\,\partial G^+G^- \\
&+\frac{2}{21}(105c^4+274c^3+5065c^2-6996c-1068)\,\partial TJ \\
&+\frac{2}{63}(2331c^4+162c^3-15457c^2+15540c-36)\,TT
\end{aligned}
$$

$$
-\frac{1}{21}(179c^4+1544c^3+555c^2-9834c+9016)\,\partial^2 JJ
$$
$$
-\frac{1}{14}(121c^4-492c^3-1435c^2+5674c-4328)\,\partial J\partial J
$$
$$
+\frac{2}{21}(c+1)(5c-9)(3c+5)(7c+18)\,\partial JT-\frac{2}{7}(c+1)(5c-9)(31c+134)\,\partial JJJ
$$
$$
+\frac{1}{21}(63c^5-255c^4+177c^3+1835c^2-2304c-36)\,\partial^2 T
$$
$$
+\frac{1}{126}(15c^5-177c^4-341c^3-10307c^2+13410c+1920)\,\partial^3 J\Big](w)
$$
$$
+\frac{1}{(z-w)^2}\,\frac{(c+18)(4c-9)(7c-15)}{d(c)}\,[
$$
$$
-\frac{16}{63}(861c^4+8206c^3-1621c^2+5986c+1488)\,JJJT
$$
$$
+\frac{4}{21}(848c^3+8095c^2-5686c+6768)\,JJJJJ
$$
$$
+\frac{8}{7}(29c^4-1551c^3-11014c^2+16064c-4928)\,JJG^-G^+
$$
$$
+\frac{2}{63}(2331c^5+22446c^4-5449c^3-180016c^2+300540c-98352)\,JTT
$$
$$
+\frac{2}{21}(57c^5-3574c^4+2061c^3+12544c^2-15276c+48)\,G^-TG^+
$$
$$
+\frac{2}{21}(117c^5-5490c^4-78019c^3+173344c^2-96076c-4176)\,\partial G^-JG^+
$$
$$
+\frac{1}{21}(27c^6-1407c^5-10671c^4+123947c^3-208284c^2+102604c+3984)\,\partial^2 G^-G^+
$$
$$
+\frac{2}{63}(2331c^6+23643c^5-80503c^4-136735c^3+563964c^2-419148c+1008)\,\partial TT
$$
$$
-\frac{2}{21}(1113c^5+11074c^4-38259c^3-60376c^2+90948c-19920)\,\partial TJJ
$$
$$
+\frac{1}{21}(36c^6-1953c^5-12134c^4+102075c^3-261296c^2+169868c+8784)\,\partial^2 G^+G^-
$$
$$
-\frac{4}{21}(c-2)(c+12)(1113c^3-230c^2+59c-402)\,\partial JJT
$$
$$
+\frac{8}{21}(c-2)(c+12)(796c^2-309c+248)\,\partial JJJJ
$$
$$
+\frac{2}{7}(c-2)(c+12)(29c^3-1720c^2+1945c+86)\,\partial JG^-G^+
$$
$$
+\frac{1}{126}(3c^7-48c^6-815c^5+1796c^4-20932c^3+62864c^2-50480c+1632)\,\partial^4 J
$$
$$
-\frac{1}{21}(c-2)(c+12)(121c^4-521c^3+285c^2+3729c-4414)\,\partial^2 J\partial J
$$
$$
-\frac{1}{21}(c+12)(289c^4+1266c^3+1153c^2-11996c+14228)\,\partial^2 JJJ
$$
$$
-\frac{1}{14}(331c^5+3534c^4-6441c^3-47624c^2+95468c-35248)\,\partial J\partial JJ
$$
$$
-\frac{2}{21}(57c^5-3090c^4-17687c^3+191552c^2-178844c-8208)\,\partial G^+JG^-
$$

$$+\frac{1}{21}(105c^6+1321c^5+5699c^4+22475c^3-178140c^2+209564c-45744)\,\partial T\partial J$$
$$+\frac{1}{21}(63c^6+363c^5-3255c^4+15645c^3+32492c^2-83548c+44400)\,\partial^2 TJ$$
$$-\frac{4}{63}(6c^6-315c^5-2960c^4-10347c^3+8216c^2+5268c+432)\,\partial G^-\partial G^+$$
$$+\frac{2}{63}(105c^6+1357c^5+4155c^4+1767c^3-37132c^2-17300c+90768)\,\partial^2 JT$$
$$-\frac{1}{126}(237c^6+1527c^5-13069c^4+51273c^3+10180c^2+422196c-459024)\,\partial^3 JJ$$
$$+\frac{2}{189}(63c^7+378c^6-3957c^5+2884c^4+9716c^3-44192c^2+34656c+1152)\,\partial^3 T\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{(c+18)(4c-9)}{d(c)}\,\Big[\frac{2}{63}(861c^6-29391c^5-1133657c^4$$
$$+4368507c^3-4375708c^2+974908c+362320)\,\partial G^-\partial G^+J$$
$$+\frac{2}{63}(1323c^6-72861c^5-243063c^4+1554153c^3-1902276c^2+898804c-203600)$$
$$\times\partial G^-\partial JG^+$$
$$+\frac{1}{189}(315c^7-17724c^6-18570c^5+3771528c^4$$
$$-12915513c^3+12105392c^2-2283748c-1069680)\,\partial^2 G^-\partial G^+$$
$$+\frac{4}{63}(441c^6-23181c^5-168783c^4+698013c^3-631674c^2+484624c-328880)\,\partial^2 G^-JG^+$$
$$+\frac{1}{189}(504c^7-27885c^6-122169c^5+2445849c^4$$
$$-7192203c^3+7285004c^2-3313020c+793840)\,\partial^3 G^-G^+$$
$$+\frac{2}{189}(3c-8)(4095c^6+42183c^5-88431c^4-298851c^3+690304c^2-294404c-42960)\,\partial T\partial T$$
$$+\frac{2}{63}(16317c^6+108045c^5+496175c^4-5061985c^3+10644348c^2-8247300c+1632720)\,\partial TJT$$
$$-\frac{8}{63}(6027c^5+39571c^4+160094c^3-724244c^2+223632c+122640)\,\partial TJJJ$$
$$-\frac{2}{21}(7c-15)(57c^5-3574c^4+2061c^3+12544c^2-15276c+48)\,\partial TG^-G^+$$
$$-\frac{1}{63}(46935c^6+344391c^5-1960539c^4-3602811c^3+19759956c^2-16297772c+918640)$$
$$\times\partial T\partial JJ$$
$$+\frac{1}{189}(29295c^7+2007c^6-1069131c^5+3951597c^4-3487692c^3-4812940c^2+7455824c$$
$$-911040)\,\partial^2 TT$$
$$-\frac{2}{63}(6993c^6-1341c^5-224067c^4+1719387c^3-4142880c^2+2882708c-40240)\,\partial^2 TJJ$$
$$+\frac{1}{189}(630c^7-30873c^6-379989c^5+4992837c^4$$
$$-14666997c^3+15196220c^2-4653508c-1112880)\,\partial^2 G^+\partial G^-$$
$$+\frac{1}{189}(630c^7-35085c^6-162885c^5+1152489c^4$$

$$
\begin{aligned}
&-567069c^3-3787276c^2+5366316c-2322800)\,\partial^3G^+G^-\\
&-\frac{8}{21}(7c-15)(861c^4+8206c^3-1621c^2+5986c+1488)\,\partial JJJT\\
&+\frac{10}{21}(7c-15)(848c^3+8095c^2-5686c+6768)\,\partial JJJJJ\\
&+\frac{8}{7}(7c-15)(29c^4-1551c^3-11014c^2+16064c-4928)\,\partial JJG^-G^+\\
&+\frac{1}{63}(7c-15)(2331c^5+22446c^4-5449c^3-180016c^2+300540c-98352)\,\partial JTT\\
&-\frac{1}{126}(56385c^6-11631c^5-2686773c^4+11981883c^3-18743028c^2+6918124c+5071120)\\
&\times\partial J\partial JT\\
&+\frac{2}{7}(5971c^5+25134c^4-229189c^3+390104c^2-140100c-33680)\,\partial J\partial JJJ\\
&-\frac{1}{63}(27825c^6+365797c^5-1149429c^4-730641c^3+2394996c^2+1405132c-1870960)\\
&\times\partial^2JJT\\
&+\frac{4}{63}(9947c^5+129379c^4-458014c^3+295024c^2-328216c+644080)\,\partial^2JJJJ\\
&+\frac{1}{63}(1029c^6-37503c^5-1446465c^4+8032635c^3-13411404c^2+6475228c+780880)\\
&\times\partial^2JG^-G^+\\
&+\frac{1}{7560}(210c^8-2340c^7-17013c^6+357851c^5-2719733c^4\\
&+4848833c^3+1172620c^2-4953308c+847920)\,\partial^5J\\
&-\frac{1}{42}(7c-15)(641c^5+7494c^4+7817c^3-4432c^2-18044c+62064)\,\partial^2J\partial JJ\\
&+\frac{1}{42}(7c-15)(63c^6+360c^5-2841c^4+1042c^3+46940c^2-31208c-26976)\,\partial^2T\partial J\\
&-\frac{1}{84}(7c-15)(373c^5+2218c^4-23023c^3-53032c^2+256404c-221520)\,\partial J\partial J\partial J\\
&-\frac{16}{21}(1652c^4-98177c^3+263487c^2-101002c-48320)\,JJJG^-G^+\\
&+\frac{32}{21}(588c^5-36292c^4+161817c^3-243347c^2+127114c-6560)\,JG^-TG^+\\
&-\frac{8}{21}(273c^5-14301c^4-6314c^3+108034c^2-27092c-60800)\,\partial G^-JJG^+\\
&-\frac{8}{21}(882c^5-48177c^4-167813c^3+941008c^2-853460c+160960)\,\partial G^+JJG^-\\
&+\frac{4}{63}(131376c^4-202711c^3-302219c^2+294074c-101520)\,JJJJT\\
&-\frac{128}{63}(20c-13)(98c^2-129c-194)\,JJJJJJ\\
&-\frac{8}{63}(45801c^5-47772c^4-440083c^3+910558c^2-363304c-152400)\,JJTT\\
&-\frac{2}{63}(1953c^6-119295c^5+579231c^4-1030281c^3+803548c^2-255716c+720)\,\partial G^-TG^+
\end{aligned}
$$

$$+\frac{8}{63}(1575c^6-98457c^5+391671c^4-429801c^3-40864c^2+216356c-720)\,\partial G^+G^-T$$
$$-\frac{2}{63}(693c^6-46311c^5+336423c^4+387867c^3-3181020c^2+2718748c-112880)\,\partial G^+\partial JG^-$$
$$-\frac{8}{63}(63c^6-4890c^5+67728c^4-912513c^3+2593440c^2-2163148c+543200)\,\partial^2G^+JG^-$$
$$-\frac{1}{63}(1407c^6+1185c^5-89605c^4-893675c^3+1742348c^2+2855460c-3459120)\,\partial^3JJJ$$
$$+\frac{1}{63}(735c^7+7378c^6+31896c^5+510630c^4-3822475c^3+7366072c^2-4269836c-146000)$$
$$\times\partial^2J\partial T$$
$$+\frac{2}{189}(441c^7+1386c^6-28674c^5+904366c^4$$
$$-3121207c^3+2904460c^2+116108c-945520)\,\partial^3TJ$$
$$-\frac{1}{378}(2730c^7-1233c^6-57681c^5+2034861c^4$$
$$-10003101c^3+16987804c^2-9551780c+125520)\,\partial^2J\partial^2J$$
$$-\frac{1}{378}(882c^7-11187c^6-37095c^5+1265499c^4$$
$$-5601471c^3+11901904c^2-14259828c+6980816)\,\partial^4JJ$$
$$+\frac{1}{378}(2205c^7-8799c^6-198729c^5-816925c^4$$
$$+8304140c^3-20430036c^2+23033424c-10561920)\,\partial^3JT$$
$$-\frac{1}{756}(7245c^7-47313c^6-1512987c^5+5063061c^4$$
$$+17619294c^3-79973996c^2+86415256c-26704800)\,\partial^3J\partial J$$
$$+\frac{2}{567}(382725c^6-175347c^5-9121545c^4+29407735c^3-33144380c^2+11888652c+530640)$$
$$\times TTT$$
$$+\frac{1}{2268}(1890c^8-90c^7-293955c^6+1336737c^5-3168903c^4$$
$$+2937673c^3+2876452c^2-3876924c+682800)\,\partial^4T\Big](w)+\cdots,$$
$$W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\,W^{(4)}_{\frac{2}{3}}(w)=\frac{1}{(z-w)^6}\,\frac{22}{7}G^+(w)+\frac{1}{(z-w)^5}\,\frac{22}{21}\,\partial G^+(w)$$
$$+\frac{1}{(z-w)^4}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[\frac{22}{21}(45c^2-41c+6)\,TG^+-\frac{11}{7}(c^2-53c+62)\,\partial JG^+$$
$$-\frac{22}{21}(c^2-97c+6)\,\partial G^+J-\frac{44(11c+14)}{7}\,JJG^++\frac{11}{21}c(c^2-31c+90)\,\partial^2G^+\Big](w)$$
$$+\frac{1}{(z-w)^3}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\Big[\frac{176}{21}(c^2-54c-22)\,JJJG^+$$
$$-\frac{44}{21}(3c^3-180c^2+163c-6)\,JTG^++\frac{11}{21}(c+6)(c^3+111c^2-149c-83)\,\partial G^+\partial J$$
$$-\frac{22}{7}(109c^3+92c^2-275c-346)\,\partial JJG^+-\frac{88}{21}(28c^3-5c^2-203c-60)\,\partial G^+JJ$$
$$+\frac{22}{21}(111c^4-101c^3-277c^2+257c-30)\,\partial TG^+$$

$$+\frac{22}{63}(231c^4-745c^3+115c^2+333c-54)\,\partial G^+T$$
$$+\frac{11}{21}(7c^4-353c^3+603c^2+557c-934)\,\partial^2JG^+$$
$$-\frac{22}{21}(2c^4-87c^3+338c^2-535c-258)\,\partial^2G^+J$$
$$+\frac{11}{63}(c-1)(3c^4-69c^3+167c^2+81c+18)\,\partial^3G^+\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{(c+18)(4c-9)(7c-15)}{d(c)}\,\Big[\frac{11}{756}(6c^7-200c^6-6117c^5+17490c^4$$
$$+21165c^3-78976c^2+16948c+26544)\,\partial^4G^+$$
$$+\frac{220}{7}(64c^3+213c^2-402c+208)\,JJJG^+$$
$$-\frac{178}{21}(327c^4+392c^3-3042c^2+3952c-1224)\,JJTG^+$$
$$+\frac{22}{63}(2673c^5-2478c^4-21523c^3+36848c^2-2796c-11664)\,TTG^+$$
$$-\frac{22}{21}(c+12)(3c^4-194c^3+1395c^2-2052c+668)\,\partial TJG^+$$
$$-\frac{178}{63}(15c^5-1441c^4+276c^3+2794c^2+756c-2880)\,\partial G^+JT$$
$$+\frac{176}{63}(22c^4-2063c^3-3682c^2+9812c-3144)\,\partial G^+JJJ$$
$$+\frac{22}{21}(37c^5-2402c^4+15797c^3-24392c^2+4100c+7920)\,\partial G^+G^-G^+$$
$$+\frac{11}{63}(4c^6-47c^5+3354c^4+15985c^3-76224c^2+57572c+20976)\,\partial^2J\partial G^+$$
$$+\frac{11}{126}(12c^6-439c^5-6574c^4+19665c^3+39208c^2-128076c+74544)\,\partial^3JG^+$$
$$-\frac{88}{7}(6c^4-309c^3+619c^2-174c-712)\,\partial JJJG^+$$
$$-\frac{11}{14}(129c^5+514c^4-7443c^3+17208c^2-9532c-3856)\,\partial J\partial JG^+$$
$$-\frac{88}{21}(28c^5+237c^4+805c^3-6540c^2+8852c-1392)\,\partial G^+\partial JJ$$
$$-\frac{44}{21}(14c^5-367c^4+1179c^3+11386c^2-20800c+8688)\,\partial^2G^+JJ$$
$$+\frac{44}{21}(27c^5-1432c^4+4605c^3-3780c^2+1308c-2928)\,\partial JTG^+$$
$$-\frac{11}{21}(195c^5+3218c^4-1189c^3-17216c^2-11924c+48336)\,\partial^2JJG^+$$
$$+\frac{11}{21}(66c^6+103c^5-1720c^4+1127c^3+5872c^2-9716c+4368)\,\partial^2TG^+$$
$$-\frac{11}{42}(c^6+80c^5-1659c^4+17354c^3-53820c^2+65304c-22560)\partial^2G^+\partial J$$
$$+\frac{44}{63}(3c-8)(19c^5+174c^4+851c^3-3196c^2+1212c+1440)\,\partial T\partial G^+$$

$$-\frac{11}{63}(3c^6-44c^5-4425c^4+12714c^3+22228c^2-59832c+35616)\,\partial^3G^+J$$
$$+\frac{11}{63}(117c^6-3330c^5+765c^4+59088c^3-93340c^2-4272c+47232)\,\partial^2G^+T\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{(c+18)(4c-9)}{d(c)}\,\Big[\frac{11}{1890}(15c^8-415c^7-15392c^6+108617c^5-184721c^4$$
$$-157044c^3+611676c^2-324976c-45360)\,\partial^5G^+$$
$$-\frac{88}{21}(2259c^5-366c^4-31289c^3+84184c^2-82548c+21920)\,\partial TJJG^+$$
$$+\frac{88}{63}(4617c^6-10515c^5-47653c^4+182143c^3-173520c^2-1352c+44160)\,\partial TTG^+$$
$$-\frac{22}{63}(417c^6-40955c^5+93387c^4+233663c^3-773980c^2+545868c+11280)\,\partial T\partial G^+J$$
$$-\frac{44}{21}(3c^6-230c^5+3279c^4+13256c^3-77944c^2+97456c-30720)\,\partial^2TJG^+$$
$$-\frac{178}{63}(2388c^5-6935c^4-38285c^3+110090c^2-91108c+16680)\,\partial G^+JJT$$
$$+\frac{44}{63}(6952c^4+1033c^3-194383c^2+256178c-97680)\,\partial G^+JJJJ$$
$$+\frac{22}{189}(19683c^6-117993c^5+134441c^4+237549c^3-428372c^2-32988c+174960)\,\partial G^+TT$$
$$+\frac{88}{21}(94c^5-11007c^4-9458c^3+132443c^2-165102c+55240)\,\partial G^+\partial JJJ$$
$$-\frac{22}{63}(333c^6-15147c^5+103899c^4-530989c^3+1108196c^2-981932c+271920)\,\partial^2G^+JT$$
$$+\frac{88}{63}(122c^5-5251c^4+29266c^3-128381c^2+141234c-65280)\,\partial^2G^+JJJ$$
$$+\frac{22}{21}(127c^6-8441c^5+66769c^4-157519c^3+111372c^2+42932c-57360)\,\partial^2G^+G^-G^+$$
$$+\frac{11}{126}(5c^7-1342c^6+22836c^5-165546c^4+658371c^3-1243584c^2+980940c-168240)$$
$$\times\partial^2G^+\partial^2J$$
$$+\frac{176}{21}(3331c^4+5049c^3-42859c^2+50564c-23560)\,\partial JJJJG^+$$
$$-\frac{88}{21}(4539c^5-2796c^4-54919c^3+138884c^2-132048c+44000)\,\partial JJTG^+$$
$$+\frac{22}{189}(15c^7-297c^6-1738c^5+46753c^4-212513c^3+345900c^2-75960c-160800)\,\partial^3J\partial G^+$$
$$+\frac{11}{63}(9c^7-413c^6-266c^5+6807c^4+62339c^3-327008c^2+479288c-222176)\,\partial^4JG^+$$
$$-\frac{88}{21}(c-2)(c+12)(7c-15)(16c^3-86c^2+115c-25)\,\partial^2J\partial JG^+$$
$$+\frac{44}{63}(c+12)(33c^5+4613c^4-16173c^3+12023c^2+4524c-3700)\,\partial G^+\partial JT$$
$$-\frac{22}{7}(179c^5-9302c^4+17627c^3+24888c^2-56652c+17200)\,\partial J\partial JJG^+$$
$$-\frac{176}{21}(80c^3-4329c^2+4962c-2608)\,JJJJJG^+$$

$$+\frac{44}{21}(93c^6-5021c^5+19611c^4-37351c^3+72428c^2-102480c+56320)\,\partial T\partial JG^+$$
$$-\frac{176}{21}(28c^5-1577c^4-2573c^3+14678c^2-12966c+1880)\,\partial G^+JG^-G^+$$
$$-\frac{11}{21}(395c^6-11573c^5+66909c^4+162741c^3-987916c^2+1181724c-454960)\,\partial^2G^+\partial JJ$$
$$-\frac{44}{21}(125c^5-6308c^4+27853c^3-30678c^2-19192c+44320)\,\partial^2JJJG^+$$
$$-\frac{11}{42}(931c^6-1297c^5+26569c^4-166259c^3+481188c^2-772652c+508400)\,\partial G^+\partial J\partial J$$
$$+\frac{352}{63}(171c^4-9956c^3+25436c^2-24506c+6360)\,JJJTG^+$$
$$-\frac{88}{63}(243c^5-15138c^4+61983c^3-85808c^2+35980c+1680)\,JTTG^+$$
$$-\frac{22}{63}(279c^6-19989c^5+236741c^4-716591c^3+729652c^2-62572c-180240)\,\partial G^-\partial G^+G^+$$
$$+\frac{22}{63}(237c^7-734c^6+9760c^5-75014c^4+214507c^3-247960c^2+58004c+57360)\,\partial^2T\partial G^+$$
$$-\frac{22}{63}(117c^6-2401c^5+17047c^4+38493c^3-194740c^2+245924c-81520)\,\partial^3G^+JJ$$
$$+\frac{88}{63}(135c^6-6998c^5+36339c^4-64014c^3+42134c^2-26336c+31680)\,\partial^2JTG^+$$
$$-\frac{11}{63}(1409c^6+15869c^5+32499c^4-776369c^3+1943940c^2-1361428c-109680)\,\partial^2J\partial G^+J$$
$$-\frac{22}{63}(453c^6+550c^5-13635c^4+51660c^3-302008c^2+744120c-553440)\,\partial^3JJG^+$$
$$+\frac{11}{63}(405c^7-12912c^6+73802c^5-103624c^4-191411c^3+638808c^2-542108c+103920)$$
$$\times\partial^2G^+\partial T$$
$$-\frac{11}{126}(9c^7+452c^6-21946c^5+93252c^4+34389c^3-395280c^2+163044c+163440)\,\partial^3G^+\partial J$$
$$+\frac{11}{189}(918c^7+207c^6-54177c^5+284165c^4-485793c^3+66668c^2+546412c-372720)\,\partial^3TG^+$$
$$+\frac{11}{189}(495c^7-11064c^6-11362c^5+359328c^4-698193c^3-255568c^2+1389484c-744240)$$
$$\times\partial^3G^+T$$
$$-\frac{11}{378}(24c^7-1115c^6-26031c^5+210207c^4-137781c^3-980188c^2+1750324c-850320)$$
$$\times\partial^4G^+J\Big](w)$$
$$+\cdots,$$
$$W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\,W^{(4)}_{-\frac{4}{3}}(w)=-\frac{1}{(z-w)^6}\,\frac{20}{7}G^-(w)+\frac{1}{(z-w)^5}\,\Big[-\frac{40}{7(c-1)}\,JG^--\frac{20(c+1)}{21(c-1)}\,\partial G^-\Big](w)$$
$$+\frac{1}{(z-w)^4}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\Big[-\frac{10}{7}(3c^2+70c-104)\,\partial JG^--\frac{20}{21}(5c^2-70c+24)\,\partial G^-J$$
$$-\frac{20}{21}(5c-6)(9c+2)\,G^-T+\frac{40}{7}(9c+2)\,JJG^--\frac{5}{21}(2c^3-19c^2+118c-48)\,\partial^2G^-\Big](w)$$

$$+\frac{1}{(z-w)^3}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\Big[\frac{80}{21}(157c^2+57c+98)\,JJJG^-$$
$$-\frac{160}{21}(57c^3-91c^2+104c-12)\,JG^-T+\frac{40}{21}(41c^3+504c^2-131c+66)\,\partial G^-JJ$$
$$+\frac{40}{7}(47c^3-134c^2-11c+38)\,\partial JJG^--\frac{10}{21}(c+6)(19c^3-124c^2+257c-128)\,\partial G^-\partial J$$
$$-\frac{20}{63}(231c^4-328c^3+1121c^2-540c-108)\,\partial G^-T$$
$$-\frac{20}{21}(111c^4-104c^3-679c^2+676c+84)\,\partial TG^-$$
$$-\frac{20}{21}(7c^4-133c^3+1041c^2-277c+126)\,\partial^2G^-J$$
$$-\frac{10}{21}(13c^4+418c^3-729c^2-1006c+1712)\,\partial^2JG^-$$
$$-\frac{10}{63}(c+1)(3c^4-84c^3+365c^2-860c+228)\,\partial^3G^-\Big]\,(w)$$
$$+\frac{1}{(z-w)^2}\,\frac{(c+18)(4c-9)(7c-15)}{d(c)}\,[$$
$$-\frac{40}{63}(c+12)(57c^5-156c^4+720c^3-1751c^2+788c+84)\,\partial G^-\partial T$$
$$-\frac{40}{63}(291c^5-3488c^4-3415c^3+27448c^2-7452c-4176)\,\partial G^-JT$$
$$+\frac{40}{63}(389c^4-3003c^3+2976c^2+16652c-4368)\,\partial G^-JJJ$$
$$+\frac{40}{21}(16c^5-1065c^4+9163c^3-20196c^2+10588c+1296)\,\partial G^-G^-G^+$$
$$+\frac{40}{21}(44c^5+693c^4+5645c^3-17696c^2+8380c-4656)\,\partial G^-\partial JJ$$
$$-\frac{10}{63}(117c^6-799c^5-1949c^4+49559c^3-119228c^2+47724c+12240)\,\partial^2G^-T$$
$$+\frac{10}{21}(38c^5+13c^4+7023c^3-10384c^2-28428c+9552)\,\partial^2G^-JJ$$
$$-\frac{20}{21}(c+12)(225c^4-638c^3+969c^2-1468c+308)\,\partial TJG^-$$
$$-\frac{20}{21}(33c^6+52c^5-1034c^4-1057c^3+9216c^2-7396c-336)\,\partial^2TG^-$$
$$+\frac{20}{7}(289c^4+4497c^3-8548c^2-1532c-4880)\,\partial JJJG^-$$
$$-\frac{20}{21}(171c^5+4874c^4-16741c^3+15880c^2-10500c+7440)\,\partial JG^-T$$
$$+\frac{5}{7}(119c^5-206c^4-12753c^3+38952c^2-21364c-11056)\,\partial J\partial JG^-$$
$$+\frac{10}{21}(169c^5+2086c^4-9375c^3+4496c^2+6692c+3312)\,\partial^2JJG^-$$
$$-\frac{5}{21}(c+12)(11c^5-97c^4+2225c^3-5335c^2+3016c-1548)\,\partial^2G^-\partial J$$
$$-\frac{40}{21}(632c^3-533c^2-3790c+48)\,JJJJG^-$$

$$+\frac{40}{21}(1077c^4-627c^3-6128c^2+5356c-3024)\,JJG^-T$$
$$-\frac{20}{63}(2673c^5-2826c^4-24367c^3+51008c^2-23964c-3024)\,G^-TT$$
$$-\frac{10}{63}(9c^6-145c^5-2265c^4+30601c^3-55972c^2-1564c-528)\,\partial^3G^-J$$
$$-\frac{10}{63}(16c^6+351c^5-2794c^4-16877c^3+90464c^2-112916c+36048)\,\partial^2J\partial G^-$$
$$-\frac{10}{63}(9c^6+193c^5+1254c^4-5078c^3-24752c^2+85128c-54624)\,\partial^3JG^-$$
$$-\frac{5}{1512}(24c^7-376c^6-6065c^5+46854c^4-250485c^3+448368c^2-165044c+87312)\,\partial^4G^-\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{(c+18)(4c-9)}{d(c)}\,[$$
$$\frac{40}{21}(343c^5-22056c^4+159035c^3-268298c^2+52988c+67120)\,\partial G^-JG^-G^+$$
$$-\frac{20}{63}(2013c^6-26895c^5+7779c^4+590171c^3-1217720c^2+399084c+83280)\,\partial G^-\partial TJ$$
$$-\frac{20}{63}(c+12)(1551c^5-17093c^4+63725c^3-87679c^2+26108c+11620)\,\partial G^-\partial JT$$
$$+\frac{20}{21}(2525c^5-16444c^4+82083c^3-69036c^2-67316c-68080)\,\partial G^-\partial JJJ$$
$$+\frac{5}{21}(805c^6+275c^5+47995c^4-282227c^3+459668c^2-300236c+189040)\,\partial G^-\partial J\partial J$$
$$-\frac{10}{63}(405c^7-3422c^6+1990c^5+246180c^4-1334775c^3+2132778c^2-830868c-107280)$$
$$\times\partial^2G^-\partial T$$
$$-\frac{40}{63}(576c^6-10675c^5+76477c^4-90019c^3+57841c^2-229884c+157920)\,\partial^2G^-JT$$
$$+\frac{40}{63}(755c^5-11985c^4+168910c^3-124469c^2-373268c+318720)\,\partial^2G^-JJJ$$
$$+\frac{20}{21}(113c^6-7842c^5+87405c^4-333968c^3+453000c^2-121400c-68640)\,\partial^2G^-G^-G^+$$
$$+\frac{10}{21}(290c^6-2145c^5+52260c^4-302029c^3+405772c^2-52260c+109200)\,\partial^2G^-\partial JJ$$
$$-\frac{10}{189}(495c^7-12657c^6+1367c^5+456081c^4-1935686c^3+2502632c^2-365400c-560160)$$
$$\times\partial^3G^-T$$
$$+\frac{20}{63}(75c^6-2056c^5+28153c^4-171504c^3+33758c^2+473512c-280640)\,\partial^3G^-JJ$$
$$-\frac{20}{21}(591c^6+15943c^5-76297c^4+64289c^3+53510c^2+16972c-88720)\,\partial T\partial JG^-$$
$$-\frac{20}{63}(237c^7-274c^6+9140c^5-106920c^4+397875c^3-608454c^2+320956c+18960)\,\partial^2T\partial G^-$$
$$-\frac{20}{21}(468c^6-297c^5-7014c^4+18319c^3-57076c^2+79708c+7440)\,\partial^2TJG^-$$
$$-\frac{10}{189}(918c^7-21c^6-41391c^5+23333c^4+557597c^3-1276856c^2+723796c+37680)\,\partial^3TG^-$$

$$+\frac{10}{7}(2001c^5+30410c^4-171687c^3+219444c^2-30060c+5360)\,\partial J\partial JJG^-$$
$$+\frac{40}{21}(897c^5+18183c^4-68416c^3+51452c^2-41480c+111040)\,\partial^2 JJJG^-$$
$$-\frac{20}{63}(1035c^6+38377c^5-214035c^4+406107c^3-422272c^2+386236c-198000)\,\partial^2 JG^-T$$
$$+\frac{10}{63}(1115c^6+20031c^5+165553c^4-834539c^3+937820c^2-446396c+561840)\,\partial^2 J\partial G^-J$$
$$+\frac{20}{21}(c-2)(c+12)(7c-15)(60c^3-693c^2+705c+226)\,\partial^2 J\partial JG^-$$
$$+\frac{10}{63}(780c^6-1459c^5-45978c^4+201337c^3-71800c^2-285948c+34800)\,\partial^3 JJG^-$$
$$-\frac{10}{189}(c+12)(75c^6-570c^5-2592c^4+24584c^3-103835c^2+166110c-67140)\,\partial^3 J\partial G^-$$
$$-\frac{80}{21}(6096c^3-2809c^2-17966c+13808)\,JJJJJG^-$$
$$+\frac{80}{21}(1860c^5-3491c^4-24593c^3+46968c^2+4520c-12080)\,\partial TJJG^-$$
$$-\frac{80}{21}(4653c^4-25375c^3+2955c^2+59364c-5200)\,\partial JJJJG^-$$
$$+\frac{80}{21}(3930c^5-19209c^4+16246c^3+24511c^2-29344c+13360)\,\partial JJG^-T$$
$$+\frac{160}{63}(13257c^4-27821c^3-7135c^2+53020c-38640)\,JJJG^-T$$
$$-\frac{40}{63}(19197c^5-72906c^4+75965c^3-31032c^2+80596c-80400)\,JG^-TT$$
$$+\frac{40}{63}(7095c^5+55072c^4-146979c^3+144732c^2-214244c+115440)\,\partial G^-JJT$$
$$-\frac{40}{63}(3508c^4+96405c^3-132585c^2-131186c+155280)\,\partial G^-JJJJ$$
$$-\frac{80}{63}(54c^6-4068c^5+58564c^4-267659c^3+439087c^2-211052c-12000)\,\partial G^-\partial G^+G^-$$
$$-\frac{5}{63}(65c^7+747c^6+1133c^5+134637c^4-502298c^3+527916c^2-420584c+566880)\,\partial^2 G^-\partial^2 J$$
$$-\frac{5}{63}(51c^7-299c^6-9185c^5+150163c^4-624670c^3+860620c^2-450328c+351520)\,\partial^3 G^-\partial J$$
$$-\frac{80}{63}(4617c^6-10941c^5-66676c^4+284335c^3-363779c^2+146984c+6960)\,\partial TG^-T$$
$$-\frac{5}{63}(24c^7+35c^6-5698c^5+36241c^4-177568c^3+637562c^2-1033336c+539264)\,\partial^4 JG^-$$
$$-\frac{20}{189}(19683c^6-85935c^5+280109c^4-784625c^3+1094060c^2-499092c-45360)\,\partial G^-TT$$
$$-\frac{1}{756}(60c^8-1820c^7-22026c^6+264841c^5-1045468c^4+1078521c^3+958948c^2$$
$$-597660c-1544400)\,\partial^5 G^-$$
$$-\frac{5}{756}(264c^7-6566c^6-159073c^5+1307448c^4-4028653c^3+2944036c^2+2837548c-1796400)$$
$$\times\partial^4 G^-J\Big](w)+\cdots,$$

$$W^{(\frac{7}{2})}_{\frac{1}{3}}(z)\,W^{(\frac{9}{2})}_{-\frac{1}{3}}(w) = -\frac{1}{(z-w)^8}\,\frac{c}{21} + \frac{1}{(z-w)^7}\,\frac{62}{21}\,J(w)$$
$$+\frac{1}{(z-w)^6}\,\left[\frac{10}{3(c-1)}\,JJ - \frac{5(3c+25)}{63(c-1)}\,T - \frac{1}{42}\,\partial J\right](w)$$
$$+\frac{1}{(z-w)^5}\,\frac{1}{(c-1)(c+6)(2c-3)}\,\left[-\frac{4}{21}(377c^2-981c+94)\,G^-G^+\right.$$
$$+\frac{8}{63}(327c^2-272c+1260)\,JT$$
$$+\frac{40}{21}(c+6)(2c-3)\,\partial JJ - \frac{8}{63}(467c+358)\,JJJ - \frac{1}{63}(18c^3-2119c^2+6003c-1122)\,\partial T$$
$$\left.-\frac{1}{126}(2c^3+1515c^2-3951c+394)\,\partial^2 J\right](w)$$
$$+\frac{1}{(z-w)^4}\,\frac{1}{(c-1)(c+1)(c+6)(2c-3)(5c-9)}\,\left[-\frac{5}{63}(c+1)(5c-9)(3c^2+943c-2250)\,\partial JT\right.$$
$$-\frac{2}{63}(10084c^2+10239c+9032)\,JJJJ$$
$$-\frac{2}{21}(3941c^3-15760c^2-5735c-9706)\,JG^-G^+ + \frac{2}{63}(7077c^3+2290c^2+36671c+29622)\,JJT$$
$$+\frac{1}{63}(7524c^4-32607c^3+19584c^2+77753c-5634)\,\partial G^+G^-$$
$$-\frac{1}{63}(7551c^4-18378c^3-11829c^2-10688c-1116)\,\partial G^-G^+$$
$$+\frac{1}{63}(6525c^4+12728c^3-67075c^2-25710c-23448)\,\partial TJ$$
$$-\frac{1}{188}(999c^4+27978c^3-80293c^2+91140c+9036)\,TT$$
$$+\frac{1}{126}(791c^4-4804c^3+31815c^2-20886c+60064)\,\partial^2 JJ$$
$$+\frac{1}{84}(109c^4+252c^3-13255c^2+31546c-26072)\,\partial J\partial J$$
$$-\frac{65}{21}(c+1)(5c-9)(19c+14)\,\partial JJJ - \frac{1}{126}(57c^5+126c^4-10230c^3+23660c^2+9117c-1170)$$
$$\times\partial^2 T$$
$$\left.-\frac{1}{756}(15c^5+20628c^4-308c^3-130070c^2-17631c-50514)\,\partial^3 J\right](w)$$
$$+\frac{1}{(z-w)^3}\,\frac{(c+18)(4c-9)(7c-15)}{d(c)}\,\left[-\frac{1}{1134}(117c^7-2535c^6-307215c^5+392675c^4\right.$$
$$+2562058c^3-4588420c^2+1245000c-15840)\,\partial^3 T$$
$$-\frac{16}{189}(26112c^4+4477c^3-35377c^2-36338c+19776)\,JJJT$$
$$+\frac{4}{63}(24896c^3+40675c^2-153502c+48816)\,JJJJJ$$
$$+\frac{8}{21}(10823c^4-19437c^3-135958c^2+266168c-92576)\,JJG^-G^+$$
$$+\frac{2}{189}(72927c^5-94098c^4+365507c^3-2601712c^2+4749420c-2325744)\,JTT$$

$$-\frac{4}{63}(45249c^5-147298c^4-67143c^3+578128c^2-465852c+7536)\,G^-TG^+$$
$$-\frac{1}{63}(45c^6+4508c^5-185603c^4+530914c^3+567876c^2-2268104c+897504)\,\partial T\partial J$$
$$+\frac{8}{63}(783c^5+36555c^4-102040c^3-204380c^2+391712c+82080)\,\partial G^+JG^-$$
$$+\frac{1}{63}(1875c^6-53076c^5+93907c^4+432438c^3-1657988c^2+1240424c+364320)\,\partial^2G^+G^-$$
$$-\frac{1}{189}(75c^6+107221c^5+224505c^4-2633553c^3+2667788c^2+4859116c-6579312)\,\partial^2JT$$
$$+\frac{1}{63}(c+12)(56c^4-1861c^3-1170c^2+17169c-2234)\,\partial^2J\partial J$$
$$+\frac{1}{189}(291c^6-5004c^5+46097c^4-54132c^3-2010044c^2+4221312c-1602240)\,\partial^3JJ$$
$$-\frac{4}{21}(c+12)(947c^3-1990c^2-2315c-4042)\,\partial JG^-G^+$$
$$+\frac{16}{63}(c+12)(492c^3-865c^2+4801c+4992)\,\partial JJT-\frac{8}{63}(c+12)(3881c^2+3801c+3418)\,\partial JJJJ$$
$$-\frac{2}{63}(c+12)(2759c^4-10041c^3+35762c^2-76234c+60004)\,\partial^2JJJ$$
$$-\frac{1}{42}(3667c^5+1566c^4-3537c^3-370328c^2+1049516c-789424)\,\partial J\partial JJ$$
$$-\frac{8}{63}(1233c^5-26655c^4-50444c^3+432404c^2-387872c-4896)\,\partial G^-JG^+$$
$$-\frac{1}{63}(1893c^6-10845c^5-56025c^4+712753c^3-2050716c^2+1569908c+22512)\,\partial^2G^-G^+$$
$$+\frac{4}{63}(1809c^5-11819c^4+44652c^3+389078c^2-887532c+251952)\,\partial TJJ$$
$$+\frac{2}{63}(978c^6+3849c^5-67740c^4-13155c^3+771232c^2-1122284c+306960)\,\partial^2TJ$$
$$-\frac{1}{189}(7533c^6+36543c^5+746959c^4-2832891c^3+738668c^2+2463636c+26352)\,\partial G^-\partial G^+$$
$$-\frac{2}{189}(666c^6-118575c^5+498988c^4-335159c^3-600792c^2+564516c-103824)\,\partial TT$$
$$-\frac{1}{756}(3c^7+3456c^6+75823c^5-184006c^4-689296c^3+1856264c^2-631952c-258432)$$
$$\times\partial^4J\Big](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{(c+18)(4c-9)}{d(c)}\,\Big[-\frac{1}{6804}(891c^8+4005c^7-1076403c^6+3751935c^5+4850454c^4$$
$$-6470230c^3-95422492c^2+119102160c-14766720)\,\partial^4T$$
$$-\frac{2}{189}(1534128c^4-420433c^3+2987923c^2-6448618c+7860240)\,JJJJT$$
$$+\frac{16}{189}(141040c^3+135667c^2-658666c+449864)\,JJJJJJ$$
$$+\frac{8}{63}(243776c^4-963011c^3-2649879c^2+7047194c-4592960)\,JJJG^-G^+$$
$$+\frac{4}{189}(262953c^5-103656c^4+1139981c^3-11673926c^2+24972848c-13112400)\,JJTT$$

$$+\frac{8}{63}(82419c^5-472936c^4+592296c^3+532459c^2-1667198c+691120)\,JG^-TG^+$$
$$+\frac{4}{63}(154062c^5-260355c^4-1881035c^3+934900c^2+1785868c-2216480)\,\partial G^-JJG^+$$
$$-\frac{8}{189}(162387c^6-959667c^5+2759280c^4-6246750c^3+8914498c^2-5511908c-33840)$$
$$\times\partial G^-TG^+$$
$$-\frac{1}{1701}(54675c^6+6848379c^5-43308495c^4$$
$$+113526145c^3-170739620c^2+157450836c-63193680)\,TTT$$
$$+\frac{1}{189}(1018647c^6+452583c^5-16567187c^4$$
$$+1693357c^3+105479556c^2-164808876c+61845360)\,\partial TJT$$
$$-\frac{4}{189}(364707c^5+699485c^4-6863090c^3-2476570c^2+19905948c-12966000)\,\partial TJJJ$$
$$-\frac{1}{63}(7c-15)(88227c^5-147314c^4-1119489c^3+3380864c^2-2567076c+12048)\,\partial TG^-G^+$$
$$-\frac{1}{252}(7c-15)(57c^6+8226c^5-251859c^4+1987048c^3-4886140c^2+3480592c+96576)\,\partial^2T\partial J$$
$$+\frac{1}{189}(48051c^6+3477747c^5-5682831c^4$$
$$-55539159c^3+172779708c^2-136399436c+7347760)\,\partial G^+\partial JG^-$$
$$+\frac{1}{1134}(78714c^7-2554251c^6+24128973c^5-85922673c^4$$
$$+164075709c^3-274309532c^2+236074180c-70633680)\,\partial^2G^+\partial G^-$$
$$+\frac{1}{189}(31887c^6-1321581c^5+10111809c^4$$
$$-428619c^3-137873628c^2+237571892c-115959760)\,\partial^2G^+JG^-$$
$$+\frac{1}{567}(23553c^7-484050c^6-1424892c^5+29078022c^4$$
$$-92638365c^3+73614152c^2+49889100c-65810480)\,\partial^3G^+G^-$$
$$-\frac{4}{63}(7c-15)(34611c^4-62194c^3+131689c^2-136954c+88368)\,\partial JJJT$$
$$+\frac{5}{63}(7c-15)(39664c^3+63461c^2-244466c+76752)\,\partial JJJJJ$$
$$+\frac{4}{21}(7c-15)(20809c^4+3069c^3-309314c^2+461464c-175648)\,\partial JJG^-G^+$$
$$+\frac{1}{504}(7c-15)(337c^5+40306c^4-1579987c^3+6426392c^2-8368764c+3281136)\,\partial J\partial J\partial J$$
$$-\frac{1}{189}(315c^7+323843c^6-1819335c^5-1494483c^4$$
$$+29524468c^3-67134976c^2+46306088c+2785760)\,\partial^2J\partial T$$
$$+\frac{1}{2268}(2568c^7-147447c^6-1266435c^5+11353227c^4$$
$$-25725705c^3+47372884c^2-110683412c+112333200)\,\partial^2J\partial^2J$$
$$-\frac{1}{2268}(1575c^7+3588465c^6+7191555c^5-107297629c^4$$

$$
\begin{aligned}
&+108169454c^3+476070876c^2-1080325896c+613164000)\,\partial^3 JT\\
&+\frac{1}{4536}(6813c^7-437913c^6+6426741c^5-21910947c^4\\
&-67185186c^3+417231796c^2-608810984c+293459040)\,\partial^3 J\partial J\\
&+\frac{1}{2268}(4797c^7-149193c^6+325857c^5+11511513c^4\\
&-65327910c^3+118316680c^2-96538512c+34015808)\,\partial^4 JJ\\
&-\frac{1}{252}(7c-15)(14671c^5-141822c^4-825473c^3+4230208c^2-3725764c-94320)\,\partial^2 J\partial JJ\\
&-\frac{1}{378}(7c-15)(999c^5+1150854c^4-5105581c^3+8815376c^2-10048020c+6438672)\,\partial JTT\\
&-\frac{1}{21}(40447c^5+235146c^4-1238821c^3-508264c^2+4638252c-3057680)\,\partial J\partial JJJ\\
&-\frac{4}{63}(160497c^5-1534281c^4+1076126c^3+14267894c^2-22331836c+7982240)\,\partial G^+JJG^-\\
&-\frac{1}{189}(58725c^6-96303c^5+8140831c^4-19892901c^3-47933404c^2+85041532c-23553200)\\
&\times\partial G^-\partial G^+J\\
&-\frac{1}{189}(111681c^6-2530203c^5-7955685c^4\\
&+87259695c^3-166052556c^2+69500908c+30118480)\,\partial G^-\partial JG^+\\
&-\frac{1}{189}(53937c^6-453135c^5-963849c^4+5814459c^3-44129016c^2+52102964c-28536880)\\
&\times\partial^2 G^-JG^+\\
&+\frac{2}{189}(22959c^6+77121c^5-2166540c^4+3106800c^3+19998036c^2-42052496c+24084400)\\
&\times\partial^2 TJJ\\
&+\frac{2}{189}(648819c^6-5104821c^5+14064021c^4-15554331c^3+6539012c^2+961460c-406800)\\
&\times\partial G^+G^-T\\
&-\frac{2}{189}(101567c^5+769123c^4-2635318c^3+10234468c^2-25947760c+28292080)\,\partial^2 JJJJ\\
&-\frac{1}{189}(25536c^6-341244c^5-2826253c^4+15988663c^3-6292774c^2-11383008c+4473840)\\
&\times\partial^3 JJJ\\
&-\frac{1}{378}(159069c^6+852561c^5-7118553c^4\\
&+9544203c^3-20148012c^2+90610972c-107219120)\,\partial^2 JG^-G^+\\
&+\frac{1}{378}(172017c^6-4011159c^5+11551539c^4\\
&+61959291c^3-319949508c^2+456597580c-217487600)\,\partial T\partial JJ\\
&+\frac{1}{378}(109731c^6-578729c^5-438543c^4+23620053c^3-33031284c^2-87846428c+160660400)\\
&\times\partial^2 JJT\\
&-\frac{1}{1134}(79416c^7-910083c^6+14867961c^5-77902221c^4
\end{aligned}
$$

$$+114370335c^3+122665892c^2-248498260c+70676880)\,\partial^2G^-\partial G^+$$
$$-\frac{1}{1134}(47835c^7-1154514c^6+99528c^5+53424738c^4$$
$$-229088823c^3+376255232c^2-201197676c+361840)\,\partial^3G^-G^+$$
$$+\frac{1}{756}(34767c^6-294753c^5-13078011c^4+83073621c^3-154147308c^2+45225364c+74299120)$$
$$\times\partial J\partial JT$$
$$-\frac{1}{567}(8748c^7-2636469c^6+10403415c^5+25981905c^4$$
$$-185461383c^3+295692244c^2-121685180c-41186640)\,\partial T\partial T$$
$$+\frac{1}{1134}(54747c^7+155112c^6-3254502c^5+8876512c^4$$
$$+17035511c^3-117219200c^2+127823420c-32416240)\,\partial^3TJ$$
$$-\frac{1}{1134}(18171c^7+344223c^6-5902779c^5+8262453c^4$$
$$+34520856c^3-44477740c^2-75595744c+110467200)\,\partial^2TT$$
$$-\frac{1}{22680}(105c^8+96837c^7+2189421c^6-8242205c^5-50622940c^4$$
$$+299813218c^3-529190356c^2+317863280c-17794560)\,\partial^5J\Big]\,(w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{d(c)}\,[$$
$$-\frac{1}{34020}(2700c^{10}+13005c^9+130968c^8-143702742c^7+500284020c^6+4713963729c^5$$
$$-31266014148c^4+68264908412c^3-65202679120c^2+28281314976c-7297992000)\,\partial^5T$$
$$+\frac{8}{189}(1256832c^6-21988368c^5-150949083c^4$$
$$+1177579763c^3-2405225500c^2+1504296996c-198944640)\,\partial G^+JJJG^+$$
$$-\frac{8}{189}(849456c^7-17026557c^6-70058022c^5+937834181c^4$$
$$-2803475222c^3+3380729648c^2-1521336144c+48396960)\,\partial G^-JTG^+$$
$$-\frac{1}{139}(2535948c^8+27306369c^7-163802421c^6-401973987c^5+3390486509c^4$$
$$-5779572926c^3+1600358228c^2+2979266280c-1167717600)\,\partial G^-\partial TG^+$$
$$-\frac{2}{567}(2659068c^8+15024285c^7+47512983c^6+279545857c^5-6152018439c^4$$
$$+20248988426c^3-23764255164c^2+7967357064c+1809954720)\,\partial G^-\partial G^+T$$
$$+\frac{4}{189}(668196c^7+2762433c^6+62657758c^5+89088661c^4$$
$$-2795656372c^3+7925558788c^2-6869258944c+1796762880)\,\partial G^-\partial G^+JJ$$
$$+\frac{8}{189}(875106c^7+14188944c^6-11443461c^5-412800303c^4$$
$$+1036077102c^3-406964942c^2-550212836c+599577840)\,\partial G^-\partial JJG^+$$
$$+\frac{4}{189}(467748c^7-1427811c^6-25796121c^5+609575883c^4$$

$$-3027712821c^3+5804492824c^2-3774941972c+725987520)\,\partial^2G^-JJG^+$$
$$-\frac{2}{189}(658476c^8-2487525c^7-84682737c^6+1032563151c^5-4612786331c^4$$
$$+9775940010c^3-9818091028c^2+3770880024c+55049760)\,\partial^2G^-TG^+$$
$$+\frac{16}{189}(269496c^7-1273770c^6+9899405c^5+87086908c^4$$
$$-767774059c^3+1989872268c^2-2180619948c+806803200)\,\partial TJJT$$
$$-\frac{2}{189}(3105792c^6+19774972c^5-17336203c^4$$
$$+738823903c^3-3915256860c^2+5184776676c-2240866080)\,\partial TJJJJ$$
$$-\frac{8}{63}(c+18)(4c-9)(80523c^5-349672c^4-334563c^3+2949988c^2-3874496c+1069840)$$
$$\times\partial TJG^-G^+$$
$$-\frac{1}{567}(218700c^8-81427959c^7+529933107c^6-729814723c^5-1636669795c^4$$
$$+3742140834c^3+2503288788c^2-9603271512c+5128025760)\,\partial TTT$$
$$+\frac{1}{567}(3060828c^8+59617701c^7+18683631c^6-2486505495c^5+7709143017c^4$$
$$-5396644846c^3-6456575356c^2+8359521960c-296943840)\,\partial T\partial TJ$$
$$-\frac{4}{189}(1454436c^7+23901699c^6+26061894c^5-724114158c^4$$
$$+276116517c^3+4976578288c^2-8466311636c+4340777760)\,\partial T\partial JJJ$$
$$+\frac{1}{567}(3654828c^8+29483649c^7-413586165c^6+219278829c^5+6195189765c^4$$
$$-18462511222c^3+19139061668c^2-8530109592c+2566542240)\,\partial^2TJT$$
$$-\frac{4}{189}(436116c^7+4115163c^6-45688737c^5-27158419c^4$$
$$+1039527233c^3-3010834532c^2+3073714396c-1129569120)\,\partial^2TJJJ$$
$$-\frac{1}{63}(728412c^8+3360285c^7-66613113c^6+185815153c^5+329504409c^4$$
$$-2457472246c^3+4356379044c^2-2812096824c+302482080)\,\partial^2TG^-G^+$$
$$-\frac{1}{756}(1596c^9+1677177c^8+2399928c^7-125161744c^6+1469240110c^5-7616200253c^4$$
$$+18150890398c^3-18839448532c^2+5097015720c+2186157600)\,\partial^2T\partial^2J$$
$$-\frac{1}{2268}(3276c^9+319557c^8-15477228c^7-256634968c^6+2407016866c^5-8590189625c^4$$
$$+18242000166c^3-20911309220c^2+6003412296c+3429038880)\,\partial^3T\partial J$$
$$+\frac{1}{567}(191988c^8-12054981c^7+136930149c^6+1420894023c^5-17379411981c^4$$
$$+63644622014c^3-103746408292c^2+69844158840c-16214700960)\,\partial^2G^+\partial G^-J$$
$$+\frac{1}{189}(24300c^8+174771c^7-33130905c^6+183814395c^5+1065343953c^4$$
$$-10033024854c^3+25066284908c^2-24272226088c+8413607520)\,\partial^2G^+\partial JG^-$$
$$+\frac{2}{1701}(46980c^9-290565c^8-14115147c^7+243838455c^6-185864595c^5-4952620746c^4$$

$$+17916629818c^3 - 24444493736c^2 + 13982959416c - 2838062880)\,\partial^3 G^+\partial G^-$$
$$-\frac{4}{567}(39816c^8 - 1658346c^7 + 38728077c^6 + 5737170c^5 - 691300545c^4$$
$$+2102858080c^3 - 4214045876c^2 + 4923423984c - 2247773760)\,\partial^3 G^+ JG^-$$
$$+\frac{1}{2268}(62640c^9 - 1560816c^8 - 93560949c^7 + 333288687c^6 + 2042191759c^5 - 12366656451c^4$$
$$+20729425326c^3 - 7055217724c^2 - 10735586792c + 7446849120)\,\partial^4 G^+ G^-$$
$$-\frac{8}{189}(c+18)(4c-9)(587028c^4 - 774413c^3 + 3188783c^2 - 4177778c + 4533840)\,\partial JJJJT$$
$$+\frac{8}{63}(c+18)(4c-9)(237680c^3 + 220973c^2 - 1100714c + 753136)\,\partial JJJJJJ$$
$$+\frac{8}{21}(c+18)(4c-9)(117496c^4 - 263851c^3 - 1574409c^2 + 3306754c - 2234560)\,\partial JJJG^- G^+$$
$$+\frac{4(c+18)}{189}(4c-9)(141291c^5 - 762042c^4 + 4618727c^3 - 15711872c^2 + 26527796c$$
$$-14041200)\,\partial JJTT$$
$$-\frac{16}{63}(c+18)(4c-9)(39684c^5 - 156851c^4 + 44001c^3 + 504134c^2 - 964078c + 475520)$$
$$\times\partial JG^- TG^+$$
$$-\frac{2}{189}(1730772c^7 - 4145529c^6 - 197274204c^5 + 1208070807c^4$$
$$-2122442094c^3 - 237564164c^2 + 3470926552c - 1938169440)\,\partial J\partial JJT$$
$$+\frac{20}{63}(221800c^6 + 2500468c^5 - 9758719c^4$$
$$-30316995c^3 + 156834788c^2 - 194225012c + 69170400)\,\partial J\partial JJJJ$$
$$+\frac{2}{21}(341648c^7 + 2210359c^6 - 26345196c^5 + 43371183c^4$$
$$+186352774c^3 - 843515996c^2 + 1287402488c - 730208160)\,\partial J\partial JG^- G^+$$
$$-\frac{4}{189}(864168c^7 + 8924654c^6 - 120045031c^5 + 644006368c^4$$
$$-1899786271c^3 + 3031168464c^2 - 2614023892c + 1026930240)\,\partial^2 JJJT$$
$$+\frac{5}{189}(990208c^6 + 17539388c^5 - 77591303c^4$$
$$+76702611c^3 - 126701740c^2 + 376802516c - 378283680)\,\partial^2 JJJJJ$$
$$+\frac{8}{189}(772008c^7 + 16003269c^6 - 78079596c^5 - 104109147c^4$$
$$+907472394c^3 - 1215054586c^2 + 198196868c + 281136240)\,\partial^2 JJG^- G^+$$
$$+\frac{1}{378}(149220c^8 + 8184555c^7 + 219388677c^6 - 381190633c^5 - 6985966733c^4$$
$$+30533641758c^3 - 44416514900c^2 + 19690229976c + 3023002080)\,\partial^2 J\partial G^+ G^-$$
$$+\frac{1}{504}(9604c^8 + 3814691c^7 - 7066031c^6 - 633932929c^5 + 5017729671c^4$$
$$-15398599186c^3 + 21681571676c^2 - 12151495016c + 712919520)\,\partial^2 J\partial J\partial J$$
$$-\frac{1}{6804}(11340c^9 + 20135997c^8 + 324094482c^7 - 1319520834c^6 - 7326722208c^5$$

$$+49791378609c^4-111506612998c^3+113034966500c^2-36354286248c-9335118240)$$
$$\times\partial^3 J\partial T$$
$$+\frac{1}{4536}(10380c^9-783867c^8-5584480c^7+269274060c^6-974752386c^5-3081843917c^4$$
$$+23868190814c^3-52910255284c^2+54463582760c-23474774880)\,\partial^3 J\partial^2 J$$
$$-\frac{1}{6804}(3780c^9+7294959c^8+204371370c^7-681169902c^6-3378946500c^5+9778552227c^4$$
$$+35990418494c^3-167939131492c^2+227549210664c-104352524640)\,\partial^4 JT$$
$$+\frac{1}{1512}(1716c^9-92781c^8+66254c^7+2832370c^6-128115680c^5+833902015c^4$$
$$-1128653898c^3-4088320628c^2+12855689736c-9712276704)\,\partial^4 J\partial J$$
$$+\frac{1}{11340}(15720c^9-83514c^8-11345004c^7+107801173c^6+841151006c^5-6440949823c^4$$
$$+9589448846c^3+5588219440c^2-17287283424c+8342304480)\,\partial^5 JJ$$
$$-\frac{1}{63}(c+18)(4c-9)(25633c^5+4462c^4+482213c^3-6228508c^2+14794500c-11239440)$$
$$\times\partial J\partial J\partial JJ$$
$$-\frac{2}{63}(c+18)(4c-9)(39235c^5+62993c^4-1319228c^3+5725268c^2-8247968c+6258320)$$
$$\times\partial^2 J\partial JJJ$$
$$-\frac{1}{189}(c+18)(4c-9)(26811c^6+90411c^5+3323489c^4$$
$$-2754519c^3-34087412c^2+32848980c+4683120)\,\partial G^-\partial G^+\partial J$$
$$+\frac{1}{126}(c+18)(4c-9)(17427c^6+36759c^5-964215c^4$$
$$-6245515c^3+39946468c^2-50701884c+19146160)\,\partial^2 T\partial JJ$$
$$+\frac{1}{189}(c+18)(4c-9)(6015c^6-353291c^5-1951923c^4$$
$$+15747003c^3-20277168c^2-15791836c+33432240)\,\partial^2 J\partial JT$$
$$-\frac{1}{378}(c+18)(4c-9)(39747c^6-439473c^5+1518521c^4$$
$$+4005429c^3-35366036c^2+76713252c-54966480)\,\partial^3 JG^-G^+$$
$$-\frac{880}{63}(50048c^5-87950c^4-1615395c^3+6639000c^2-7876228c+3215520)\,JJJJG^-G^+$$
$$+\frac{1760}{63}(34896c^6-109310c^5-720956c^4+4384211c^3-8814282c^2+7933696c-2580480)$$
$$\times JJG^-TG^+$$
$$+\frac{880}{189}(75072c^5-22400c^4-949713c^3+1594868c^2-1242708c+182304)\,JJJJJT$$
$$-\frac{1760}{189}(17920c^4+18322c^3-367777c^2+584066c-272880)\,JJJJJJJ$$
$$-\frac{440}{189}(145800c^7-659337c^6-1084556c^5+11396927c^4$$
$$-24532882c^3+20544604c^2-4304856c-1317600)\,G^-TTG^+$$
$$-\frac{1}{189}(135900c^8-505629c^7-5862309c^6+187355031c^5-1057859151c^4$$

$$+1450523610c^3+613593028c^2-1893510200c+1670231520)\,\partial^2G^-\partial JG^+$$
$$-\frac{8}{189}(805392c^6+41147892c^5-156526743c^4$$
$$-799907177c^3+3903743980c^2-4587159804c+1755077760)\,\partial G^+JJJG^-$$
$$+\frac{8}{189}(528696c^7+27629043c^6-131000442c^5-57303479c^4$$
$$+1049337698c^3-1738328912c^2+1090764336c-164492640)\,\partial G^+JG^-T$$
$$-\frac{8}{189}(924606c^7+7328217c^6-132572943c^5+36015690c^4$$
$$+2712910794c^3-7873859162c^2+7366663228c-2154448080)\,\partial G^+\partial JJG^-$$
$$-\frac{4}{189}(489528c^7-12054336c^6-131541c^5+535667658c^4$$
$$-3718103061c^3+10204280224c^2-11125471532c+4531181760)\,\partial^2G^+JJG^-$$
$$+\frac{8}{189}(163890c^8-4408800c^7-3487143c^6+228738352c^5-1070678893c^4$$
$$+2136988528c^3-1976518650c^2+712964196c-3473280)\,\partial^2G^+G^-T$$
$$+\frac{2}{189}(56880c^8-856216c^7-34653531c^6+209033484c^5+25977471c^4$$
$$-2229375140c^3+5064950012c^2-4170576640c+1038300480)\,\partial^2J\partial TJ$$
$$+\frac{1}{189}(2530116c^8+22465611c^7-233016975c^6-43696737c^5+4236817959c^4$$
$$-12458812666c^3+13519170620c^2-4242153288c-1131092640)\,\partial T\partial G^+G^-$$
$$-\frac{2}{189}(9324c^8+5562585c^7-27531661c^6-267045139c^5+2601357233c^4$$
$$-9011736162c^3+16116933028c^2-15167286408c+5841309600)\,\partial T\partial JT$$
$$-\frac{1}{378}(276660c^8+881415c^7-228416607c^6-116799917c^5+9029380823c^4$$
$$-32234080698c^3+41114387900c^2-14426908296c-4188235680)\,\partial^2J\partial G^-G^+$$
$$+\frac{1}{252}(28620c^8-3857591c^7-28006981c^6+384892509c^5-558492899c^4$$
$$-4621672870c^3+19529757972c^2-28925192760c+15743440800)\,\partial T\partial J\partial J$$
$$-\frac{1760}{567}(78516c^6-128676c^5-272257c^4-2046118c^3+10495212c^2-14684472c+5922720)$$
$$\times JJJTT$$
$$-\frac{1}{567}(169308c^8+7476609c^7-48167547c^6+288089697c^5+4730417163c^4$$
$$-39733102610c^3+97545097348c^2-84318805848c+23973878880)\,\partial^2G^-\partial G^+J$$
$$-\frac{2}{567}(64116c^8+784527c^7-30905952c^6+140768751c^5+727952880c^4$$
$$-6375760138c^3+14498198648c^2-11281348392c+3385640160)\,\partial^3G^-JG^+$$
$$-\frac{2}{567}(282372c^7+1832811c^6-51929c^5-183969763c^4$$
$$-1057024799c^3+5972757636c^2-5459361108c+247272480)\,\partial^3JJJJ$$
$$-\frac{1}{1134}(79020c^9-2558907c^8+20295987c^7+477492177c^6-6769121979c^5+34420832226c^4$$

$$
\begin{aligned}
&-88945752796c^3+121576254752c^2-76450845360c+17710375680)\,\partial^2G^-\partial^2G^+\\
&+\frac{1}{567}(122868c^8+1706703c^7-59540139c^6-101294885c^5+1967154123c^4\\
&-3761692914c^3-1008545380c^2+5491603864c-3341391840)\,\partial^3TJJ\\
&-\frac{1}{1134}(108468c^8-1487385c^7-72427635c^6+78196059c^5+2451552783c^4\\
&-10228586846c^3+17438203276c^2-15069737880c+5415815520)\,\partial^4JJJ\\
&-\frac{1}{378}(14940c^9-1780647c^8-12101562c^7+146091846c^6-136796020c^5-2014957467c^4\\
&+7763992546c^3-10888217580c^2+5058841464c+516106080)\,\partial^2T\partial T\\
&+\frac{440}{1701}(218700c^7-654759c^6+1552032c^5-24397223c^4\\
&+119501698c^3-247092684c^2+236806776c-87726240)\,JTTT\\
&-\frac{1}{2268}(663324c^8-4225851c^7-314167077c^6-23872215c^5+13216047789c^4\\
&-51958623502c^3+76280987540c^2-42364422168c+4496182560)\,\partial^2J\partial^2JJ\\
&+\frac{1}{1134}(324900c^8-3789141c^7+15884877c^6-358419433c^5-1463814821c^4\\
&+22363345502c^3-76141527108c^2+110566594104c-59261928480)\,\partial^3JJT\\
&-\frac{1}{2268}(878076c^8-13769811c^7-611873025c^6-206858007c^5+17525367993c^4\\
&-28669193798c^3-46241240236c^2+124926567208c-76100940000)\,\partial^3J\partial JJ\\
&-\frac{1}{3402}(191484c^9-2320119c^8-49491960c^7+929777388c^6-4437518802c^5-617618961c^4\\
&+55963744870c^3-137773727348c^2+107590940328c-22382650080)\,\partial^3G^-\partial G^+\\
&-\frac{1}{4536}(127872c^9-868068c^8-74651247c^7+187583217c^6+2199813789c^5-14209849037c^4\\
&+38169725622c^3-52608313412c^2+32376970424c-8013814560)\,\partial^4G^-G^+\\
&-\frac{1}{1134}(27972c^8+86682291c^7+485749025c^6-7037482529c^5+22528567935c^4\\
&-26413043018c^3+4953558972c^2+7535542392c-919499040)\,\partial^2JTT\\
&-\frac{1}{3402}(50220c^9-1057923c^8-208978824c^7+592836684c^6+1724525830c^5-6436904581c^4\\
&+4152483838c^3-5104890708c^2+20264031144c-17806301280)\,\partial^3TT\\
&+\frac{1}{6804}(234576c^9+3430152c^8-38975847c^7-410863911c^6+2416398513c^5+7373924155c^4\\
&-67920494810c^3+149424137268c^2-120241255896c+31105749600)\,\partial^4TJ \qquad \text{(J.2)}\\
&-\frac{1}{204120}(540c^{10}+439965c^9+15257133c^8+492920787c^7-1947291627c^6-14544218028c^5\\
&+105271986982c^4-258277861072c^3+286385121712c^2-119379586992c+3559550400)\\
&\times\partial^6J\Big]\,(w)+\cdots.
\end{aligned}
$$

Here $d(c)$ was given in Appendix (G.11). In the large c limit, all the nonlinear terms in Appendix (J.2) disappear. One can also analyze the $\frac{1}{c},\cdots,\frac{1}{c^6}$-terms.

J.3 The component OPEs in the OPE $\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_1)\,\mathbf{W}^{(\frac{7}{2})}_{-\frac{1}{3}}(Z_2)$

The 4 component OPEs corresponding to Appendix (G.12) can be summarized by

$$
\begin{aligned}
&\frac{1}{C^{(\frac{7}{2})-}_{(\frac{7}{2})(\frac{7}{2})}}\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(z)\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(w)=-\frac{1}{(z-w)^3}\,\frac{3}{11}\,W^{(4)}_{-\frac{2}{3}}(w)-\frac{1}{(z-w)^2}\,\frac{3}{22}\,\partial W^{(4)}_{-\frac{2}{3}}(w)\\
&+\frac{1}{(z-w)}\,\frac{1}{(c+9)(3c+4)(27c-46)(3c^2+90c-265)}\,\Big[\\
&\frac{216}{11}(42c^3+614c^2-1651c+1385)\,JJW^{(4)}_{-\frac{2}{3}}\\
&+36(9c^3-372c^2+3333c-4030)\,JG^-W^{(\frac{7}{2})}_{\frac{1}{3}}\\
&-\frac{18}{11}(27c^4-1575c^3+507c^2+16059c-10778)\,G^-W^{(\frac{9}{2})}_{\frac{1}{3}}\\
&+\frac{3}{22}(2025c^4+27756c^3-38283c^2-269878c+353640)\,TW^{(4)}_{-\frac{2}{3}}\\
&+\frac{18}{11}(9c^4-390c^3+4957c^2+17064c-78580)\,\partial JW^{(4)}_{-\frac{2}{3}}\\
&-\frac{9}{2}(9c^4-884c^3-7131c^2+26506c-11080)\,\partial G^-W^{(\frac{7}{2})}_{\frac{1}{3}}\\
&+\frac{9}{22}(45c^4-4242c^3-36687c^2+154420c-87036)\,G^-\partial W^{(\frac{7}{2})}_{\frac{1}{3}}\\
&-\frac{9}{22}(9c^4-528c^3-8139c^2+103598c-178320)\,J\partial W^{(4)}_{-\frac{2}{3}}\\
&-\frac{3}{44}(3c-1)(45c^4+1302c^3+1407c^2-42794c+75240)\,\partial^2W^{(4)}_{-\frac{2}{3}}\Big]\,(w)+\cdots,\\
&\frac{1}{C^{(\frac{7}{2})-}_{(\frac{7}{2})(\frac{7}{2})}}\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(z)\,W^{(4)}_{\frac{2}{3}}(w)=-\frac{1}{(z-w)^4}\,W^{(\frac{7}{2})}_{\frac{1}{3}}(w)+\frac{1}{(z-w)^3}\left[\frac{3}{22}W^{(\frac{9}{2})}_{\frac{1}{3}}-\frac{19}{44}\,\partial W^{(\frac{7}{2})}_{\frac{1}{3}}\right](w)\\
&+\frac{1}{(z-w)^2}\,\frac{1}{(c+9)(27c-46)(3c^2+90c-265)}\,\Big[-\frac{1}{2}(27c-46)(51c^2+614c-1725)\,TW^{(\frac{7}{2})}_{\frac{1}{3}}\\
&+\frac{36}{27}(c+9)(31c-35)\,JJW^{(\frac{7}{2})}_{\frac{1}{3}}\\
&+\frac{3}{2}(45c^3-2904c^2+4281c+5998)\,G^-W^{(4)}_{\frac{4}{3}}-\frac{9}{22}(687c^3+7144c^2-25501c-6790)\,G^+W^{(4)}_{-\frac{2}{3}}\\
&-\frac{9}{22}(39c^3-984c^2+18923c-22118)\,JW^{(\frac{9}{2})}_{\frac{1}{3}}-\frac{3}{4}(3c^3-1544c^2-35529c+108050)\,\partial JW^{(\frac{7}{2})}_{\frac{1}{3}}\\
&+\frac{3}{44}(15c^3-6552c^2-121229c+352266)\,J\partial W^{(\frac{7}{2})}_{\frac{1}{3}}\\
&+\frac{3}{22}(36c^4+1695c^3+15900c^2-65125c+27114)\,\partial W^{(\frac{9}{2})}_{\frac{1}{3}}\\
&-\frac{1}{44}(387c^4+7818c^3-9849c^2-116948c+200412)\,\partial^2W^{(\frac{7}{2})}_{\frac{1}{3}}\Big]\,(w)\\
&+\frac{1}{(z-w)}\,\frac{1}{(c+9)(3c+4)(27c-46)(3c^2+90c-265)}\,\Big[\frac{3}{22}(27c-46)(81c^2+87c-698)\,TW^{(\frac{9}{2})}_{\frac{1}{3}}
\end{aligned}
$$

$$+\frac{9}{22}(27c^4-567c^3+15243c^2-23565c+22462)\,J\partial W^{(\frac{9}{2})}_{\frac{1}{3}}$$
$$+\frac{54}{11}(42c^3+614c^2-1651c+1385)\,JJW^{(\frac{9}{2})}_{\frac{1}{3}}$$
$$+\frac{18}{11}(897c^3+7574c^2+5294c-18015)\,JJ\partial W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$-18(9c^3-372c^2+3333c-4030)\,JTW^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$+\frac{216}{11}(42c^3+614c^2-1651c+1385)\,JG^+W^{(4)}_{-\frac{2}{3}}$$
$$+\frac{3}{22}(18c^4-5295c^3-103578c^2+220669c+218526)\,J\partial^2W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$+3(27c^4-1629c^3+2739c^2-3939c+13402)\,G^-\partial W^{(4)}_{\frac{4}{3}}$$
$$+\frac{3}{2}(81c^4-5592c^3-10083c^2+57318c-4624)\,\partial G^-W^{(4)}_{\frac{4}{3}}$$
$$+\frac{1}{88}(39771c^4+408798c^3-2058153c^2+1525928c+1647156)\,T\partial W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$+\frac{1}{4}(2025c^4+27756c^3-38283c^2-269878c+353640)\,\partial TW^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$-\frac{9}{44}(99c^4-1206c^3+71647c^2+45476c-381236)\,\partial JW^{(\frac{9}{2})}_{\frac{1}{3}}$$
$$+9(363c^3+3796c^2-3209c-1010)\,\partial JJW^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$+\frac{3}{4}(9c^4+984c^3+45685c^2-51258c-232720)\,\partial^2JW^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$-18(9c^3-372c^2+3333c-4030)\,JG^-W^{(4)}_{\frac{4}{3}}$$
$$-18(9c^3-372c^2+3333c-4030)\,G^-G^+W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$-\frac{9}{22}(1035c^4+11826c^3-28033c^2-9388c-102740)\,G^+\partial W^{(4)}_{-\frac{2}{3}}$$
$$-\frac{3}{22}(2025c^4+27756c^3-38283c^2-269878c+353640)\,\partial G^+W^{(4)}_{-\frac{2}{3}}$$
$$+\frac{3}{22}(27c^5+1233c^4+17949c^3-40569c^2-15268c-74292)\,\partial^2W^{(\frac{9}{2})}_{\frac{1}{3}}$$
$$-\frac{1}{66}(324c^5-846c^4-67125c^3+228810c^2-155309c-27234)\,\partial^3W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$-\frac{3}{88}(297c^4-48630c^3-901075c^2+2098520c+2141068)\,\partial J\partial W^{(\frac{7}{2})}_{\frac{1}{3}}\Big](w)+\cdots,$$
$$\frac{1}{C^{(\frac{7}{2})-}_{(\frac{7}{2})(\frac{7}{2})}}\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(z)\,W^{(4)}_{-\frac{4}{3}}(w)=\frac{1}{(z-w)^2}\,\frac{30}{11(c+9)}\,G^-W^{(4)}_{-\frac{2}{3}}(w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)(3c+4)}\left[\frac{30}{11}\,(c-1)\,\partial G^-W^{(4)}_{-\frac{2}{3}}+\frac{15}{11}\,(3c+7)\,G^-\partial W^{(4)}_{-\frac{2}{3}}+\frac{90}{11}\,JG^-W^{(4)}_{-\frac{2}{3}}\right](w)$$
$$+\cdots,$$

$$\frac{1}{C^{(\frac{7}{2})-}_{(\frac{7}{2})(\frac{7}{2})}}\,W^{(\frac{7}{2})}_{-\frac{1}{3}}(z)\,W^{(\frac{9}{2})}_{-\frac{1}{3}}(w)=-\frac{1}{(z-w)^4}\,\frac{1}{2}\,W^{(4)}_{-\frac{2}{3}}(w)$$
$$+\frac{1}{(z-w)^3}\,\frac{1}{(c+9)}\,\left[10\,G^-W^{(\frac{7}{2})}_{\frac{1}{3}}-\frac{30}{11}\,JW^{(4)}_{-\frac{2}{3}}-\frac{2(c+24)}{11}\,\partial W^{(4)}_{-\frac{2}{3}}\right](w)$$
$$+\frac{1}{(z-w)^2}\,\frac{1}{(c+9)(27c-46)(3c^2+90c-265)}\,\Big[18(c+9)(31c-35)\,JJW^{(4)}_{-\frac{2}{3}}$$
$$+36(c+9)(31c-35)\,JG^-W^{(\frac{7}{2})}_{\frac{1}{3}}-\frac{6}{11}(279c^3+1368c^2-15255c+30428)\,G^-W^{(\frac{9}{2})}_{\frac{1}{3}}$$
$$+\frac{1}{11}(8235c^3+41664c^2-187409c+40170)\,TW^{(4)}_{-\frac{2}{3}}$$
$$+\frac{1}{4}(927c^3+43272c^2-117629c+19370)\,\partial G^-W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$+\frac{3}{11}(51c^3-928c^2+67527c-181590)\,\partial JW^{(4)}_{-\frac{2}{3}}$$
$$+\frac{1}{44}(16155c^3+377736c^2-2257257c+2943466)\,G^-\partial W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$-\frac{3}{44}(1671c^3+47640c^2-136901c+34490)\,J\partial W^{(4)}_{-\frac{2}{3}}$$
$$-\frac{1}{88}(279c^4+12453c^3+217491c^2-1276973c+1581870)\,\partial^2W^{(4)}_{-\frac{2}{3}}\Big](w)$$
$$+\frac{1}{(z-w)}\,\frac{1}{(c+9)(3c-2)(3c+4)(27c-46)(3c^2+90c-265)}$$
$$\times\Big[18(99c^4+2487c^3+1256c^2-28072c+35600)\,JJ\partial W^{(4)}_{-\frac{2}{3}}$$
$$+\frac{1080}{11}(252c^3+141c^2-3017c+3694)\,JJJW^{(4)}_{-\frac{2}{3}}$$
$$-\frac{90}{11}(108c^4-1809c^3-23475c^2+85134c-71288)\,JG^-W^{(\frac{9}{2})}_{\frac{1}{3}}$$
$$+\frac{3}{11}(17388c^4+124749c^3-15033c^2+942306c-2281720)\,JG^-\partial W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$-\frac{30}{11}(6075c^4-11664c^3+56673c^2-338112c+406316)\,JTW^{(4)}_{-\frac{2}{3}}$$
$$-\frac{3}{11}(2187c^5+39042c^4-104463c^3-321174c^2+1301856c-1029808)\,G^-\partial W^{(\frac{9}{2})}_{\frac{1}{3}}$$
$$+\frac{90}{11}(3456c^4-6345c^3-29889c^2+71576c-55076)\,G^-G^+W^{(4)}_{-\frac{2}{3}}$$
$$+\frac{1}{44}(37665c^5+192834c^4-4184127c^3+7278324c^2+7100772c-9611168)\,G^-\partial^2W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$-\frac{3}{11}(1782c^5+927c^4-264858c^3+764781c^2-869644c+694052)\,\partial G^-W^{(\frac{9}{2})}_{\frac{1}{3}}$$
$$+6(594c^4+4707c^3-17979c^2-95292c+154940)\,\partial G^-JW^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$+\frac{1}{22}(21384c^5+791397c^4+367884c^3-6884313c^2+812852c+4057516)\,\partial G^-\partial W^{(\frac{7}{2})}_{\frac{1}{3}}$$
$$+\frac{1}{4}(1863c^5+81252c^4-536739c^3+843948c^2+1257316c-2308160)\,\partial^2G^-W^{(\frac{7}{2})}_{\frac{1}{3}}$$

$$
\begin{aligned}
&-\frac{1}{22}(27945c^5+465156c^4-1091367c^3+47394c^2-6488788c+9919800)\,T\partial W^{(4)}_{-\frac{2}{3}}\\
&-\frac{1}{22}(35235c^5+673866c^4-2238417c^3-4832676c^2+21662612c-20067600)\,\partial T W^{(4)}_{-\frac{2}{3}}\\
&+\frac{3}{44}(567c^5-180c^4+367575c^3-1038530c^2+86068c-2907960)\,\partial J\partial W^{(4)}_{-\frac{2}{3}}\\
&+\frac{9}{11}(6381c^4+49758c^3-108251c^2+554592c-920020)\,\partial J J W^{(4)}_{-\frac{2}{3}}\\
&+3(1053c^4-1791c^3-17208c^2+150256c+17000)\,\partial J G^- W^{(\frac{7}{2})}_{\frac{1}{3}}\\
&+\frac{3}{11}(189c^5+9099c^4+367767c^3-801239c^2-1350036c+1509340)\,\partial^2 J W^{(4)}_{-\frac{2}{3}}\\
&+10(3c+4)(27c-46)(81c^2-183c-44)\,G^- T W^{(\frac{7}{2})}_{\frac{1}{3}}\\
&-360(252c^3+141c^2-3017c+3694)\,JJG^- W^{(\frac{7}{2})}_{\frac{1}{3}}\\
&-\frac{3}{44}(4239c^5+86526c^4-127797c^3-633936c^2+3066788c-4363360)\,J\partial^2 W^{(4)}_{-\frac{2}{3}}\\
&-\frac{1}{264}(1215c^6+33723c^5+474705c^4-5268615c^3+5682720c^2+18658892c-21364560)\\
&\partial^3 W^{(4)}_{-\frac{2}{3}}\Big](w)\\
&+\cdots.
\end{aligned}
\tag{J.3}
$$

In the large c limit, all the nonlinear terms in Appendix (J.3) disappear. One can also analyze the $\frac{1}{c},\cdots,\frac{1}{c^3}$-terms.

References

[1] R. Gopakumar, A. Hashimoto, I. R. Klebanov, S. Sachdev and K. Schoutens, "Strange Metals in One Spatial Dimension," Phys. Rev. D **86**, 066003 (2012) doi:10.1103/PhysRevD.86.066003 [arXiv:1206.4719 [hep-th]].

[2] W. Boucher, D. Friedan and A. Kent, "Determinant Formulae and Unitarity for the N=2 Superconformal Algebras in Two-Dimensions or Exact Results on String Compactification," Phys. Lett. B **172**, 316 (1986). doi:10.1016/0370-2693(86)90260-1

[3] P. Bouwknegt and K. Schoutens, "W symmetry in conformal field theory," Phys. Rept. **223**, 183 (1993) doi:10.1016/0370-1573(93)90111-P [hep-th/9210010].

[4] M. R. Gaberdiel and R. Gopakumar, "Minimal Model Holography," J. Phys. A **46**, 214002 (2013) doi:10.1088/1751-8113/46/21/214002 [arXiv:1207.6697 [hep-th]].

[5] P. Di Vecchia, J. L. Petersen, M. Yu and H. B. Zheng, "Explicit Construction of Unitary Representations of the N=2 Superconformal Algebra," Phys. Lett. B **174**, 280 (1986). doi:10.1016/0370-2693(86)91099-3

[6] M. R. Gaberdiel and R. Gopakumar, "An AdS_3 Dual for Minimal Model CFTs," Phys. Rev. D **83**, 066007 (2011) doi:10.1103/PhysRevD.83.066007 [arXiv:1011.2986 [hep-th]].

[7] M. R. Gaberdiel and R. Gopakumar, "Triality in Minimal Model Holography," JHEP **1207**, 127 (2012) doi:10.1007/JHEP07(2012)127 [arXiv:1205.2472 [hep-th]].

[8] M. R. Gaberdiel and R. Gopakumar, "Large N=4 Holography," JHEP **1309**, 036 (2013) doi:10.1007/JHEP09(2013)036 [arXiv:1305.4181 [hep-th]].

[9] M. R. Gaberdiel and R. Gopakumar, "Higher Spins & Strings," JHEP **1411**, 044 (2014) doi:10.1007/JHEP11(2014)044 [arXiv:1406.6103 [hep-th]].

[10] S. F. Prokushkin and M. A. Vasiliev, "Higher spin gauge interactions for massive matter fields in 3-D AdS space-time," Nucl. Phys. B **545**, 385 (1999) doi:10.1016/S0550-3213(98)00839-6 [hep-th/9806236].

[11] M. R. Gaberdiel, C. Peng and I. G. Zadeh, "Higgsing the stringy higher spin symmetry," JHEP **1510**, 101 (2015) doi:10.1007/JHEP10(2015)101 [arXiv:1506.02045 [hep-th]].

[12] M. R. Gaberdiel and R. Gopakumar, "Stringy Symmetries and the Higher Spin Square," J. Phys. A **48**, no. 18, 185402 (2015) doi:10.1088/1751-8113/48/18/185402 [arXiv:1501.07236 [hep-th]].

[13] M. R. Gaberdiel and R. Gopakumar, "String Theory as a Higher Spin Theory," arXiv:1512.07237 [hep-th].

[14] T. Creutzig, Y. Hikida and P. B. Ronne, "Higher spin AdS_3 holography with extended supersymmetry," JHEP **1410**, 163 (2014) doi:10.1007/JHEP10(2014)163 [arXiv:1406.1521 [hep-th]].

[15] Y. Hikida and P. B. Rnne, "Marginal deformations and the Higgs phenomenon in higher spin AdS_3 holography," JHEP **1507**, 125 (2015) doi:10.1007/JHEP07(2015)125 [arXiv:1503.03870 [hep-th]].

[16] T. Creutzig and Y. Hikida, "Higgs phenomenon for higher spin fields on AdS_3," JHEP **1510**, 164 (2015) doi:10.1007/JHEP10(2015)164 [arXiv:1506.04465 [hep-th]].

[17] R. Blumenhagen, M. Flohr, A. Kliem, W. Nahm, A. Recknagel and R. Varnhagen, "W algebras with two and three generators," Nucl. Phys. B **361**, 255 (1991). doi:10.1016/0550-3213(91)90624-7

[18] P. Goddard and A. Schwimmer, "Factoring Out Free Fermions and Superconformal Algebras," Phys. Lett. B **214**, 209 (1988). doi:10.1016/0370-2693(88)91470-0

[19] D. Chang and A. Kumar, "Representations of $N = 3$ Superconformal Algebra," Phys. Lett. B **193**, 181 (1987). doi:10.1016/0370-2693(87)91219-6

[20] K. Schoutens, "O(n) Extended Superconformal Field Theory in Superspace," Nucl. Phys. B **295**, 634 (1988). doi:10.1016/0550-3213(88)90539-1

[21] F. Bastianelli and N. Ohta, "The Large N=4 superconformal algebra and its BRST operator," Phys. Rev. D **50**, 4051 (1994) doi:10.1103/PhysRevD.50.4051 [hep-th/9402118].

[22] C. Ahn, K. Schoutens and A. Sevrin, "The full structure of the super W(3) algebra," Int. J. Mod. Phys. A **6**, 3467 (1991). doi:10.1142/S0217751X91001684

[23] C. Ahn, "The Higher Spin Currents in the N=1 Stringy Coset Minimal Model," JHEP **1304**, 033 (2013) doi:10.1007/JHEP04(2013)033 [arXiv:1211.2589 [hep-th]].

[24] C. Ahn, "Higher Spin Currents with Arbitrary N in the $\mathcal{N} = 1$ Stringy Coset Minimal Model," JHEP **1307**, 141 (2013) doi:10.1007/JHEP07(2013)141 [arXiv:1305.5892 [hep-th]].

[25] P. Goddard, A. Kent and D. I. Olive, "Unitary Representations of the Virasoro and Supervirasoro Algebras," Commun. Math. Phys. **103**, 105 (1986). doi:10.1007/BF01464283

[26] M. R. Douglas, "G / H Conformal Field Theory," CALT-68-1453.

[27] K. Schoutens and A. Sevrin, "Minimal superW(N) algebras in coset conformal field theories," Phys. Lett. B **258**, 134 (1991). doi:10.1016/0370-2693(91)91220-P

[28] M. Beccaria, C. Candu, M. R. Gaberdiel and M. Groher, "N=1 extension of minimal model holography," JHEP **1307**, 174 (2013) doi:10.1007/JHEP07(2013)174 [arXiv:1305.1048 [hep-th]].

[29] C. Ahn and H. Kim, "Spin-5 Casimir operator its three-point functions with two scalars," JHEP **1401**, 012 (2014) Erratum: [JHEP **1401**, 174 (2014)] doi:10.1007/JHEP01(2014)012, 10.1007/JHEP01(2014)174 [arXiv:1308.1726 [hep-th]].

[30] K. Thielemans, "A Mathematica package for computing operator product expansions," Int. J. Mod. Phys. C **2**, 787 (1991). doi:10.1142/S0129183191001001

[31] S. Krivonos and K. Thielemans, "A Mathematica package for computing N=2 superfield operator product expansions," Class. Quant. Grav. **13**, 2899 (1996) doi:10.1088/0264-9381/13/11/006 [hep-th/9512029].

[32] M. Isachenkov, I. Kirsch and V. Schomerus, "Chiral Primaries in Strange Metals," Nucl. Phys. B **885**, 679 (2014) doi:10.1016/j.nuclphysb.2014.06.004 [arXiv:1403.6857 [hep-th]].

[33] M. Berkooz, P. Narayan and A. Zait, "Chiral 2D "strange metals" from $\mathcal{N} = 4$ SYM," JHEP **1501**, 003 (2015) doi:10.1007/JHEP01(2015)003 [arXiv:1408.3862 [hep-th]].

[34] M. Isachenkov, I. Kirsch and V. Schomerus, "Chiral Ring of Strange Metals: The Multicolor Limit," Nucl. Phys. B **897**, 660 (2015) doi:10.1016/j.nuclphysb.2015.06.010 [arXiv:1410.4594 [hep-th]].

[35] T. Creutzig, Y. Hikida and P. B. Ronne, "Higher spin AdS_3 supergravity and its dual CFT," JHEP **1202**, 109 (2012) doi:10.1007/JHEP02(2012)109 [arXiv:1111.2139 [hep-th]].

[36] C. Candu and M. R. Gaberdiel, "Supersymmetric holography on AdS_3," JHEP **1309**, 071 (2013) doi:10.1007/JHEP09(2013)071 [arXiv:1203.1939 [hep-th]].

[37] M. Henneaux, G. Lucena Gmez, J. Park and S. J. Rey, "Super- W(infinity) Asymptotic Symmetry of Higher-Spin AdS_3 Supergravity," JHEP **1206**, 037 (2012) doi:10.1007/JHEP06(2012)037 [arXiv:1203.5152 [hep-th]].

[38] K. Hanaki and C. Peng, "Symmetries of Holographic Super-Minimal Models," JHEP **1308**, 030 (2013) doi:10.1007/JHEP08(2013)030 [arXiv:1203.5768 [hep-th]].

[39] C. Candu and M. R. Gaberdiel, "Duality in N=2 Minimal Model Holography," JHEP **1302**, 070 (2013) doi:10.1007/JHEP02(2013)070 [arXiv:1207.6646 [hep-th]].

[40] F. A. Bais, P. Bouwknegt, M. Surridge and K. Schoutens, "Extensions of the Virasoro Algebra Constructed from Kac-Moody Algebras Using Higher Order Casimir Invariants," Nucl. Phys. B **304**, 348 (1988). doi:10.1016/0550-3213(88)90631-1

[41] F. A. Bais, P. Bouwknegt, M. Surridge and K. Schoutens, "Coset Construction for Extended Virasoro Algebras," Nucl. Phys. B **304**, 371 (1988). doi:10.1016/0550-3213(88)90632-3

[42] C. Ahn, "The Coset Spin-4 Casimir Operator and Its Three-Point Functions with Scalars," JHEP **1202**, 027 (2012) doi:10.1007/JHEP02(2012)027 [arXiv:1111.0091 [hep-th]].

[43] J. Fuchs, "More on the Super WZW Theory," Nucl. Phys. B **318**, 631 (1989). doi:10.1016/0550-3213(89)90634-2

[44] C. Ahn, "The Large N 't Hooft Limit of Kazama-Suzuki Model," JHEP **1208**, 047 (2012) doi:10.1007/JHEP08(2012)047 [arXiv:1206.0054 [hep-th]].

[45] L. J. Romans, "The N=2 superW(3) algebra," Nucl. Phys. B **369**, 403 (1992). doi:10.1016/0550-3213(92)90392-O

[46] C. Ahn, "The Operator Product Expansion of the Lowest Higher Spin Current at Finite N," JHEP **1301**, 041 (2013) doi:10.1007/JHEP01(2013)041 [arXiv:1208.0058 [hep-th]].

[47] K. Thielemans, "An Algorithmic approach to operator product expansions, W algebras and W strings," hep-th/9506159.

[48] K. Hornfeck, "W algebras with set of primary fields of dimensions (3, 4, 5) and (3, 4, 5, 6)," Nucl. Phys. B **407**, 237 (1993) doi:10.1016/0550-3213(93)90281-S [hep-th/9212104].

[49] A. B. Zamolodchikov, "Infinite Additional Symmetries in Two-Dimensional Conformal Quantum Field Theory," Theor. Math. Phys. **65**, 1205 (1985) [Teor. Mat. Fiz. **65**, 347 (1985)]. doi:10.1007/BF01036128

[50] C. Ahn, "Higher Spin Currents in Wolf Space. Part I," JHEP **1403**, 091 (2014) doi:10.1007/JHEP03(2014)091 [arXiv:1311.6205 [hep-th]].

[51] C. Ahn, "Higher Spin Currents in Wolf Space: Part II," Class. Quant. Grav. **32**, no. 1, 015023 (2015) doi:10.1088/0264-9381/32/1/015023 [arXiv:1408.0655 [hep-th]].

[52] C. Ahn and H. Kim, "Higher Spin Currents in Wolf Space for Generic N," JHEP **1412**, 109 (2014) doi:10.1007/JHEP12(2014)109 [arXiv:1411.0356 [hep-th]].

[53] C. Ahn, "Higher spin currents in Wolf space: III," Class. Quant. Grav. **32**, no. 18, 185001 (2015) doi:10.1088/0264-9381/32/18/185001 [arXiv:1504.00070 [hep-th]].

[54] C. Ahn and H. Kim, "Three point functions in the large $\mathcal{N} = 4$ holography," JHEP **1510**, 111 (2015) doi:10.1007/JHEP10(2015)111 [arXiv:1506.00357 [hep-th]].

[55] C. Ahn and M. H. Kim, "The Operator Product Expansion between the 16 Lowest Higher Spin Currents in the N=4 Superspace," arXiv:1509.01908 [hep-th].

[56] C. Ahn, "The Large N 't Hooft Limit of Coset Minimal Models," JHEP **1110**, 125 (2011) doi:10.1007/JHEP10(2011)125 [arXiv:1106.0351 [hep-th]].

[57] M. R. Gaberdiel and C. Vollenweider, "Minimal Model Holography for SO(2N)," JHEP **1108**, 104 (2011) doi:10.1007/JHEP08(2011)104 [arXiv:1106.2634 [hep-th]].

[58] C. Ahn, "The Primary Spin-4 Casimir Operators in the Holographic SO(N) Coset Minimal Models," JHEP **1205**, 040 (2012) doi:10.1007/JHEP05(2012)040 [arXiv:1202.0074 [hep-th]].

[59] C. Ahn and J. Paeng, "The OPEs of Spin-4 Casimir Currents in the Holographic $SO(N)$ Coset Minimal Models," Class. Quant. Grav. **30**, 175004 (2013) doi:10.1088/0264-9381/30/17/175004 [arXiv:1301.0208 [hep-th]].

[60] C. Ahn and J. Paeng, "Higher Spin Currents in the Holographic $\mathcal{N} = 1$ Coset Minimal Model," JHEP **1401**, 007 (2014) doi:10.1007/JHEP01(2014)007 [arXiv:1310.6185 [hep-th]].

[61] C. Ahn and J. Paeng, "Higher Spin Currents in Orthogonal Wolf Space," Class. Quant. Grav. **32**, no. 4, 045011 (2015) doi:10.1088/0264-9381/32/4/045011 [arXiv:1410.0080 [hep-th]].

[62] C. Ahn, H. Kim and J. Paeng, "Three Point Functions in the N=4 Orthogonal Coset Theory," arXiv:1510.03139 [hep-th].

[63] R. Blumenhagen, "N=2 supersymmetric W algebras," Nucl. Phys. B **405**, 744 (1993) doi:10.1016/0550-3213(93)90565-7 [hep-th/9208069].